
Subject: HttpRequest [FEATURE]: Add byte range request-header field (patch included)

Posted by [omari](#) on Sat, 26 Mar 2016 08:27:16 GMT

[View Forum Message](#) <> [Reply to Message](#)

useful to continue an interrupted download, or to get a file header only

for example, to continue an interrupted download :

```
HttpRequest r(url);
FileAppend fa(localFile);
fa << r.Range(fa.GetSize()).Execute();
```

the patch:

1- add a member variable :

```
String range;
```

2- initialize this member in HttpRequest::Init() :

```
range = "";
```

3- in HttpRequest::StartRequest(), add the content of 'range' to 'data' after the line (<< "Host: " << host_port << "\r\n") :

```
data << "URL: " << url << "\r\n"
  << "Host: " << host_port << "\r\n"
  << range
  << "Connection: " << (keep_alive ? "keep-alive\r\n" : "close\r\n")
  <<...
```

4- in HttpRequest::StartConnect() , add the content of 'range' to 'data' after the line (<< "Host: " << host_port << "\r\n")

```
data << "CONNECT " << host_port << " HTTP/1.1\r\n"
  << "Host: " << host_port << "\r\n"
  << range;
```

5- add HttpRequest::Range() methode :

```
HttpRequest& Range(const int64 from, const int64 to)
{
    range << "Range: bytes=" << from << "-" << to << "\r\n";
    return *this;
}
```

```
HttpRequest& Range(const int64 from)
{
    range << "Range: bytes=" << from << "-" << "\r\n";
    return *this;
}
```
