
Subject: Build Upp project: OK. Build No Upp project with Gstreamer: OK, Build Upp and Gstreamer project: BAD

Posted by [Infausto](#) on Tue, 03 May 2016 22:28:14 GMT

[View Forum Message](#) <> [Reply to Message](#)

As the title said, using MSYS2/MinGW-w64 to build an Upp project and to build a Gstreamer one separately all runs fine, but build using both at once all goes to trash can.

Here the console log:

```
----- CtrlLib ( GUI MT GCC DEBUG SHARED DEBUG_FULL BLITZ WIN32 ) ( 1 / 9 )
BLITZ: LabelBase.cpp Button.cpp Switch.cpp EditField.cpp Text.cpp LineEdit.cpp DocEdit.cpp
ScrollBar.cpp HeaderCtrl.cpp ArrayCtrl.cpp MultiButton.cpp PopupTable.cpp DropList.cpp
DropChoice.cpp Static.cpp Splitter.cpp FrameSplitter.c
  pp SliderCtrl.cpp ColumnList.cpp Progress.cpp AKeys.cpp RichTextView.cpp Prompt.cpp
Help.cpp DateTimeCtrl.cpp SuggestCtrl.cpp Bar.cpp MenuItem.cpp MenuBar.cpp ToolButton.cpp
ToolBar.cpp ToolTip.cpp StatusBar.cpp TabCtrl.cpp Tree
  Ctrl.cpp DropTree.cpp DlgColor.cpp ColorPopup.cpp ColorPusher.cpp FileList.cpp FileSel.cpp
FileSelUtil.cpp PrinterJob.cpp Windows.cpp Win32.cpp Gtk.cpp TrayIconWin32.cpp
TrayIconX11.cpp TrayIconGtk.cpp Update.cpp CtrlUtil.cpp LN
  GCtrl.cpp Ch.cpp
CtrlLib.icpp
ChWin32.cpp
ChGtk0.cpp
ChGtk.cpp
----- CtrlCore ( GUI MT GCC DEBUG SHARED DEBUG_FULL BLITZ WIN32 ) ( 2 / 9 )
BLITZ: SystemDraw.cpp Frame.cpp CtrlMt.cpp Ctrl.cpp CtrlChild.cpp CtrlPos.cpp CtrlDraw.cpp
CtrlMouse.cpp CtrlKbd.cpp CtrlTimer.cpp CtrlClip.cpp LocalLoop.cpp TopWindow.cpp
DrawWin32.cpp DrawOpWin32.cpp DrawTextWin32.cpp ImageWin32.c
  pp MetaFile.cpp UtilWin32.cpp Win32Ctrl.cpp Win32Wnd.cpp Win32Clip.cpp Win32DnD.cpp
Win32Proc.cpp TopWin32.cpp DHCtrl.cpp DrawX11.cpp DrawOpX11.cpp DrawTextX11.cpp
ImageX11.cpp UtilX11.cpp X11Ctrl.cpp X11Wnd.cpp X11Proc.cpp X11C
  lip.cpp X11DnD.cpp X11Top.cpp X11ImgClip.cpp X11App.cpp X11DHCtrl.cpp GtkDrawOp.cpp
GtkDrawText.cpp GtkDrawImage.cpp GdkImage.cpp GtkUtil.cpp GtkX11Util.cpp GtkCtrl.cpp
GtkCapture.cpp GtkWnd.cpp GtkCreate.cpp GtkEvent.cpp GtkTop
  .cpp GtkClip.cpp GtkDnD.cpp GtkApp.cpp ParseRTF.cpp EncodeRTF.cpp
CtrlCore.icpp
----- Draw ( GUI MT GCC DEBUG SHARED DEBUG_FULL BLITZ WIN32 ) ( 3 / 9 )
BLITZ: Font.cpp FontCR.cpp FontWin32.cpp FontFc.cpp Draw.cpp DrawText.cpp DrawData.cpp
Drawing.cpp ImageAnyDraw.cpp DrawUtil.cpp DrawTextUtil.cpp Display.cpp Image.cpp
ImageBlit.cpp RasterFormat.cpp RasterWrite.cpp Palette.cpp Raste
  r.cpp RasterEncoder.cpp ImageOp.cpp ImageChOp.cpp ImageScale.cpp BiCubic.cpp
RescaleFilter.cpp MakeCache.cpp DrawRasterData.cpp Uhd.cpp Iml.cpp DDARasterizer.cpp
SDrawClip.cpp SDrawPut.cpp SDrawText.cpp SDraw.cpp SImageDraw.cpp
  Cham.cpp SSettings.cpp
----- plugin/bmp ( GUI MT GCC DEBUG SHARED DEBUG_FULL BLITZ WIN32 ) ( 4 / 9 )
BLITZ: Bmp.cpp BmpWrite.cpp Icon.cpp BmpReg.icpp
----- RichText ( GUI MT GCC DEBUG SHARED DEBUG_FULL BLITZ WIN32 ) ( 5 / 9 )
```

BLITZ: Object.cpp RichImage.icpp ParaData.cpp ParaType.cpp ParaPaint.cpp TxtData.cpp
 TxtPaint.cpp TxtOp.cpp Format.cpp TableCell.cpp TableLayout.cpp TablePaint.cpp
 TableData.cpp TextPaint.cpp HeaderFooter.cpp TextStyle.cpp TextData.
 cpp TextTable.cpp EncodeQtf.cpp ParseQtf.cpp EncodeHTML.cpp Util.cpp
 ----- Core (GUI MT GCC DEBUG SHARED DEBUG_FULL BLITZ WIN32) (6 / 9)
 BLITZ: Cpu.cpp Mt.cpp sheap.cpp StringFind.cpp String.cpp WString.cpp StrUtil.cpp
 SplitMerge.cpp Bom.cpp Path.cpp NetNode.cpp App.cpp Stream.cpp BlockStream.cpp
 FileMapping.cpp FilterStream.cpp Log.cpp Debug.cpp Ini.cpp Util.cpp mat
 hutil.cpp Random.cpp LocalProcess.cpp Vcont.cpp Hash.cpp Callback.cpp TimeDate.cpp
 Value.cpp ValueUtil.cpp Format.cpp Convert.cpp Color.cpp Gtypes.cpp Lang.cpp LangInfo.cpp
 parser.cpp XML.cpp Xmlize.cpp JSON.cpp Uuid.cpp Ptr.cpp
 z.cpp Topic.cpp CoWork.cpp MD5.cpp SHA1.cpp InetUtil.cpp MIME.cpp Socket.cpp Http.cpp
 WebSocket.cpp Dli.cpp Win32Util.cpp
 OL_Set.cpp
 heaputil.cpp
 lheap.cpp
 In file included from
 D:\toolkit\workspace\upp\hydramedia\CtrlLib\MSYS2_MinGW_w64_x86_64.Debug.Debug_Full.G
 ui.Mt.Shared\blitz.cpp:231:0:
 D:\toolkit\artifacts\upp\9251\uppsrc\CtrlLib\PrinterJob.cpp:7:0: warning: ignoring #pragma
 comment [-Wunknown-pragmas]
 #pragma comment(lib, "comdlg32.lib")
 ^
 In file included from
 D:\toolkit\workspace\upp\hydramedia\CtrlLib\MSYS2_MinGW_w64_x86_64.Debug.Debug_Full.G
 ui.Mt.Shared\blitz.cpp:231:0:
 D:\toolkit\artifacts\upp\9251\uppsrc\CtrlLib\PrinterJob.cpp:23:0: warning: ignoring #pragma
 comment [-Wunknown-pragmas]
 #pragma comment(lib, "comdlg32.lib")
 ^
 heap.cpp
 heapdbg.cpp
 CharSet.cpp
 t.cpp
 ----- plugin/z (GUI MT GCC DEBUG SHARED DEBUG_FULL BLITZ WIN32) (7 / 9)
 Adler32.c
 compress.c
 crc32.c
 deflate.c
 infback.c
 inffast.c
 inflate.c
 infrees.c
 trees.c
 uncompr.c
 zutil.c
 ----- plugin/png (GUI MT GCC DEBUG SHARED DEBUG_FULL BLITZ WIN32) (8 / 9)
 BLITZ: pngupp.cpp pngreg.icpp

pnglib.c

----- wall (GUI MT GSTREAMER MAIN GCC DEBUG SHARED DEBUG_FULL BLITZ WIN32) (9 / 9)

main.cpp

In file included from

D:/toolkit/workspace/upp/hydramedia/CtrlLib/MSYS2_MinGW_w64_x86_64.Debug.Debug_Full.Gui.Mt.Shared\$blitz.cpp:239:0:

D:/toolkit/artifacts/upp/9251/uppsrc/CtrlLib/Win32.cpp:53:15: warning: 'Upp::String Upp::Dump(Upp::Ctrl*)' defined but not used [-Wunused-function]

```
static String Dump(Ctrl *ctrl)
```

^

plugin/bmp: 4 file(s) built in (0:00.17), 44 msec / file, duration = 2746 msec, parallelization 100%

D:/toolkit/artifacts/upp/9251/uppsrc/CtrlLib/ChWin32.cpp: In function 'void Upp::ChHostSkin()':

D:/toolkit/artifacts/upp/9251/uppsrc/CtrlLib/ChWin32.cpp:501:9: warning: variable 'outer' set but not used [-Wunused-but-set-variable]

```
bool outer = false;
```

^

plugin/z: 11 file(s) built in (0:00.16), 15 msec / file, duration = 1638 msec, parallelization 100%

plugin/png: 3 file(s) built in (0:00.27), 92 msec / file, duration = 2340 msec, parallelization 100%

wall: 1 file(s) built in (0:00.27), 275 msec / file, duration = 2824 msec, parallelization 99%

Draw: 36 file(s) built in (0:00.84), 23 msec / file, duration = 9048 msec, parallelization 99%

RichText: 22 file(s) built in (0:00.90), 41 msec / file, duration = 9282 msec, parallelization 99%

In file included from D:/toolkit/artifacts/upp/9251/uppsrc/CtrlCore/Win32Wnd.cpp:594:0,

from

D:/toolkit/workspace/upp/hydramedia/CtrlCore/MSYS2_MinGW_w64_x86_64.Debug.Debug_Full.Gui.Mt.Shared\$blitz.cpp:173:

D:/toolkit/artifacts/upp/9251/uppsrc/CtrlCore/Win32Msg.i:1:0: warning: ignoring #pragma BLITZ_APPROVE [-Wunknown-pragmas]

```
#pragma BLITZ_APPROVE
```

^

In file included from

D:/toolkit/workspace/upp/hydramedia/CtrlCore/MSYS2_MinGW_w64_x86_64.Debug.Debug_Full.Gui.Mt.Shared\$blitz.cpp:145:0:

D:/toolkit/artifacts/upp/9251/uppsrc/CtrlCore/ImageWin32.cpp: In member function 'void Upp::ImageSysData::Paint(Upp::SystemDraw&, int, int, const Rect&, Upp::Color)':

D:/toolkit/artifacts/upp/9251/uppsrc/CtrlCore/ImageWin32.cpp:251:7: warning: unused variable 'len' [-Wunused-variable]

```
int len = sz.cx * sz.cy;
```

^

In file included from

D:/toolkit/workspace/upp/hydramedia/CtrlCore/MSYS2_MinGW_w64_x86_64.Debug.Debug_Full.Gui.Mt.Shared\$blitz.cpp:173:0:

D:/toolkit/artifacts/upp/9251/uppsrc/CtrlCore/Win32Wnd.cpp: In member function 'void Upp::Ctrl::WndDestroy()':

D:/toolkit/artifacts/upp/9251/uppsrc/CtrlCore/Win32Wnd.cpp:569:8: warning: unused variable 'result' [-Wunused-variable]

```
bool result = ::DestroyWindow(hwnd);
```

^

In file included from

D:/toolkit/workspace/upp/hydramedia/CtrlCore/MSYS2_MinGW_w64_x86_64.Debug.Debug_Full.Gui.Mt.Shared\$blitz.cpp:217:0:

D:/toolkit/artifacts/upp9251\uppsrc\CtrlCore\Win32DnD.cpp: In member function 'virtual ULONG Upp::UDropTarget::Release()':

D:/toolkit/artifacts/upp9251\uppsrc\CtrlCore\Win32DnD.cpp:58:60: warning: deleting object of polymorphic class type 'Upp::UDropTarget' which has non-virtual destructor might cause undefined behaviour [-Wdelete-non-virtual-dtor]

```
STDMETHOD_(ULONG, Release)(void) { if(--rc == 0) { delete this; return 0; } return rc; }  
      ^
```

D:/toolkit/artifacts/upp9251\uppsrc\CtrlCore\Win32DnD.cpp: In member function 'virtual ULONG Upp::UDataObject::Release()':

D:/toolkit/artifacts/upp9251\uppsrc\CtrlCore\Win32DnD.cpp:240:60: warning: deleting object of polymorphic class type 'Upp::UDataObject' which has non-virtual destructor might cause undefined behaviour [-Wdelete-non-virtual-dtor]

```
STDMETHOD_(ULONG, Release)(void) { if(--rc == 0) { delete this; return 0; } return rc; }  
      ^
```

D:/toolkit/artifacts/upp9251\uppsrc\CtrlCore\Win32DnD.cpp: In member function 'virtual ULONG Upp::UEnumFORMATETC::Release()':

D:/toolkit/artifacts/upp9251\uppsrc\CtrlCore\Win32DnD.cpp:262:60: warning: deleting object of polymorphic class type 'Upp::UEnumFORMATETC' which has non-virtual destructor might cause undefined behaviour [-Wdelete-non-virtual-dtor]

```
STDMETHOD_(ULONG, Release)(void) { if(--rc == 0) { delete this; return 0; } return rc; }  
      ^
```

D:/toolkit/artifacts/upp9251\uppsrc\CtrlCore\Win32DnD.cpp: In member function 'virtual ULONG Upp::UDropSource::Release()':

D:/toolkit/artifacts/upp9251\uppsrc\CtrlCore\Win32DnD.cpp:279:60: warning: deleting object of polymorphic class type 'Upp::UDropSource' which has non-virtual destructor might cause undefined behaviour [-Wdelete-non-virtual-dtor]

```
STDMETHOD_(ULONG, Release)(void) { if(--rc == 0) { delete this; return 0; } return rc; }  
      ^
```

In file included from

D:/toolkit/workspace/upp/hydramedia/CtrlCore/MSYS2_MinGW_w64_x86_64.Debug.Debug_Full.Gui.Mt.Shared\$blitz.cpp:224:0:

D:/toolkit/artifacts/upp9251\uppsrc\CtrlCore\Win32Proc.cpp: In member function 'virtual LRESULT Upp::Ctrl::WindowProc(UINT, WPARAM, LPARAM)':

D:/toolkit/artifacts/upp9251\uppsrc\CtrlCore\Win32Proc.cpp:102:10: warning: unused variable 'n' [-Wunused-variable]

```
int n = RealizePalette(dc);  
      ^
```

CtrlCore: 58 file(s) built in (0:01.58), 27 msecs / file, duration = 10905 msecs, parallelization 97%

In file included from

D:/toolkit/workspace/upp/hydramedia/Core/MSYS2_MinGW_w64_x86_64.Debug.Debug_Full.Gui.Mt.Shared\$blitz.cpp:210:0:

D:/toolkit/artifacts/upp9251\uppsrc\Core\Random.cpp:156:0: warning: ignoring #pragma comment [-Wunknown-pragmas]

```
#pragma comment(lib, "ole32.lib")
```

^
In file included from
D:/toolkit/workspace/upp/hydramedia/Core/MSYS2_MinGW_w64_x86_64.Debug.Debug_Full.Gui.
Mt.Shared\$blitz.cpp:501:0:
D:/toolkit/artifacts\upp\9251\uppsrc\Core\Socket.cpp:15:0: warning: ignoring #pragma comment
[-Wunknown-pragmas]
#pragma comment(lib, "ws2_32.lib")
^

In file included from
D:/toolkit/workspace/upp/hydramedia/Core/MSYS2_MinGW_w64_x86_64.Debug.Debug_Full.Gui.
Mt.Shared\$blitz.cpp:187:0:
D:/toolkit/artifacts\upp\9251\uppsrc\Core\Log.cpp: In member function 'void
Upp::LogOut::Line(const char*, int, int)':
D:/toolkit/artifacts\upp\9251\uppsrc\Core\Log.cpp:189:8: warning: unused variable 'beg'
[-Wunused-variable]
char *beg = p;
^

In file included from
D:/toolkit/workspace/upp/hydramedia/Core/MSYS2_MinGW_w64_x86_64.Debug.Debug_Full.Gui.
Mt.Shared\$blitz.cpp:191:0:
D:/toolkit/artifacts\upp\9251\uppsrc\Core\Debug.cpp: In function 'LONG
Upp::sDumpHandler(LPEXCEPTION_POINTERS)':
D:/toolkit/artifacts\upp\9251\uppsrc\Core\Debug.cpp:252:49: warning: format '%X' expects
argument of type 'unsigned int', but argument 9 has type 'DWORD {aka long unsigned int}'
[-Wformat=]
er->ExceptionCode, er->ExceptionAddress);
^

In file included from
D:/toolkit/workspace/upp/hydramedia/Core/MSYS2_MinGW_w64_x86_64.Debug.Debug_Full.Gui.
Mt.Shared\$blitz.cpp:202:0:
D:/toolkit/artifacts\upp\9251\uppsrc\Core\Util.cpp: In function 'Upp::String
Upp::GetErrorMessage(DWORD)':
D:/toolkit/artifacts\upp\9251\uppsrc\Core\Util.cpp:734:28: warning: format '%x' expects argument
of type 'unsigned int', but argument 3 has type 'DWORD {aka long unsigned int}' [-Wformat=]
sprintf(h, "%08x", dwError);
^

In file included from
D:/toolkit/workspace/upp/hydramedia/Core/MSYS2_MinGW_w64_x86_64.Debug.Debug_Full.Gui.
Mt.Shared\$blitz.cpp:501:0:
D:/toolkit/artifacts\upp\9251\uppsrc\Core\Socket.cpp: In member function 'Upp::String
Upp::TcpSocket::GetPeerAddr() const':
D:/toolkit/artifacts\upp\9251\uppsrc\Core\Socket.cpp:410:7: warning: comparison between signed
and unsigned integer expressions [-Wsign-compare]
if(l > sizeof(addr))
^

Core: 60 file(s) built in (0:03.96), 66 msec / file, duration = 14025 msec, parallelization 95%
CtrlLib: 57 file(s) built in (0:10.46), 183 msec / file, duration = 20670 msec, parallelization 76%
Linking...

D:/toolkit/workspace/upp/hydramedia/wall/MSYS2_MinGW_w64_x86_64.Debug.Debug_Full.Gstreamer.Gui.Main.Mt.Shared\main.o:main.cpp:(.data+0x0): undefined reference to `__gxx_personality_seh0'

D:/toolkit/workspace/upp/hydramedia/wall/MSYS2_MinGW_w64_x86_64.Debug.Debug_Full.Gstreamer.Gui.Main.Mt.Shared\main.o:main.cpp:(.xdata+0x10): undefined reference to `__gxx_personality_seh0'

D:/toolkit/workspace/upp/hydramedia/CtrlLib/MSYS2_MinGW_w64_x86_64.Debug.Debug_Full.Gui.Mt.Shared\$blitz.o:\$blitz.cpp:(.data+0xe30): undefined reference to `__gxx_personality_seh0'

D:/toolkit/workspace/upp/hydramedia/CtrlLib/MSYS2_MinGW_w64_x86_64.Debug.Debug_Full.Gui.Mt.Shared\$blitz.o:\$blitz.cpp:(.xdata\$_ZNK3Upp7String012GetHashValueEv+0xc): undefined reference to `__gxx_personality_seh0'

D:/toolkit/workspace/upp/hydramedia/CtrlLib/MSYS2_MinGW_w64_x86_64.Debug.Debug_Full.Gui.Mt.Shared\$blitz.o:\$blitz.cpp:(.xdata\$_ZN3Upp6StringaSERNS_12StringBufferE+0xc): undefined reference to `__gxx_personality_seh0'

D:/toolkit/workspace/upp/hydramedia/CtrlLib/MSYS2_MinGW_w64_x86_64.Debug.Debug_Full.Gui.Mt.Shared\$blitz.o:\$blitz.cpp:(.xdata\$_ZN3Upp6String6ShrinkEv+0xc): more undefined references to `__gxx_personality_seh0' follow

D:/toolkit/workspace/upp/hydramedia/Core/MSYS2_MinGW_w64_x86_64.Debug.Debug_Full.Gui.Mt.Shared\$blitz.o: In function `Upp::WString::WString(std::__cxx11::basic_string<wchar_t, std::char_traits<wchar_t>, std::allocator<wchar_t> > const&)':

D:/toolkit/artifacts/upp/9251/uppsrc/Core/WString.cpp:252: undefined reference to `std::__cxx11::basic_string<wchar_t, std::char_traits<wchar_t>, std::allocator<wchar_t> >::length() const'

D:/toolkit/artifacts/upp/9251/uppsrc/Core/WString.cpp:252: undefined reference to `std::__cxx11::basic_string<wchar_t, std::char_traits<wchar_t>, std::allocator<wchar_t> >::c_str() const'

D:/toolkit/workspace/upp/hydramedia/Core/MSYS2_MinGW_w64_x86_64.Debug.Debug_Full.Gui.Mt.Shared\$blitz.o:\$blitz.cpp:(.data+0x2eb0): undefined reference to `__gxx_personality_seh0'

D:/toolkit/workspace/upp/hydramedia/Core/MSYS2_MinGW_w64_x86_64.Debug.Debug_Full.Gui.Mt.Shared\$blitz.o:\$blitz.cpp:(.xdata\$_ZN3Upp7WStringaSERNS_13WStringBufferE+0xc): undefined reference to `__gxx_personality_seh0'

D:/toolkit/workspace/upp/hydramedia/Core/MSYS2_MinGW_w64_x86_64.Debug.Debug_Full.Gui.Mt.Shared\$blitz.o:\$blitz.cpp:(.xdata\$_ZN3Upp7WString6ShrinkEv+0xc): undefined reference to `__gxx_personality_seh0'

D:/toolkit/workspace/upp/hydramedia/Core/MSYS2_MinGW_w64_x86_64.Debug.Debug_Full.Gui.Mt.Shared\$blitz.o:\$blitz.cpp:(.xdata\$_ZN3Upp7WStringC1EPKwS2_+0xc): undefined reference to `__gxx_personality_seh0'

D:/toolkit/workspace/upp/hydramedia/Core/MSYS2_MinGW_w64_x86_64.Debug.Debug_Full.Gui.Mt.Shared\$blitz.o:\$blitz.cpp:(.xdata\$_ZN3Upp9TeeStreamD1Ev+0xc): undefined reference to `__gxx_personality_seh0'

D:/toolkit/workspace/upp/hydramedia/Core/MSYS2_MinGW_w64_x86_64.Debug.Debug_Full.Gui.Mt.Shared\$blitz.o:\$blitz.cpp:(.xdata\$_ZN3Upp8ValueMap3AddERKNS_6StringERKNS_5ValueE+0xc): more undefined references to `__gxx_personality_seh0' follow

D:/toolkit/workspace/upp/hydramedia/Core/MSYS2_MinGW_w64_x86_64.Debug.Debug_Full.Gui.Mt.Shared\$blitz.o: In function `std::__cxx11::basic_string<wchar_t, std::char_traits<wchar_t>, std::allocator<wchar_t> >::basic_string<wchar_t*>(w

```

char_t*, wchar_t*, std::allocator<wchar_t> const&)'
D:/toolkit/artifacts/msys2/mingw64/include/c++/5.3.0/bits/basic_string.h:537: undefined reference
to `std::__cxx11::basic_string<wchar_t, std::char_traits<wchar_t>, std::allocator<wchar_t>
>::_M_local_data()'
D:/toolkit/artifacts/msys2/mingw64/include/c++/5.3.0/bits/basic_string.h:537: undefined reference
to `std::__cxx11::basic_string<wchar_t, std::char_traits<wchar_t>, std::allocator<wchar_t>
>::_Alloc_hider::_Alloc_hider(wchar_t*, std
::allocator<wchar_t> const&)'
D:/toolkit/workspace/upp/hydramedia/Core/MSYS2_MinGW_w64_x86_64.Debug.Debug_Full.Gui.
Mt.Shared$blitz.o:$blitz.cpp:(.xdata$_ZNSt7__cxx1112basic_stringlwSt11char_traitslwESalwEE
C1IPwEET_S7_RKS3_+0xc): undefined reference to `__gxx_pe
rsonality_seh0'
D:/toolkit/workspace/upp/hydramedia/Core/MSYS2_MinGW_w64_x86_64.Debug.Debug_Full.Gui.
Mt.Shared$blitz.o:$blitz.cpp:(.xdata$_ZN3Upp12SplitGenericINS_6StringEcPFPKcS3_EEENS_6
VectorIT_EEiRKT1_PKT0_b+0x10): undefined reference to `__gxx
_personality_seh0'
D:/toolkit/workspace/upp/hydramedia/Core/MSYS2_MinGW_w64_x86_64.Debug.Debug_Full.Gui.
Mt.Shared$blitz.o:$blitz.cpp:(.xdata$_ZN3Upp12SplitGenericINS_6StringEcNS_18SplitDelimFilt
er_EEENS_6VectorIT_EEiRKT1_PKT0_b+0x10): undefined refe
rence to `__gxx_personality_seh0'
D:/toolkit/workspace/upp/hydramedia/Core/MSYS2_MinGW_w64_x86_64.Debug.Debug_Full.Gui.
Mt.Shared$blitz.o:$blitz.cpp:(.xdata$_ZN3Upp12SplitGenericINS_6StringEcNS_16SplitDelimCha
r_EEENS_6VectorIT_EEiRKT1_PKT0_b+0x10): undefined refere
nce to `__gxx_personality_seh0'
D:/toolkit/workspace/upp/hydramedia/Core/MSYS2_MinGW_w64_x86_64.Debug.Debug_Full.Gui.
Mt.Shared$blitz.o:$blitz.cpp:(.xdata$_ZN3Upp12SplitGenericINS_6StringEcNS_16SplitDelimText
_EEENS_6VectorIT_EEiRKT1_PKT0_b+0x10): undefined refere
nce to `__gxx_personality_seh0'
D:/toolkit/workspace/upp/hydramedia/Core/MSYS2_MinGW_w64_x86_64.Debug.Debug_Full.Gui.
Mt.Shared$blitz.o:$blitz.cpp:(.xdata$_ZN3Upp12SplitGenericINS_7WStringEwPFPKwS3_EEEN
S_6VectorIT_EEiRKT1_PKT0_b+0xc): more undefined references to
`__gxx_personality_seh0' follow
D:/toolkit/workspace/upp/hydramedia/Core/MSYS2_MinGW_w64_x86_64.Debug.Debug_Full.Gui.
Mt.Shared$blitz.o: In function `void std::__cxx11::basic_string<wchar_t,
std::char_traits<wchar_t>, std::allocator<wchar_t> >::_M_construct<wchar_
t*>(wchar_t*, wchar_t*, std::forward_iterator_tag)':
D:/toolkit/artifacts/msys2/mingw64/include/c++/5.3.0/bits/basic_string.tcc:223: undefined reference
to `std::__cxx11::basic_string<wchar_t, std::char_traits<wchar_t>, std::allocator<wchar_t>
>::_M_create(unsigned long long&, unsigne
d long long)'
D:/toolkit/artifacts/msys2/mingw64/include/c++/5.3.0/bits/basic_string.tcc:223: undefined reference
to `std::__cxx11::basic_string<wchar_t, std::char_traits<wchar_t>, std::allocator<wchar_t>
>::_M_data(wchar_t*)'
D:/toolkit/artifacts/msys2/mingw64/include/c++/5.3.0/bits/basic_string.tcc:224: undefined reference
to `std::__cxx11::basic_string<wchar_t, std::char_traits<wchar_t>, std::allocator<wchar_t>
>::_M_capacity(unsigned long long)'
D:/toolkit/artifacts/msys2/mingw64/include/c++/5.3.0/bits/basic_string.tcc:229: undefined reference
to `std::__cxx11::basic_string<wchar_t, std::char_traits<wchar_t>, std::allocator<wchar_t>

```

```

>::_M_data() const'
D:/toolkit/artifacts/msys2/mingw64/include/c++/5.3.0/bits/basic_string.tcc:229: undefined reference
to `std::__cxx11::basic_string<wchar_t, std::char_traits<wchar_t>, std::allocator<wchar_t>
>::_S_copy_chars(wchar_t*, wchar_t*, wcha
r_t*)'
D:/toolkit/artifacts/msys2/mingw64/include/c++/5.3.0/bits/basic_string.tcc:236: undefined reference
to `std::__cxx11::basic_string<wchar_t, std::char_traits<wchar_t>, std::allocator<wchar_t>
>::_M_set_length(unsigned long long)'
D:/toolkit/artifacts/msys2/mingw64/include/c++/5.3.0/bits/basic_string.tcc:232: undefined reference
to `std::__cxx11::basic_string<wchar_t, std::char_traits<wchar_t>, std::allocator<wchar_t>
>::_M_dispose()'
D:/toolkit/workspace/upp/hydramedia/Core/MSYS2_MinGW_w64_x86_64.Debug.Debug_Full.Gui.
Mt.Shared$blitz.o:$blitz.cpp:(.xdata$_ZNSt7__cxx1112basic_stringlWSt11char_traitslWESalwEE
12_M_constructlPwEEvT_S7_St20forward_iterator_tag+0xc):
undefined reference to `__gxx_personality_seh0'
D:/toolkit/workspace/upp/hydramedia/Core/MSYS2_MinGW_w64_x86_64.Debug.Debug_Full.Gui.
Mt.Shared$blitz.o:$blitz.cpp:(.xdata$_ZN3Upp7SetNullINS_7WStringEEEvRT_+0xc): undefined
reference to `__gxx_personality_seh0'
D:/toolkit/workspace/upp/hydramedia/Core/MSYS2_MinGW_w64_x86_64.Debug.Debug_Full.Gui.
Mt.Shared$blitz.o:$blitz.cpp:(.xdata$_ZN3Upp11RawValueRepINS_7WStringEEC2Ev+0xc):
undefined reference to `__gxx_personality_seh0'
D:/toolkit/workspace/upp/hydramedia/Core/MSYS2_MinGW_w64_x86_64.Debug.Debug_Full.Gui.
Mt.Shared$blitz.o:$blitz.cpp:(.xdata$_ZN3Upp9callback1IRNS_6StreamEPNS_5ValueES4_EEN
S_9Callback1IT_EEPFvS6_TO_ET1_+0x10): undefined reference to `
__gxx_personality_seh0'
D:/toolkit/workspace/upp/hydramedia/Core/MSYS2_MinGW_w64_x86_64.Debug.Debug_Full.Gui.
Mt.Shared$blitz.o:$blitz.cpp:(.xdata$_ZN3Upp6AIndexINS_5ValueENS_6VectorIS1_EENS_7Std
HashIS1_EEEC2ERKS3_+0xc): undefined reference to `__gxx_perso
nality_seh0'
D:/toolkit/workspace/upp/hydramedia/Core/MSYS2_MinGW_w64_x86_64.Debug.Debug_Full.Gui.
Mt.Shared$blitz.o:$blitz.cpp:(.xdata$_ZN3Upp17DeepCopyConstructINS_6FormIdEEERT_PvRK
S2_+0x10): more undefined references to `__gxx_personality_seh
0' follow
collect2.exe: error: ld returned 1 exit status

```

There were errors. (1:04.53)

In all three cases the linker search path and libs are correctly configured (i suppose).

Here the package manifest:

```

uses
  CtrlLib;

```

```

library(GSTREAMER) "gststreamer-1.0 gobject-2.0 glib-2.0 intl";

```

```

options
  -mms-bitfields;

```

```
link(GSTREAMER) -LD:/toolkit/artifacts/gst/1.0/x86_64/lib;
```

```
include
```

```
D:/toolkit/artifacts/gst/1.0/x86_64/include/gstreamer-1.0,  
D:/toolkit/artifacts/gst/1.0/x86_64/lib/gstreamer-1.0/include,  
D:/toolkit/artifacts/gst/1.0/x86_64/include/glib-2.0,  
D:/toolkit/artifacts/gst/1.0/x86_64/lib/glib-2.0/include;
```

```
file
```

```
main.cpp;
```

```
mainconfig
```

```
"" = "GUI MT .GSTREAMER";
```

And the Build method manifest:

```
BUILDER = "GCC";  
COMPILER = "";  
COMMON_OPTIONS = "-Wall -Wno-parentheses";  
COMMON_CPP_OPTIONS = "";  
COMMON_C_OPTIONS = "";  
COMMON_LINK = "";  
COMMON_FLAGS = "";  
DEBUG_INFO = "2";  
DEBUG_BLITZ = "1";  
DEBUG_LINKMODE = "1";  
DEBUG_OPTIONS = "-O0";  
DEBUG_FLAGS = "";  
DEBUG_LINK = "";  
RELEASE_BLITZ = "0";  
RELEASE_LINKMODE = "1";  
RELEASE_OPTIONS = "-O3 -ffunction-sections -fdata-sections";  
RELEASE_SIZE_OPTIONS = "-Os -finline-limit=20 -ffunction-sections -fdata-sections";  
RELEASE_FLAGS = "";  
RELEASE_LINK = "-Wl,--gc-sections";  
DEBUGGER = "gdb";  
ALLOW_PRECOMPILED_HEADERS = "1";  
PATH = "D:\\toolkit\\artifacts\\msys2\\mingw64\\bin";  
INCLUDE = "D:\\toolkit\\artifacts\\msys2\\mingw64\\x86_64-w64-mingw32\\include";  
LIB = "D:\\toolkit\\artifacts\\msys2\\mingw64\\x86_64-w64-mingw32\\lib";  
LINKMODE_LOCK = "0";
```

Any ideas on how to solve this?

Many thanks in advance.