Subject: ProtectServer and SMTP setting
Posted by idkfa46 on Sat, 11 Jun 2016 10:02:59 GMT
View Forum Message <> Reply to Message

Hi guys,
it has been a long time since I wrote you on the forum but now I'm here again asking for you help.

I have a problem with ProtectServer setting, I'm no longer able to set it correctly to send mails.

ProtectServer - main.cpp

```
        // both solutions...
 server
  .GetSmtp()
   .Host("mail.matteomosconi.com")
   .Port(587)
        ;
  .GetSmtp()
   .Host("smtp.gmail.com")
   .Port(587)
 ;
```

Protect - ProtectServer.cpp

```
// sends activation mail to user
bool ProtectServer::SendActivationMail(VectorMap<String, Value> const &userData, String const
&locale)
{
 ...

 smtp.New();
 smtp.TimeSent(GetSysTime());
 smtp.Auth("xxxxxxxxxx","xxxxxxxxxx");
 smtp.To(userData.Get("EMAIL"));
 smtp.Subject(subject);
 smtp.From(serverVars.Get("SERVER_NAME"));
 smtp.Text(body, mime);
 return smtp.Send();
}
```

I tryed to set smtp.SLL() (for google account) but when I compile i receive the following error:

```
C:\Users\Matteo\Dropbox\2_Sviluppo++\Workspace_upp\Protect\ProtectServer.cpp(794) : error
C2039: 'SSL' : is not a member of '
 Upp::SmtpMail'
```

c:\upp\uppsrc\web\smtp.h(2) : see declaration of 'Upp::SmtpMail'
Protect: 8 file(s) built in (0:02.91), 364 msecs / file, duration = 4844 msecs, parallelization 100%
$blitz.cpp
Cypher: 3 file(s) built in (0:00.87), 293 msecs / file, duration = 1515 msecs, parallelization 71%

There were errors. (0:05.26)

Someone can you help me about it? I have a working compiled version of the ProtectServer (without SLL) but I forget the setting....
Long time ago I read on the forum about a php version of the ProtectServer... is it working?

Thanks for your time. Regards,
Matteo
