
Subject: Other Compiler

Posted by [Mq35](#) on Tue, 28 Feb 2017 23:03:50 GMT

[View Forum Message](#) <> [Reply to Message](#)

I have downloaded the toolchains (raspberry-gcc4.9.2-r4.exe).

How can I properly configure TheIDE to compile code for Raspberry?

How can I delete the wrong options "-DflagWIN32" "-mthreads" from compiler command line?

```
----- rasp ( MAIN GCC DEBUG DEBUG_FULL BLITZ WIN32 )
```

```
cd D:\upp\MyApps\rasp
```

```
rasp.cpp
```

```
arm-linux-gnueabi-gcc -c -I"D:\upp\MyApps" -I"D:\upp\uppsrc" -I"D:\upp\SysGCC\include"
```

```
-I"D:/upp/out/MyApps/rasp/rrr.Debug.Debug_Full.Main" -DflagMAIN -D
```

```
flagGCC -DflagDEBUG -DflagDEBUG_FULL -DflagBLITZ -DflagWIN32 -mthreads -g2 -static
```

```
-fexceptions -D_DEBUG -O0 -gstabs -x c++ "D:\upp\MyApps\rasp\rasp.cpp" -o "D
```

```
:/upp/out/MyApps/rasp/rrr.Debug.Debug_Full.Main\rasp.o"
```