
Subject: [SOLVED] How to load an array added to an TabCtrl?

Posted by [Patisab](#) on Sun, 12 Mar 2017 18:14:02 GMT

[View Forum Message](#) <> [Reply to Message](#)

Good evening,

I would like to load an array which is added to a TabCtrl. The TabCtrl is declared in a Layout. I have something like this :

```
pbeTest.h
#ifndef _pbeTest_pbeTest_h
#define _pbeTest_pbeTest_h

#include <CtrlLib/CtrlLib.h>

using namespace Upp;

#define LAYOUTFILE <pbeTest/pbeTest.lay>
#include <CtrlCore/lay.h>

class pbeTest : public WithpbeTestLayout<TopWindow> {
public:
    typedef pbeTest CLASSNAME;

    void fTest1();

    pbeTest();
};

class Test1 : public WithTest1Layout<TopWindow> {
public:
    typedef Test1 CLASSNAME;
    Test1(){
        CtrlLayoutOK(*this, "Window title");
        WithGridLayout<ParentCtrl> Grid;
        CtrlLayout(Grid);
        tb.Add(Grid.SizePos(),"Tableau");
        Grid.arr.SizePos();

        Grid.arr.AddRowNumColumn();
        Grid.arr.AddColumn("Colonne 1").Sorting();
        Grid.arr.AddColumn("Colonne 2").Sorting();

        alim <<= THISBACK(fAlim);
    }
    void fAlim();
};
```

```
#endif
```

```
main.cpp
#include "pbeTest.h"

void pbeTest::fTest1()
{
    Test1 dlg;
    if(dlg.Run() != IDOK)
        return;
}

pbeTest::pbeTest()
{
    CtrlLayout(*this, "Window title");

    test <<= THISBACK(fTest1);
    ok <<= THISBACK(Close);
}

GUI_APP_MAIN
{
    pbeTest().Run();
}
```

```
Test1.cpp
#include "pbeTest.h"
```

```
void Test1::fAlim()
{
    for(int i =0 ; i < 5 ; i++)
    {
        Grid.arr.Add("C1L" +AsString(Format("%d",i)),"C2L" +AsString(Format("%d",i)));
    }
}
```

```
pbeTest.lay
LAYOUT(pbeTestLayout, 200, 100)
ITEM(Button, ok, SetLabel(t_("Quitter")).LeftPosZ(72, 56).TopPosZ(76, 15))
ITEM(Button, test, SetLabel(t_("Test1")).LeftPosZ(72, 56).TopPosZ(12, 15))
END_LAYOUT
```

```
LAYOUT(Test1Layout, 400, 200)
ITEM(Button, ok, SetLabel(t_("Sortir")).LeftPosZ(64, 56).TopPosZ(180, 15))
ITEM(TabCtrl, tb, LeftPosZ(4, 392).TopPosZ(4, 172))
```

```
ITEM(Button, alim, SetLabel(t_("Charger")).LeftPosZ(4, 56).TopPosZ(180, 15))
END_LAYOUT
```

```
LAYOUT(GridLayout, 400, 200)
ITEM(ArrayCtrl, arr, LeftPosZ(4, 392).TopPosZ(4, 192))
END_LAYOUT
```

When i compile i obtain an error message :

```
pbeTest/Test1.cpp:7: error: 'Grid' was not declared in this scope.
Grid.arr.Add("C1L" +AsString(Format("%d",i)),"C2L" +AsString(Format("%d",i)));
```

I have probably forgot something but i don't see what.

Thank very much for your help.

Best regards.
