

---

Subject: THISBACK1 works well, how can i make it with lambda

Posted by [MuratAKAR](#) on Thu, 22 Jun 2017 01:41:26 GMT

[View Forum Message](#) <> [Reply to Message](#)

---

First of all, I would like to thank all the developers.

I have a form with 100 button. When i click a button, its Label change to "X". I made it with THISBACK1. How can i make it with lambda.

```
class AnaForm: public WithAnaFormGUI<TopWindow>
{
    Button butonlar[100];
    void btnDuzenle(Button*);
    typedef AnaForm CLASSNAME;
public:
    AnaForm();
};

void AnaForm::btnDuzenle(Button* btnDuzenle)
{
    btnDuzenle->SetLabel("X");
}

AnaForm::AnaForm()
{
    CtrlLayout(*this, "Deneme");

    for(int i=0;i<100;i++)
    {
        butonlar[i].LeftPosZ(i%10*30,28).TopPosZ(i/10*30,28);
        butonlar[i].SetLabel(String()<<i);
        Add(butonlar[i]);

        butonlar[i]<<THISBACK1(btnDuzenle, &butonlar[i]); //this works well

        butonlar[i]<<[](){ //How can i make it with lambda

    };
}
}
```

---

### File Attachments

1) [2017-06-22\\_042606.png](#), downloaded 774 times

---

Deneme ✕

X	X	X	3	4	5	6	7	8	9
10	X	X	13	14					19
20	21	22	23	24					29
30	31	32	33	34	35	36	37	38	39
40	41	42	43	44	45	46	47	48	49
50	51	52	53	54	55	56	57	58	59
60	61	62	63	64	65	66	67	68	69
70	71	72	73	74	75	76	77	78	79
80	81	82	83	84	85	86	87	88	89
90	91	92	93	94	95	96	97	98	99

**Click and change to "X"**

---