
Subject: THISBACK1 works well, how can i make it with lambda

Posted by [MuratAKAR](#) on Thu, 22 Jun 2017 01:41:26 GMT

[View Forum Message](#) <> [Reply to Message](#)

First of all, I would like to thank all the developers.

I have a form with 100 button. When i click a button, its Label change to "X". I made it with THISBACK1. How can i make it with lambda.

```
class AnaForm: public WithAnaFormGUI<TopWindow>
{
    Button butonlar[100];
    void btnDuzenle(Button*);
    typedef AnaForm CLASSNAME;
public:
    AnaForm();
};

void AnaForm::btnDuzenle(Button* btnDuzenle)
{
    btnDuzenle->SetLabel("X");
}

AnaForm::AnaForm()
{
    CtrlLayout(*this, "Deneme");

    for(int i=0;i<100;i++)
    {
        butonlar[i].LeftPosZ(i%10*30,28).TopPosZ(i/10*30,28);
        butonlar[i].SetLabel(String()<<i);
        Add(butonlar[i]);

        butonlar[i]<<THISBACK1(btnDuzenle, &butonlar[i]); //this works well

        butonlar[i]<<[](){ //How can i make it with lambda

    };
    }
}
```

File Attachments

1) [2017-06-22_042606.png](#), downloaded 476 times
