
Subject: cc1plus crash

Posted by Y ++ on Sat, 01 Jul 2017 17:19:14 GMT

[View Forum Message](#) <> [Reply to Message](#)

Hello,

when executing example with build method MINGW Debug, the log shows many errors :

----- CtrlLib (GUI GCC DEBUG DEBUG_FULL WIN32) (1 / 9)

PCH: CtrlLib.h

LabelBase.cpp

DisplayPopup.cpp

Button.cpp

Switch.cpp

EditField.cpp

internal error in mingw32_gt_pch_use_address, at config/i386/host-mingw32.c:184:

MapViewOfFileEx: Tentative dÆaccPs Ó une adresse non valide.

Text.cpp

LineEdit.cpp

DocEdit.cpp

ScrollBar.cpp

HeaderCtrl.cpp

ArrayCtrl.cpp

MultiButton.cpp

PopupTable.cpp

DropList.cpp

DropChoice.cpp

Static.cpp

internal error in mingw32_gt_pch_use_address, at config/i386/host-mingw32.c:184:

MapViewOfFileEx: Tentative dÆaccPs Ó une adresse non valide.

Splitter.cpp

internal error in mingw32_gt_pch_use_address, at config/i386/host-mingw32.c:184:

MapViewOfFileEx: Tentative dÆaccPs Ó une adresse non valide.

FrameSplitter.cpp

internal error in mingw32_gt_pch_use_address, at config/i386/host-mingw32.c:184:

MapViewOfFileEx: Tentative dÆaccPs Ó une adresse non valide.

SliderCtrl.cpp

ColumnList.cpp

Progress.cpp

internal error in mingw32_gt_pch_use_address, at config/i386/host-mingw32.c:184:

MapViewOfFileEx: Tentative dÆaccPs Ó une adresse non valide.

AKeys.cpp

RichTextView.cpp

Prompt.cpp

Help.cpp

internal error in mingw32_gt_pch_use_address, at config/i386/host-mingw32.c:184:

MapViewOfFileEx: Tentative d'ÉaccPs Ó une adresse non valide.

internal error in mingw32_gt_pch_use_address, at config/i386/host-mingw32.c:184:

MapViewOfFileEx: Tentative d'ÉaccPs Ó une adresse non valide.

DateTimeCtrl.cpp

SuggestCtrl.cpp

Bar.cpp

internal error in mingw32_gt_pch_use_address, at config/i386/host-mingw32.c:184:

MapViewOfFileEx: Tentative d'ÉaccPs Ó une adresse non valide.

MenuItem.cpp

MenuBar.cpp

internal error in mingw32_gt_pch_use_address, at config/i386/host-mingw32.c:184:

MapViewOfFileEx: Tentative d'ÉaccPs Ó une adresse non valide.

ToolButton.cpp

internal error in mingw32_gt_pch_use_address, at config/i386/host-mingw32.c:184:

MapViewOfFileEx: Tentative d'ÉaccPs Ó une adresse non valide.

ToolBar.cpp

internal error in mingw32_gt_pch_use_address, at config/i386/host-mingw32.c:184:

MapViewOfFileEx: Tentative d'ÉaccPs Ó une adresse non valide.

ToolTip.cpp

StatusBar.cpp

internal error in mingw32_gt_pch_use_address, at config/i386/host-mingw32.c:184:

MapViewOfFileEx: Tentative d'ÉaccPs Ó une adresse non valide.

TabCtrl.cpp

internal error in mingw32_gt_pch_use_address, at config/i386/host-mingw32.c:184:

MapViewOfFileEx: Tentative d'ÉaccPs Ó une adresse non valide.

TreeCtrl.cpp

internal error in mingw32_gt_pch_use_address, at config/i386/host-mingw32.c:184:

MapViewOfFileEx: Tentative d'ÉaccPs Ó une adresse non valide.

DropTree.cpp

internal error in mingw32_gt_pch_use_address, at config/i386/host-mingw32.c:184:

MapViewOfFileEx: Tentative d'ÉaccPs Ó une adresse non valide.

DlgColor.cpp

ColorPopup.cpp

ColorPusher.cpp

FileList.cpp

internal error in mingw32_gt_pch_use_address, at config/i386/host-mingw32.c:184:
MapViewOfFileEx: Tentative dÆaccPs Ó une adresse non valide.

FileSel.cpp
FileSelUtil.cpp
PrinterJob.cpp
Windows.cpp
Win32.cpp
Gtk.cpp
TrayIconWin32.cpp
TrayIconX11.cpp
TrayIconGtk.cpp

internal error in mingw32_gt_pch_use_address, at config/i386/host-mingw32.c:184:
MapViewOfFileEx: Tentative dÆaccPs Ó une adresse non valide.

internal error in mingw32_gt_pch_use_address, at config/i386/host-mingw32.c:184:
MapViewOfFileEx: Tentative dÆaccPs Ó une adresse non valide.

internal error in mingw32_gt_pch_use_address, at config/i386/host-mingw32.c:184:
MapViewOfFileEx: Tentative dÆaccPs Ó une adresse non valide.

Update.cpp
internal error in mingw32_gt_pch_use_address, at config/i386/host-mingw32.c:184:
MapViewOfFileEx: Tentative dÆaccPs Ó une adresse non valide.

CtrlUtil.cpp
internal error in mingw32_gt_pch_use_address, at config/i386/host-mingw32.c:184:
MapViewOfFileEx: Tentative dÆaccPs Ó une adresse non valide.

CtrlLibInit.cpp
internal error in mingw32_gt_pch_use_address, at config/i386/host-mingw32.c:184:
MapViewOfFileEx: Tentative dÆaccPs Ó une adresse non valide.

LNGCtrl.cpp
internal error in mingw32_gt_pch_use_address, at config/i386/host-mingw32.c:184:
MapViewOfFileEx: Tentative dÆaccPs Ó une adresse non valide.

Ch.cpp
internal error in mingw32_gt_pch_use_address, at config/i386/host-mingw32.c:184:
MapViewOfFileEx: Tentative dÆaccPs Ó une adresse non valide.

ChWin32.cpp
ChGtk0.cpp
ChGtk.cpp
internal error in mingw32_gt_pch_use_address, at config/i386/host-mingw32.c:184:
MapViewOfFileEx: Tentative dÆaccPs Ó une adresse non valide.

internal error in mingw32_gt_pch_use_address, at config/i386/host-mingw32.c:184:

MapViewOfFileEx: Tentative d'ÉaccPs Ó une adresse non valide.

internal error in mingw32_gt_pch_use_address, at config/i386/host-mingw32.c:184:

MapViewOfFileEx: Tentative d'ÉaccPs Ó une adresse non valide.

CtrlLib: 59 file(s) built in (17:58.45), 18278 msec / file, duration = 1166078 msec, parallelization 100%

There were errors. (19:26.07)

and cc1plus.exe crash manytimes during the process,

by contrast with build method MINGWx64 Debug it works flawlessly.

So, does this mean that it can't compile to 32b when on a 64bit OS ?
