Subject: How to set progress in taskbar button
Posted by koldo on Wed, 10 Jan 2018 07:48:08 GMT
View Forum Message <> Reply to Message

This code snippet displays a progress indicator in the Windows 7-10 taskbar button.
It has just 3 functions: Init(), SetValue(val, max) and End().

```
#if defined(PLATFORM_WIN32)

#include <winnls.h>
#include <winnetwk.h>

#define Ptr Ptr_
#define CY tagCY
#include <wincon.h>
#include <shlobj.h>
#undef CY
#undef Ptr

class TaskbarProgress {
public:
 TaskbarProgress() : m_hWnd(0) {}
 void Init() {
  m_hWnd = ::GetActiveWindow();
  HRESULT hres;
  hres = CoInitialize(NULL);
  hres = CoCreateInstance(CLSID_TaskbarList, NULL, CLSCTX_ALL, IID_ITaskbarList3,
(void**)&m_pTaskBarlist);
  m_pTaskBarlist->SetProgressState(m_hWnd, TBPF_INDETERMINATE);
 }
 void SetValue(int val, int max) {
  ASSERT(val >= 0 && val <= max);
  if (!m_hWnd)
   return;
  m_pTaskBarlist->SetProgressValue(m_hWnd, val, max);
 }
 void End() {
  if (!m_hWnd)
   return;
  m_pTaskBarlist->SetProgressState(m_hWnd, TBPF_NOPROGRESS);
  m_pTaskBarlist->Release();
  m_hWnd = 0;
 }

private:
 ITaskbarList3* m_pTaskBarlist;
```

```
 HWND m_hWnd;
};

#endif
```

File Attachments

1) index.jpg, downloaded 1269 times

