

---

Subject: Display API for ArrayCtrl is too difficult - too much parameters

Posted by [Klugier](#) on Sun, 03 Jun 2018 20:45:04 GMT

[View Forum Message](#) <> [Reply to Message](#)

---

Hello,

I just noticed that Display API of CtrlLib is difficult. The main reason for that is that we have six parameters. It is a lot considering the fact that well designed method/function should have maximum three parameters. The other problem with that method is that you need to split it to maintain readability. This is not good also for the general code clearness.

So, my proposition looks like this. We replace following construction:

```
struct FolderDisplay : public Display {  
    virtual void Paint(Draw& w, const Rect& r, const Value& q, Color ink, Color paper, dword style)  
    const;  
};
```

Can be replaced with:

```
struct FolderDisplay : public Display {  
    void Paint(DisplayPaintCtx& ctx) const override {  
        // ctx.GetDraw() or ctx.draw...  
        // ctx.GetRect() or ctx.rect...  
        // ctx.GetValue() or ctx.value... (v is too general for an outsider)  
        // etc...  
        // You do not need to extract all values for example style is not used in 90% of cases.  
    }  
  
    // The above method is super easy to override, the same as overriding Draw method in Ctrl...  
};
```

Sincerely,  
Klugier