

---

Subject: Re: RLOG in Linux

Posted by [Giorgio](#) on Mon, 17 Sep 2018 09:10:23 GMT

[View Forum Message](#) <> [Reply to Message](#)

---

Hi Klugier,

I have no .upp directory in user's home directory, in /root or in /usr/bin (where the program is installed). I have issued a find command in the whole file system with no results. Instead, I have the log messages in /var/log/messages and in /var/log/syslog, but they are logged not immediately, but in bulk after some time: e.g. I have in the /var/log/messages a bunch of logs with the same timestamp, but the log messages have been issued on different moments.

This is my code:

```
Value time = GetSysTime();  
String timestamp = time.ToString();  
RLOG("LineDashboard " + timestamp + " label selected");
```

And this is what I have in /var/log/messages:

```
Sep 14 09:29:53 myhost LineDashboard.desktop[820]: LineDashboard 14/09/2018 08:29:53 label  
selected  
Sep 14 09:29:53 myhost LineDashboard.desktop[820]: LineDashboard 14/09/2018 08:39:53 label  
selected  
Sep 14 09:29:53 myhost LineDashboard.desktop[820]: LineDashboard 14/09/2018 08:49:53 label  
selected  
Sep 14 09:29:53 myhost LineDashboard.desktop[820]: LineDashboard 14/09/2018 08:59:53 label  
selected  
Sep 14 09:29:53 myhost LineDashboard.desktop[820]: LineDashboard 14/09/2018 09:09:53 label  
selected  
Sep 14 09:29:53 myhost LineDashboard.desktop[820]: LineDashboard 14/09/2018 09:19:53 label  
selected
```

The application has been compiled with upp-2018.1 on a Debian Stretch with a recent version of gcc (I do not remember the specific version, but is the one in the debian repository, so it should be recent) and it runs on a Debian Stretch (a different box with no toolchains).

Regards,  
gio

---