
Subject: Re: Strange issue with text in Painter
Posted by [mirek](#) on Fri, 11 Jan 2019 10:05:43 GMT
[View Forum Message](#) <> [Reply to Message](#)

Could you add these DLOGs

```
struct GlyphKey {  
    Font fnt;  
    int chr;  
    double tolerance;  
  
    bool operator==(const GlyphKey& b) const {  
        DLOG("**** operator==");  
        DDUMP(fnt);  
        DDUMP(b.fnt);  
        DDUMP(chr);  
        DDUMP(b.chr);  
        return fnt == b.fnt && chr == b.chr && tolerance == b.tolerance;  
    }  
    unsigned GetHashValue() const {  
        return CombineHash(fnt, chr, tolerance);  
    }  
};  
  
struct sMakeGlyph : LRUcache<Value, GlyphKey>::Maker {  
    GlyphKey gk;  
  
    GlyphKey Key() const { return gk; }  
    int Make(Value& v) const {  
        GlyphPainter gp;  
        gp.move = gp.pos = Null;  
        gp.tolerance = gk.tolerance;  
        DLOG("**** Make");  
        DDUMP(GetHashValue(gk));  
        DDUMP(gk.fnt);  
        DDUMP(gk.chr);  
        PaintCharacter(gp, Pointf(0, 0), gk.chr, gk.fnt);  
        int sz = gp.glyph.GetCount() * 4;  
        v = RawPickToValue(pick(gp.glyph));  
        return sz;  
    }  
};  
  
void ApproximateChar(LinearPathConsumer& t, Pointf at, int ch, Font fnt, double tolerance)  
{  
    PAINTER_TIMING("ApproximateChar");  
    Value v;
```

```

INTERLOCKED {
    DLOG("==== ApproximateChar " << ch << " " << fnt);
    PAINTER_TIMING("ApproximateChar::Fetch");
    static LRUCache<Value, GlyphKey> cache;
    cache.Shrink(500000);
    sMakeGlyph h;
    h.gk.fnt = fnt;
    h.gk.chr = ch;
    h.gk.tolerance = tolerance;
    DDUMP(GetHashValue(h.gk));
    v = cache.Get(h);
}
#endif 0
GlyphPainter chp;
chp.move = chp.pos = Null;
chp.tolerance = tolerance;
PaintCharacter(chp, Pointf(0, 0), ch, fnt);
const Vector<float>& g = chp.glyph;
#else
const Vector<float>& g = ValueTo< Vector<float> >(v);
#endif
int i = 0;
while(i < g.GetCount()) {
    Pointf p;
    p.x = g[i++];
    if(p.x > 1e30) {
        p.x = g[i++];
        p.y = g[i++];
        t.Move(p + at);
    }
    else {
        PAINTER_TIMING("ApproximateChar::Line");
        p.y = g[i++];
        t.Line(p + at);
    }
}
}

```

then bring it into error state, send me the screenshot and .log?

Thanks,

Mirek
