Subject: Re: Upp 609-dev1 released

Posted by nicomesas on Sat, 09 Sep 2006 12:14:29 GMT

View Forum Message <> Reply to Message

I download this version and i'm tried for compile it, but I don't know what is the best method for do it.

I use thelde605 for build, but the compile GUI-Speed,NOLIB-Speed crash at linking time whidth the next message:

Linking...

char c

onst* const*, Vector<void*>&)':Dli.cpp:(.text._Z8CheckDllPKcPKS0_R6VectorIPvE+0x1e): warning: Usin

g 'dlopen' in statically linked applications requires at runtime the shared libraries from the g libc version used for linking

: Using 'getpwnam_r' in statically linked applications requires at runtime the shared librarie s from the glibc version used for linking

: Using 'getpwuid_r' in statically linked applications requires at runtime the shared librarie s from the glibc version used for linking

tOpen': warning: Using 'getaddrinfo' in statically linked applications requires at runtime the sha red libraries from the glibc version used for linking

`Socket::Data::OpenClient(c

har const*, int, bool, unsigned int*, int, bool)':socket.cpp:(.text._ZN6Socket4Data10OpenClientE PKcibPjib+0x2eb): aviso: Using 'gethostbyname' in statically linked applications requires at run time the shared libraries from the glibc version used for linking

tINETConnect': warning: Using 'getservbyname' in statically linked applications requires at runtim e the shared libraries from the glibc version used for linking /[B]usr/lib/gcc/i486-linux-gnu/4.0.3/../../lib/libX11.a(ConnDis.o): In function `_X11TransConnect

Display': reference a `XauDisposeAuth' not defined

Display': referencia a `XauGetBestAuthByAddr' sin definir

[/B]

There were errors. (23:23.92)

Maybe is GUI MT-Speed, or GUI USEMALLOC or GUI ULD?

I have not found in the forum any reference to the exact method to make the compilation.

Nico