
Subject: Re: page numbering

Posted by [zsolt](#) on Mon, 11 Sep 2006 23:09:12 GMT

[View Forum Message](#) <> [Reply to Message](#)

When using Report::Header(), the stylesheet data is shown also. This is because a bug in Report::FormatHF() method.

The original one was:

```
String Report::FormatHF(const char *s, int pageno)
{
    String result;
    while(*s) {
        if(s[0] == '$' && s[1] == '$') {
            if(s[2] == 'P')
                result.Cat(Format("%d", pageno + 1));
            if(s[2] == 'D')
                result.Cat(Format(GetSysDate()));
            s += 3;
        }
        result.Cat(*s++);
    }
    return result;
}
```

And the fixed one is:

```
String Report::FormatHF(const char *s, int pageno)
{
    String result;
    while(*s) {
        if(s[0] == '$' && s[1] == '$') {
            if(s[2] == 'P'){
                result.Cat(Format("%d", pageno + 1));
                s += 3;
            }
            if(s[2] == 'D'){
                result.Cat(Format(GetSysDate()));
                s += 3;
            }
        }
        result.Cat(*s++);
    }
    return result;
}
```

BTW, this code is very tricky First I thought, this can generate a segfault. I'm learning every time

when reading your code
