
Subject: Re: MILESTONE: gtk3 replaces gtk2 as default linux backend

Posted by [Klugier](#) on Sat, 11 Jan 2020 20:26:14 GMT

[View Forum Message](#) <> [Reply to Message](#)

Hello Mirek,

While compiling new version I see a lot of warnings that should be eliminated:

In file included from /home/klugier/upp.out/CtrlCore/GCC.Blitz.Gui.Mt.Shared/\$blitz.cpp:522:
/home/klugier/upp/uppsrc/CtrlCore/GtkApp.cpp: In function 'void Upp::_DBG_Ungrab()':
/home/klugier/upp/uppsrc/CtrlCore/GtkApp.cpp:24:37: warning: 'void
gdk_pointer_ungrab(uint32)' is deprecated: Use 'gdk_device_ungrab' instead
[-Wdeprecated-declarations]

```
24 | gdk_pointer_ungrab(GDK_CURRENT_TIME);  
| ^
```

In file included from /usr/include/gtk-3.0/gdk/gdk.h:50,
from /usr/include/gtk-3.0/gtk/gtk.h:30,
from /home/klugier/upp/uppsrc/CtrlCore/Gtk.h:12,
from /home/klugier/upp/uppsrc/CtrlCore/CtrlCore.h:49,
from /home/klugier/upp/uppsrc/CtrlCore/SystemDraw.cpp:1,
from /home/klugier/upp.out/CtrlCore/GCC.Blitz.Gui.Mt.Shared/\$blitz.cpp:3:
/usr/include/gtk-3.0/gdk/gdkmain.h:100:15: note: declared here

```
100 | void      gdk_pointer_ungrab  (uint32    time_);  
| ^~~~~~
```

In file included from /home/klugier/upp.out/CtrlCore/GCC.Blitz.Gui.Mt.Shared/\$blitz.cpp:522:
/home/klugier/upp/uppsrc/CtrlCore/GtkApp.cpp:24:37: warning: 'void
gdk_pointer_ungrab(uint32)' is deprecated: Use 'gdk_device_ungrab' instead
[-Wdeprecated-declarations]

```
24 | gdk_pointer_ungrab(GDK_CURRENT_TIME);  
| ^
```

In file included from /usr/include/gtk-3.0/gdk/gdk.h:50,
from /usr/include/gtk-3.0/gtk/gtk.h:30,
from /home/klugier/upp/uppsrc/CtrlCore/Gtk.h:12,
from /home/klugier/upp/uppsrc/CtrlCore/CtrlCore.h:49,
from /home/klugier/upp/uppsrc/CtrlCore/SystemDraw.cpp:1,
from /home/klugier/upp.out/CtrlCore/GCC.Blitz.Gui.Mt.Shared/\$blitz.cpp:3:
/usr/include/gtk-3.0/gdk/gdkmain.h:100:15: note: declared here

```
100 | void      gdk_pointer_ungrab  (uint32    time_);  
| ^~~~~~
```

In file included from /home/klugier/upp.out/CtrlCore/GCC.Blitz.Gui.Mt.Shared/\$blitz.cpp:522:
/home/klugier/upp/uppsrc/CtrlCore/GtkApp.cpp: In static member function 'static void
Upp::Ctrl::PanicMsgBox(const char*, const char*)':
/home/klugier/upp/uppsrc/CtrlCore/GtkApp.cpp:30:28: warning: 'gboolean
gdk_pointer_is_grabbed()' is deprecated: Use 'gdk_display_device_is_grabbed' instead
[-Wdeprecated-declarations]

```
30 | if(gdk_pointer_is_grabbed())  
| ^
```

In file included from /usr/include/gtk-3.0/gdk/gdk.h:50,

```

from /usr/include/gtk-3.0/gtk/gtk.h:30,
from /home/klugier/upp/upsrsrc/CtrlCore/Gtk.h:12,
from /home/klugier/upp/upsrsrc/CtrlCore/CtrlCore.h:49,
from /home/klugier/upp/upsrsrc/CtrlCore/SystemDraw.cpp:1,
from /home/klugier/upp.out/CtrlCore/GCC.Blitz.Gui.Mt.Shared/$blitz.cpp:3:
/usr/include/gtk-3.0/gdk/gdkmain.h:104:15: note: declared here
104 | gboolean gdk_pointer_is_grabbed (void);
| ^~~~~~
In file included from /home/klugier/upp.out/CtrlCore/GCC.Blitz.Gui.Mt.Shared/$blitz.cpp:522:
/home/klugier/upp/upsrsrc/CtrlCore/GtkApp.cpp:30:28: warning: 'gboolean
gdk_pointer_is_grabbed()' is deprecated: Use 'gdk_display_device_is_grabbed' instead
[-Wdeprecated-declarations]
30 | if(gdk_pointer_is_grabbed())
| ^
In file included from /usr/include/gtk-3.0/gdk/gdk.h:50,
from /usr/include/gtk-3.0/gtk/gtk.h:30,
from /home/klugier/upp/upsrsrc/CtrlCore/Gtk.h:12,
from /home/klugier/upp/upsrsrc/CtrlCore/CtrlCore.h:49,
from /home/klugier/upp/upsrsrc/CtrlCore/SystemDraw.cpp:1,
from /home/klugier/upp.out/CtrlCore/GCC.Blitz.Gui.Mt.Shared/$blitz.cpp:3:
/usr/include/gtk-3.0/gdk/gdkmain.h:104:15: note: declared here
104 | gboolean gdk_pointer_is_grabbed (void);
| ^~~~~~
In file included from /home/klugier/upp.out/CtrlCore/GCC.Blitz.Gui.Mt.Shared/$blitz.cpp:522:
/home/klugier/upp/upsrsrc/CtrlCore/GtkApp.cpp:31:33: warning: 'void
gdk_pointer_ungrab(uint32)' is deprecated: Use 'gdk_device_ungrab' instead
[-Wdeprecated-declarations]
31 | gdk_pointer_ungrab(currentTime);
| ^
In file included from /usr/include/gtk-3.0/gdk/gdk.h:50,
from /usr/include/gtk-3.0/gtk/gtk.h:30,
from /home/klugier/upp/upsrsrc/CtrlCore/Gtk.h:12,
from /home/klugier/upp/upsrsrc/CtrlCore/CtrlCore.h:49,
from /home/klugier/upp/upsrsrc/CtrlCore/SystemDraw.cpp:1,
from /home/klugier/upp.out/CtrlCore/GCC.Blitz.Gui.Mt.Shared/$blitz.cpp:3:
/usr/include/gtk-3.0/gdk/gdkmain.h:100:15: note: declared here
100 | void gdk_pointer_ungrab (uint32 time_);
| ^~~~~~
In file included from /home/klugier/upp.out/CtrlCore/GCC.Blitz.Gui.Mt.Shared/$blitz.cpp:522:
/home/klugier/upp/upsrsrc/CtrlCore/GtkApp.cpp:31:33: warning: 'void
gdk_pointer_ungrab(uint32)' is deprecated: Use 'gdk_device_ungrab' instead
[-Wdeprecated-declarations]
31 | gdk_pointer_ungrab(currentTime);
| ^
In file included from /usr/include/gtk-3.0/gdk/gdk.h:50,
from /usr/include/gtk-3.0/gtk/gtk.h:30,
from /home/klugier/upp/upsrsrc/CtrlCore/Gtk.h:12,
from /home/klugier/upp/upsrsrc/CtrlCore/CtrlCore.h:49,

```

```

from /home/klugier/upp/uppsrc/CtrlCore/SystemDraw.cpp:1,
from /home/klugier/upp.out/CtrlCore/GCC.Blitz.Gui.Mt.Shared/$blitz.cpp:3:
/usr/include/gtk-3.0/gdk/gdkmain.h:100:15: note: declared here
100 | void      gdk_pointer_ungrab  (guint32    time_);
| ^~~~~~
In file included from /home/klugier/upp.out/CtrlCore/GCC.Blitz.Gui.Mt.Shared/$blitz.cpp:522:
/home/klugier/upp/uppsrc/CtrlCore/GtkApp.cpp: In function 'void Upp::InitGtkApp(int, char**, const
char**)':
/home/klugier/upp/uppsrc/CtrlCore/GtkApp.cpp:70:61: warning: 'void
gdk_threads_set_lock_functions(GCallback, GCallback)' is deprecated
[-Wdeprecated-declarations]
70 | gdk_threads_set_lock_functions(EnterGuiMutex, LeaveGuiMutex);
| ^~~~~~
In file included from /usr/include/gtk-3.0/gdk/gdk.h:61,
from /usr/include/gtk-3.0/gtk/gtk.h:30,
from /home/klugier/upp/uppsrc/CtrlCore/Gtk.h:12,
from /home/klugier/upp/uppsrc/CtrlCore/CtrlCore.h:49,
from /home/klugier/upp/uppsrc/CtrlCore/SystemDraw.cpp:1,
from /home/klugier/upp.out/CtrlCore/GCC.Blitz.Gui.Mt.Shared/$blitz.cpp:3:
/usr/include/gtk-3.0/gdk/gdkthreads.h:50:10: note: declared here
50 | void      gdk_threads_set_lock_functions  (GCallback enter_fn,
| ^~~~~~
In file included from /home/klugier/upp.out/CtrlCore/GCC.Blitz.Gui.Mt.Shared/$blitz.cpp:522:
/home/klugier/upp/uppsrc/CtrlCore/GtkApp.cpp:70:61: warning: 'void
gdk_threads_set_lock_functions(GCallback, GCallback)' is deprecated
[-Wdeprecated-declarations]
70 | gdk_threads_set_lock_functions(EnterGuiMutex, LeaveGuiMutex);
| ^~~~~~
In file included from /usr/include/gtk-3.0/gdk/gdk.h:61,
from /usr/include/gtk-3.0/gtk/gtk.h:30,
from /home/klugier/upp/uppsrc/CtrlCore/Gtk.h:12,
from /home/klugier/upp/uppsrc/CtrlCore/CtrlCore.h:49,
from /home/klugier/upp/uppsrc/CtrlCore/SystemDraw.cpp:1,
from /home/klugier/upp.out/CtrlCore/GCC.Blitz.Gui.Mt.Shared/$blitz.cpp:3:
/usr/include/gtk-3.0/gdk/gdkthreads.h:50:10: note: declared here
50 | void      gdk_threads_set_lock_functions  (GCallback enter_fn,
| ^~~~~~
In file included from /home/klugier/upp.out/CtrlCore/GCC.Blitz.Gui.Mt.Shared/$blitz.cpp:522:
/home/klugier/upp/uppsrc/CtrlCore/GtkApp.cpp:71:19: warning: 'void gdk_threads_init()' is
deprecated [-Wdeprecated-declarations]
71 | gdk_threads_init();
| ^~~~~~
In file included from /usr/include/gtk-3.0/gdk/gdk.h:61,
from /usr/include/gtk-3.0/gtk/gtk.h:30,
from /home/klugier/upp/uppsrc/CtrlCore/Gtk.h:12,
from /home/klugier/upp/uppsrc/CtrlCore/CtrlCore.h:49,
from /home/klugier/upp/uppsrc/CtrlCore/SystemDraw.cpp:1,
from /home/klugier/upp.out/CtrlCore/GCC.Blitz.Gui.Mt.Shared/$blitz.cpp:3:

```

```
/usr/include/gtk-3.0/gdk/gdkthreads.h:44:10: note: declared here
44 | void    gdk_threads_init          (void);
   | ^~~~~~
In file included from /home/klugier/upp.out/CtrlCore/GCC.Blitz.Gui.Mt.Shared/$blitz.cpp:522:
/home/klugier/upp/uppsrc/CtrlCore/GtkApp.cpp:71:19: warning: 'void gdk_threads_init()' is
deprecated [-Wdeprecated-declarations]
71 | gdk_threads_init();
   | ^
In file included from /usr/include/gtk-3.0/gdk/gdk.h:61,
from /usr/include/gtk-3.0/gtk/gtk.h:30,
from /home/klugier/upp/uppsrc/CtrlCore/Gtk.h:12,
from /home/klugier/upp/uppsrc/CtrlCore/CtrlCore.h:49,
from /home/klugier/upp/uppsrc/CtrlCore/SystemDraw.cpp:1,
from /home/klugier/upp.out/CtrlCore/GCC.Blitz.Gui.Mt.Shared/$blitz.cpp:3:
/usr/include/gtk-3.0/gdk/gdkthreads.h:44:10: note: declared here
44 | void    gdk_threads_init          (void);
   | ^~~~~~
CtrlCore: 61 file(s) built in (0:05.19), 85 msecs / file, duration = 12061 msecs, parallelization 61%
ide: 64 file(s) built in (0:34.03), 531 msecs / file, duration = 39637 msecs, parallelization 24%
Linking...
/home/klugier/upp/theide (13145136 B) linked in (0:00.95)
```

Moreover, the tooltip text is not visible on Manjaro KDE. I also agree that there is a problem with the scrollbars - they are not emulated ideally.

Sincerely,
Klugier

File Attachments

-
- 1) [Screenshot_20200111_212531.png](#), downloaded 890 times
-