
Subject: [SOLVED] Cloning Array of complexe type
Posted by [Xemuth](#) on Wed, 25 Mar 2020 15:15:51 GMT
[View Forum Message](#) <> [Reply to Message](#)

Hello community,

I'm wondering how can I copy an array of complexe type. See this example :

```
#include <Core/Core.h>
```

```
using namespace Upp;
```

```
class A{
public:
    int one = 1;
    int two = 2;

    virtual ~A(){}

    virtual int sum()const =0;
    virtual A* clone()const =0;
};
```

```
class B : public A{
public:
    int three =3;

    //Constructor
    B(){}
    B(const B& b){
        one = b.one;
        two = b.two;
        three = b.three;
    }
    virtual ~B(){}

    //Function
    int sum()const{
        return one +two +three;
    }
    B* clone()const {return new B(*this);}
};
```

```
class C : public A{
public:
    int four =4;

    //Constructor
    C(){}
};
```

```

C(const C& c){
    one = c.one;
    two = c.two;
    four = c.four;
}
virtual ~C(){

//Function
int sum()const{
    return one +two +four;
}
C* clone()const {return new C(*this);}
};

```

```

CONSOLE_APP_MAIN

```

```

{
    ArrayMap<Upp::String, A> myArrays;
    myArrays.Create<B>("FirstElement").one = 10;
    myArrays.Create<B>("SecondElement").two =0;
    myArrays.Create<C>("ThirdElement");

    Cout() << myArrays.Get("FirstElement").sum() << EOL; //Correct print 15
    Cout() << myArrays.Get("SecondElement").sum() << EOL; //Correct print 4
    Cout() << myArrays.Get("ThirdElement").sum() << EOL; //Correct print 7

```

```

    ArrayMap<Upp::String, A> aCopy(myArrays,myArrays.GetCount()); //not working
    /*ArrayMap<Upp::String, A> aCopy;
    aCopy = Upp::clone(myArrays); //Not working*/

```

```

    myArrays.Clear(); //Clearing the base Array

```

```

    Cout() << aCopy.Get("FirstElement").sum() << EOL; //If the copying goes well it should print 15
    even if base array have been destroyed
    Cout() << aCopy.Get("SecondElement").sum() << EOL;//If the copying goes well it should print 4
    even if base array have been destroyed
    Cout() << aCopy.Get("ThirdElement").sum() << EOL;//If the copying goes well it should print 7
    even if base array have been destroyed
}

```

with this simple exemple, compilation error I get is "error: allocating an object of abstract class type 'A'" which makes sense.

Someone can explain me how can I do the trick and copy my array ?