Subject: Re: U++ does not appear to like playing nice with the Boost algorithm string library?

Posted by mirek on Sat, 04 Apr 2020 08:18:27 GMT

View Forum Message <> Reply to Message

ptkacz wrote on Sat, 04 April 2020 03:07When I compile the following (console application) code in U++:

```
#include <iostream>
#include <string>
#include <iostream>
using namespace std;
#include <Core/Core.h>
using namespace Upp;
#include <boost/algorithm/string.hpp>
CONSOLE APP MAIN
  std::string str = " Lots of filler space ";
  boost::algorithm::trim(str);
  std::cout<<"\""<< str <<"\""<<std::endl;
}
the following error is resulting:
----- Core ( GCC DEBUG SHARED DEBUG FULL BLITZ POSIX LINUX ) (1 / 2)
----- BoostStringTest (MAIN GCC DEBUG SHARED DEBUG FULL BLITZ POSIX LINUX) (2 / 2)
BoostStringTest.cpp
In file included from /home/ptkacz/upp/uppsrc/Core/i18n.h:17:0,
          from /home/ptkacz/upp/uppsrc/Core/Core.h:337,
          from /home/ptkacz/MyApps/BoostStringTest/BoostStringTest.cpp:6:
/usr/include/boost/core/ref.hpp: In constructor
'boost::reference_wrapper<T>::reference_wrapper(T&)':
/home/ptkacz/upp/uppsrc/Core/t .h:9:24: error: class 'boost::reference wrapper<T>' does not
have any field named 't_GetLngString'
#define t (x)
                  t GetLngString(x)
BoostStringTest: 1 file(s) built in (0:01.55), 1551 msecs / file, duration = 1551 msecs
There were errors. (0:01.55)
```

I do know that U++ has it's only string utility functions, but was attempting to make use of code brought in from another application that I'm working on. Independently of any existing code, I

wrote a simple C++ application in Code::Blocks, the code compiles and runs as expected.

_			
п	~ 1	-	
\boldsymbol{r}	$\boldsymbol{-}$	$\boldsymbol{-}$	ı

Well, this looks like simple nameclash. Try

#undef t_

after #include <Core/Core.h>.

t_ is used to designate localized strings that are subject to language translation.

Maybe it does not have to be macro, then this would be solved by namespaces. Will try...

Mirek