
Subject: my_sql's charset in linux

Posted by [nicomesas](#) on Fri, 15 Sep 2006 16:49:15 GMT

[View Forum Message](#) <> [Reply to Message](#)

I have been two days proving MySQL and have had a serious problem with charset.
I have a series of tables utf8 codified, and in principle it must not have very normal problems with

This is the sample:

```
#include <Core/Core.h>
#include <MySql/MySql.h>

CONSOLE_APP_MAIN
{
    String s = "SELECT nombre, refcontable FROM actividades_clases" ;

    MySqlSession sesion ;
    if (sesion.Connect( "root", "mundoflapi", "skorg_dsrlllo_v3", "localhost" ))
    {
        Sql q(sesion) ;
        q.Execute(theSelect) ;
        int row = 0;
        while(q.Fetch())
        {
            String resp = ;
            Cout() << "[" << row << "]" " << resp << (String)q[0] << " " << (String)q[1] << "\r\n" ;
            row++ ;
        }
        sesion.Close() ;
    }
}
```

There are a script to create the table:

```
CREATE TABLE `actividades_clases` (
  `code` varchar(22) collate utf8_spanish_ci NOT NULL default "",
  `nombre` varchar(30) collate utf8_spanish_ci default NULL,
  `dAdmin` varchar(2) collate utf8_spanish_ci default NULL,
  `isVentas` int(11) default NULL,
  `refContable` varchar(30) collate utf8_spanish_ci default NULL,
  PRIMARY KEY (`code`)
) ENGINE=MyISAM DEFAULT CHARSET=utf8 COLLATE=utf8_spanish_ci;
```

```
('0070000000000004','DOCENCIA','F',0,'DOCENCIA'),
('0070000000000005','VOLUNTARIADO','?F',0,'VOLUNTARIADO'),
```

```
('00700000000000006','RESIDENCIA','?F',0,'CONVIVENCIA'),  
( '00700000000000007','COMEDOR','?F',0,'CONVIVENCIA'),  
  
( '0706401e10216c0f1c6100','ARTICULOS DEL REFUGIO','F',1,'REFUGIO');
```

After thinking much, to prove it in Windows (and it works correctly), to spend to me all the day of yesterday reading documentation of MySQL.com, and mainly, to dive by the code of the UPP, I believe that I have found the solution.

By some reason my MySQL does not return the characters to me in UTF, although I hoped that I took root outside. Possibly he would have to change the configuration in the server.

But the case is that there is a function of the API of MySQL that serves to change the codification of a given connection. This function is `mysql_set_character_set`.

Simply it would have to call to that function after establishing the connection

```
MySqlSession sesion ;  
if (sesion.Connect( "root", "mundoflipi", "skorg_dsrllo_v3", "localhost" ))  
{  
    mysql_set_character_set( sesion, "utf8" );  
  
    Sql q(sesion) ;  
    q.Execute(theSelect) ;  
}
```

Perhaps the MySQLSession object would have to be in charge to compare the codification that comes by defect in the server with defined by the system or the present language, that we can obtain with this code:

```
String sysCharSetName = CharSetName(GetDefaultCharset());  
Nico
```