
Subject: Re: New experimental Linux/FreeBSD release

Posted by [amrein](#) on Wed, 08 Apr 2020 19:19:14 GMT

[View Forum Message](#) <> [Reply to Message](#)

I can't find where this bug come from (I guess it's a bug).

When I use Makefiles, I get only one file named .cache/upp.out/build_info.h

When I use umk or umks32, I get several files named build_info.h in .cache/upp.out/

Quote:

```
rm -fr .cache/upp.out/*
```

```
./umk ./uppsrc umk CLANG -brs ./umk
```

```
find .cache/upp.out/ -name build_info.h
```

Result:

Quote:

```
.cache/upp.out/Core/CLANG.Blitz.Shared/build_info.h
```

```
.cache/upp.out/plugin/pcre/CLANG.Shared/build_info.h
```

```
.cache/upp.out/plugin/zstd/CLANG.Blitz.Shared/build_info.h
```

```
.cache/upp.out/plugin/lz4/CLANG.Blitz.Shared/build_info.h
```

```
.cache/upp.out/plugin/lzma/CLANG.Blitz.Shared/build_info.h
```

```
.cache/upp.out/plugin/bz2/CLANG.Blitz.Shared/build_info.h
```

```
.cache/upp.out/Esc/CLANG.Blitz.Shared/build_info.h
```

```
.cache/upp.out/umk/CLANG.Blitz.Main.Shared/build_info.h
```

```
.cache/upp.out/ide/Java/CLANG.Blitz.Shared/build_info.h
```

```
.cache/upp.out/ide/Android/CLANG.Blitz.Shared/build_info.h
```

```
.cache/upp.out/ide/Core/CLANG.Blitz.Shared/build_info.h
```

```
.cache/upp.out/ide/Builders/CLANG.Shared/build_info.h
```

Those files don't have the same content (the defined variables inside don't have the same value most of the time).
