
Subject: Re: off by 1 dynamic tree with sql: SOLVED
Posted by [mtdew3q](#) on Fri, 24 Apr 2020 23:58:57 GMT
[View Forum Message](#) <> [Reply to Message](#)

Hi all-

I just thought I'd share how I drew the tree with my chart of accounts...
thnx for all the cool help here. I'm working on making a very small budgeting application.
roboloki

```
void MyMain::RunSQL(){

    Sql sql(m3_session);
    sql.Clear();

    int y = -0;
    int n = 0;
    int n1 = 1;
    String mystr;

    sql.SetStatement("SELECT DISTINCT PFIELD, COUNT(*) from accounts GROUP BY
    GROUPING SETS (PFIELD) order by pfield");
    sql.Execute();
    while (sql.Fetch()) {

        mystr=sql[0];
        if (mystr.Find('*') != -1){

            vm.Add(sql[0],sql[1]);
            // PromptOK(sql[0].ToString());
        }

    }

}

void MyMain::SlingTv() {

    int n = 0;
    int n1 = 0;
    String mystr;

    Sql sql(m3_session);
```

```
sql.Clear();
```

```
sql.SetStatement(Select(PFIELD,ACCTNUM,
ACCTNAME).From(ACCOUNTS).OrderBy(ACCTNUM));
sql.Execute();
while (sql.Fetch()){

    mystr=sql[0];
    if ( mystr.Find('*') != -1){
        //PromptOK(AsString(n1));
        optree.Add(0, sql[2].ToString());

    }
}
```

```
sql.SetStatement(Select(PFIELD,ACCTNUM,
ACCTNAME).From(ACCOUNTS).OrderBy(ACCTNUM));
sql.Execute();
while (sql.Fetch()){

    mystr=sql[0];
    if ( mystr.Find('*') != -1){
        //PromptOK(AsString(n1));

        n1 = 0;
        PromptOK(AsString(n)+":n");
        ++n;
        continue;

    } else {
        optree.Insert(n,n1,sql[2].ToString());
        n1++;
        PromptOK(AsString(n1 )+":n1");
    }

}

// optree.Insert(5,0,"foo");
// optree.Insert(5,1,"foo2");

// optree.Add(

}
```

File Attachments

1) [Screenshot_2020-04-24_19-55-25.png](#), downloaded 249 times
