
Subject: Re: BufferPainter::Clear() optimization
Posted by [mirek](#) on Mon, 18 May 2020 11:33:20 GMT
[View Forum Message](#) <> [Reply to Message](#)

So I kept digging and found that the reason why Fill3 performed great with CLANG and less great with MSC was that CLANG understand what I mean with that ugly array based code to fill 4 color values into the xmm register while MSC really created that 'm' array, stored 4 values into memory and then fetched them into xmm...

Fixed Fill3 seems to perform well with MSC too:

```
void Fill3(RGBA *t, RGBA c, int len)
{
    __m128i val4 = _mm_set1_epi32(*(int*)&c);
    auto Set4 = [&](int at) { _mm_storeu_si128((__m128i*)(t + at), val4); };
    auto Set4S = [&](int at) { _mm_stream_si128((__m128i*)(t + at), val4); };
    if(len >= 16) {
        if(len > 1024*1024 / 16 && ((uintptr_t)t & 3) == 0) { // for really huge data, bypass the cache
            while((uintptr_t)t & 15) { // align to 16 bytes for SSE
                *t++ = c;
                len--;
            }
            do {
                Set4S(0);
                Set4S(4);
                Set4S(8);
                Set4S(12);
                t += 16;
                len -= 16;
            }
            while(len >= 16);
            _mm_sfence();
        }
        else
            do {
                Set4(0);
                Set4(4);
                Set4(8);
                Set4(12);
                t += 16;
                len -= 16;
            }
            while(len >= 16);
    }
    if(len & 8) {
        Set4(0);
        Set4(4);
    }
}
```

```
t += 8;
}
if(len & 4) {
    Set4(0);
    t += 4;
}
if(len & 2) {
    t[0] = t[1] = c;
    t += 2;
}
if(len & 1)
    t[0] = c;
}
```

Mirek
