
Subject: Re: Using Pen with U++
Posted by [Novo](#) on Fri, 26 Mar 2021 14:08:55 GMT
[View Forum Message](#) <> [Reply to Message](#)

Alpine Linux (in addition to previous error):

```
./umk uppsrc ide CLANG -bus
```

```
/home/buildbot/worker/al-upp/build/uppsrc/CtrlCore/GtkEvent.cpp:430:2: error: use of undeclared identifier 'pen_barrel'
```

```
    pen_barrel = CurrentEvent.pen_barrel;  
    ^
```

```
/home/buildbot/worker/al-upp/build/uppsrc/CtrlCore/GtkEvent.cpp:431:2: error: use of undeclared identifier 'pen_inverted'
```

```
    pen_inverted = CurrentEvent.pen_inverted;  
    ^
```

```
/home/buildbot/worker/al-upp/build/uppsrc/CtrlCore/GtkEvent.cpp:432:2: error: use of undeclared identifier 'pen_eraser'
```

```
    pen_eraser = CurrentEvent.pen_eraser;  
    ^
```

```
/home/buildbot/worker/al-upp/build/uppsrc/CtrlCore/GtkEvent.cpp:433:2: error: use of undeclared identifier 'pen_pressure'
```

```
    pen_pressure = CurrentEvent.pen_pressure;  
    ^
```

```
/home/buildbot/worker/al-upp/build/uppsrc/CtrlCore/GtkEvent.cpp:434:2: error: use of undeclared identifier 'pen_rotation'
```

```
    pen_rotation = CurrentEvent.pen_rotation;  
    ^
```

```
/home/buildbot/worker/al-upp/build/uppsrc/CtrlCore/GtkEvent.cpp:435:2: error: use of undeclared identifier 'pen_tilt'
```

```
    pen_tilt = CurrentEvent.pen_tilt;  
    ^
```
