

---

Subject: Re: SQL - option for real case of column/table/database names

Posted by [mezise](#) on Wed, 29 Dec 2021 20:47:06 GMT

[View Forum Message](#) <> [Reply to Message](#)

---

Guys, could you apply those changes?

Example usage:

```
MySqlSession session;
session.UseRealcase();
```

Diff:

```
diff -r old_ver15947/uppsrc/Sql/Sql.cpp new/uppsrc/Sql/Sql.cpp
151,152c151,153
< for(int i = 0; i < cn->info.GetCount(); i++)
<   cn->info[i].name = ToUpper(cn->info[i].name);
---
> if(!session.IsUseRealcase())
> for(int i = 0; i < cn->info.GetCount(); i++)
>   cn->info[i].name = ToUpper(cn->info[i].name);
347c348,349
< s = ToUpper(s);
---
> if(!GetSession().IsUseRealcase())
> s = ToUpper(s);
364c366,367
< s = ToUpper(s);
---
> if(!GetSession().IsUseRealcase())
> s = ToUpper(s);
diff -r old_ver15947/uppsrc/Sql/Sqls.h new/uppsrc/Sql/Sqls.h
320a321
> bool           use_realcase = false;
376a378,379
> bool           IsUseRealcase() const          { return use_realcase; }
> void           UseRealcase()                { use_realcase = true; }
```

---