
Subject: Proper SplitterFrame removal++

Posted by [luoganda](#) on Mon, 28 Mar 2022 06:51:30 GMT

[View Forum Message](#) <> [Reply to Message](#)

1st question is more about c++, but anyway:

I have this struct.

```
struct SCtrl:Ctrl{
    void Paint(Draw& w)override{
        ...
    }
};
Array<Ctrl> ctrls;
Array<SCtrl> sctrls;
ctrls.Create<Button>(); //this is ok
sctrls.Create<Button>(); //this produces error(no matching member function for call to 'Add')
```

Can the last one be done, so that SCtrl is somehow subclassed but still used as Ctrl to be used as Button,...?

Any idea how to do this properly? maybe provide copyCtor?

~~~~

2nd question:

Simple app is included in attachment.

I would want a layout design something like foobar2000(win) or deadbeef(linux) has.

Could someone check that and try to correct it

and do it properly - since i don't know fully how SplitterFrame works and how i would do this properly.

When i add frames - it's ok(although now childFrames are added and are children of parent ctrls - which when clicking on parent and removing it - children are then also removed, i would want to remove only SplitterFrame on which i click->Remove, but for this nonChildren would probably need to be used - siblings - although i don't know if this is possible with SplitterFrames to do it properly).

When i remove it - problems happens, see and try code.

How to properly remove frames?

if i call `sc->spl.FrameRemove();` instead of `par->RemoveFrame(sc->spl)` i get segmentation fault via `repaint`(this is called from `SCtrl::RightUp...`)

`pwnd` points to global main window,

when called from `childCtrl` - `pfrom` points to that from `SCtrl::RightUp`

```
SCtrl& AddSplitter(int where, Ctrl *pfrom){
    //SSplitterFrame& spl=splitters.Create<SSplitterFrame>();
    //spl.FrameAdd(InsetFrame());
    SCtrl& sc=ctrls.Create<SCtrl>();
    sc.spl.Set(sc.SizePos(),100,where);
```

```
if(!pfrom)pfrom=pwnd; sc.frmid=pfrom->GetFrameCount();  
pfrom->AddFrame(sc.spl);  
return sc;  
}
```

```
void NewPanel(int where, Ctrl *pfrom){  
    SCtrl&ctrl=AddSplitter(where,pfrom);  
    //ctrl.ctrl.Create<Button>();  
    //Button&b=*(Button*)ctrl.ctrl.Get();b.SetLabel("Marana");b.LeftPos(20,100);b.TopPos(20,40);  
    ///ctrl.ctrl->Add(b);  
}
```

---

## File Attachments

1) [WNDCanvas2.7z](#), downloaded 148 times

---