
Subject: Re: SFTPBrower example build failed
Posted by [Scott_Huang](#) on Wed, 18 Dec 2024 14:20:00 GMT
[View Forum Message](#) <> [Reply to Message](#)

@Oblivion, thanks for your prompt answer!

I try test the demo SFTP server which you provided, it seems work well.

However, when I switch to my SFTP server, it have the same error which I describe in last post.
I am sure my SFTP user name & password is correct and have write access right.

I guess may be dir/path error, you also mention it, so I adjust connect() function to manual set basedir as below.

```
session.Timeout(settings.timeout * 1000);
if((connected = session.Connect(
    ~settings.host,
    ~settings.port,
    ~settings.user,
    ~settings.password
))) {
    browser.Attach(new SFTP(session));
    filesystem.Mount(*browser);
    basedir = browser->GetDefaultDir();
    basedir = "msp";//add for testing
    DLOG(basedir);
    dir.SetData("msp");//add for testing
    DLOG(dir.GetData().ToString());
    DLOG(GetWorkdir());
    DLOG("Before work dir");
    Workdir(basedir);
    DLOG("After work dir, and before LoadDir");
    LoadDir();
    DLOG("After load dir");
}
else SessionError();
}
```

The list still empty, but I am able upload file or create sub folder without error. And other SFTP software does show the file & folder created too.

So, that means, loaddir() function have issue.

Not able successful list folder & files.

After add more DLOG, I am sure it caused by below:

```
if(Upp::Load(list, GetWorkdir(), "*", false, Null, (FileSystemInfo&) sfci, Null, false))
    sortbyext ? SortByExt(list) : SortByName(list);
```

LOG:

SSH: Session, oid: 1: Using Upp's memory managers.

SSH: Session, oid: 1: Session successfully initialized.

SSH: Session, oid: 1: Compression is disabled.

SSH: Session, oid: 1: Handshake successful.

SSH: Session, oid: 1: Authentication methods list successfully retrieved:

[publickey,password,keyboard-interactive]

SSH: Session, oid: 1: Client successfully authenticated.

SSH: SFtp, oid: 2: Session successfully initialized.

SSH: SFtp, oid: 2: Symbolic link operation is successful. Target: /

SSH: SFtp, oid: 2: Failed. Code = -31, SFTP Protocol Error

SSH: SFtp, oid: 2: Failed. Code = -31, Failed opening remote file

SSH: SFtp, oid: 3: Session successfully initialized.

SSH: SFtp, oid: 3: File 'msp/test.txt' is successfully opened.

SSH: SFtp, oid: 3: File attributes successfully retrieved.

SSH: SFtp, oid: 3: File handle freed.

SSH: SFtp, oid: 3: Session deinitialized.

SSH: SFtp, oid: 2: Failed. Code = -31, SFTP Protocol Error ==> Scott, It caused by I try create one existing temp folder.

SSH: SFtp, oid: 2: Directory 'msp/temp2' is successfully created.

SSH: SFtp, oid: 2: Failed. Code = -31, SFTP Protocol Error ==> Scott: Should be loaddir() function caused error.

SSH: SFtp, oid: 2: Failed. Code = -31, Failed opening remote file

I try add more DLOG:

```
void SFtpBrowser::LoadDir()
{
    if(browser->InProgress())
        return;
    list.Clear();
    DLOG("Before SFtpFileSystemInfo sfsi(*browser);");
    SFtpFileSystemInfo sfsi(*browser);
    DLOG("After SFtpFileSystemInfo sfsi(*browser);");
    DLOG("Before If");
    DLOG(GetWorkdir());
    if(Upp::Load(list, GetWorkdir(), "*", false, Null, (FileSystemInfo&) sfsi, Null, false)){
        DLOG("Before sort");
        sortbyext ? SortByExt(list) : SortByName(list);
        DLOG("After sort");
    }
    DLOG("After If");
    DLOG("Before Summary()");
    Summary();
    DLOG("After Summary(), and before Sync()");
    Sync();
}
```

```
DLOG("After Sync()");  
}
```

LOG Details:

SSH: Session, oid: 1: Using Upp's memory managers.

SSH: Session, oid: 1: Session successfully initialized.

SSH: Session, oid: 1: Compression is disabled.

SSH: Session, oid: 1: Handshake successful.

SSH: Session, oid: 1: Authentication methods list successfully retrieved:

[publickey,password,keyboard-interactive]

SSH: Session, oid: 1: Client successfully authenticated.

SSH: SFTP, oid: 2: Session successfully initialized.

SSH: SFTP, oid: 2: Symbolic link operation is successful. Target: / ==> Scott: Is it the root cause?

I try set to known folder "MSP" instead of "/"

msh

msh

msh

Before work dir

After work dir, and before LoadDir

Before SFTPFileSystemInfo sfsi(*browser);

After SFTPFileSystemInfo sfsi(*browser);

Before If

msh ==> Scott: I try DLOG(GetWorkdir());

SSH: SFTP, oid: 2: Failed. Code = -31, SFTP Protocol Error

SSH: SFTP, oid: 2: Failed. Code = -31, Failed opening remote file

After If

Before Summary()

After Summary(), and before Sync()

After Sync()

After load dir

Any way to fix it?