
Subject: Re: Https referance example doesn't work
Posted by [zouqi](#) on Thu, 02 Apr 2026 01:05:07 GMT
[View Forum Message](#) <> [Reply to Message](#)

Hi przem_kaz:

These are the server.crt and server.key files I generated. Replace the two files in the code directory, compile and run. This is the result in the browser.

result page.

File Attachments

- 1) [server.crt](#), downloaded 52 times
- 2) [server.key](#), downloaded 58 times
- 3) [QQ20260402-085632.png](#), downloaded 239 times



Privacy error



Not secure

https://127.0.0.1:4000



Your connection isn't private

Attackers might be trying to steal your information (e.g. passwords, credit cards).

NET::ERR_CERT_AUTHORITY_INVALID

Advanced

4) [QQ20260402-085709.png](#), downloaded 232 times



Privacy error



Not secure

~~https~~://127.0.0.1:4000

This server couldn't prove that it's **127.0.0.1**; it's using an IP address from a different operating system. This may be caused by a misconfigured proxy or a man-in-the-middle connection.

[Continue to 127.0.0.1 \(unsafe\)](#)

Hide advanced

5) [QQ20260402-085720.png](#), downloaded 237 times



127.0.0.1:4000



Not secure

https://127.0.0.1:4000

Method: GET

URI: /

host: 127.0.0.1:4000

connection: keep-alive

cache-control: max-age=0

sec-ch-ua: "Chromium";v="146", "Not-A.Brand";v="24"

sec-ch-ua-mobile: ?0

sec-ch-ua-platform: "Windows"

upgrade-insecure-requests: 1

user-agent: Mozilla/5.0 (Windows NT 10.0; Win64; x64;

Safari/537.36 Edg/146.0.0.0

accept:

text/html,application/xhtml+xml,application/xml;q=0.9,image

exchange;v=b3;q=0.7

sec-fetch-site: none

sec-fetch-mode: navigate

sec-fetch-user: ?1

sec-fetch-dest: document

accept-encoding: gzip, deflate, br, zstd

accept-language: en-GB,en;q=0.9,zh-CN;q=0.8,zh;q=0.7

Current time: 04/02/2026 08:57:13