
Subject: Use function pointer

Posted by [deep](#) on Tue, 06 Jun 2017 10:52:31 GMT

[View Forum Message](#) <> [Reply to Message](#)

Hi,

Actually this is not Scatter package issue.

I want to use Function pointer (Class pointer) to access internal variables from ScatterCtrlDemo.

From file tab14_userequations.cpp

```
ScatterDemo *ConstructUserEquation()
```

```
{  
    static TabUserEquation tab_ue;  
    return &tab_ue;  
}
```

```
INITBLOCK {  
    RegisterExample("User equation", ConstructUserEquation, __FILE__);  
}
```

From file main.cpp

```
struct Example {  
    ScatterDemo* (*ctrl)();  
    String name;  
    int index;  
};
```

```
Array<Example>& Examples()  
{  
    static Array<Example> x;  
    return x;  
}
```

```
void RegisterExample(const char *name, ScatterDemo* (*ctrl)(), String fileName)  
{  
    Example& x = Examples().Add();  
    x.name = name;  
    x.ctrl = ctrl;  
    x.index = ScanInt(GetFileName(fileName).Mid(3, 2));  
}
```

Now with RegisterExample static TabUserEquation tab_ue gets added to Examples Array as Type ScatterDemo.

I want to use tab_ue in other part of code.

How to declare it so that it will be part of Examples Array and available independently.

Subject: Re: Use function pointer
Posted by [koldo](#) on Wed, 07 Jun 2017 07:16:54 GMT
[View Forum Message](#) <> [Reply to Message](#)

Dear Deepak

Actually you can handle static TabUserEquation tab_ue from any part of the code through Examples().

With Examples()[i].name you get the name of the demo to be sure is that index "i" is the one that you want, and with Examples()[i].ctrl() you have access to tab_ue.

Subject: Re: Use function pointer
Posted by [deep](#) on Wed, 07 Jun 2017 08:23:06 GMT
[View Forum Message](#) <> [Reply to Message](#)

Dear Koldo,

Thanks for your answer.

Considering same example there is EditString "equation" on the layout.

I want to know how to access it.

Examples()[i].ctrl() gives me access to elements of struct "Example" only.

Subject: Re: Use function pointer
Posted by [koldo](#) on Tue, 13 Jun 2017 10:50:15 GMT
[View Forum Message](#) <> [Reply to Message](#)

Hello Deep

Probably I would prefer to save a reference to the tab and using it directly.

However you can use this everywhere:

```
for (int i = 0; i < Examples().GetCount(); ++i) {  
    if (Examples()[i].name == "User equation") {  
        TabUserEquation &tab = dynamic_cast<TabUserEquation*>(*Examples()[i].ctrl());  
        EditString &equation = tab.equation;  
        equation.SetText("HELLO WORLD!");  
    }  
}
```

}

Subject: Re: Use function pointer [SOLVED]
Posted by [deep](#) on Tue, 13 Jun 2017 11:22:39 GMT
[View Forum Message](#) <> [Reply to Message](#)

Hello Koldo,

Thank you.

I checked it in my code. It is working as expected.
