
Subject: THISBACK and inheritance

Posted by [rafiwui](#) on Mon, 03 Jul 2017 14:15:22 GMT

[View Forum Message](#) <> [Reply to Message](#)

I had an interesting issue with a MenuBar and a THISBACK.

I made three classes: MenuBarWindow, FnWindow and MyWindow.

- MenuBarWindow only has the MenuBar attribute and the method I want as its callback.

- FnWindow inherits from MenuBarWindow and has some buttons for the F1-F8 keys and the corresponding callback methods.

- MyWindow inherits from FnWindow and is the main window in my application.

Here is an example code:

```
class MenuBarWindow : public TopWindow
{
protected:
    MenuBar m_menuBar;

public:
    typedef MenuBarWindow CLASSNAME;
    MenuBarWindow(int _sizeX, int _sizeY);

protected:
    virtual void MenuBarMain(Bar& _bar) = 0;
};

MenuBarWindow::MenuBarWindow(int _sizeX, int _sizeY)
{
    SetRect(0, 0, Zx(_sizeX), Zy(_sizeY + m_menuBar.GetStdHeight(m_menuBar.GetFont())));
    AddFrame(m_menuBar);
    m_menuBar.Set(THISBACK(MenuBarMain));
}

class FnWindow : public MenuBarWindow
{
protected:
    Button b_fn1;
    // ...
    Button b_fn8;

public:
    typedef FnWindow CLASSNAME;
    FnWindow(int _sizeX, int _sizeY);

private:
    virtual void OnClickFn1() = 0;
    // ...
```

```

    virtual void OnClickFn8() = 0;
};

FnWindow::FnWindow(int _sizeX, int _sizeY)
    : MenuBarWindow(_sizeX, _sizeY)
{
    // Adding buttons here...

    b_fn1 <<= THISBACK(OnClickFn1);
    // ...
    b_fn8 <<= THISBACK(OnClickFn8);
}

// MyWindow header...
MyWindow::MyWindow(int _sizeX, int _sizeY)
    : FnWindow(_sizeX, _sizeY)
{
    // do sth...
}

```

In the MyWindow files are declarations and definitions for the virtual methods.

If I run this the program stops and shows me this and exits the application when you continue:

If I remove virtual void MenuBarMain(Bar& _bar) = 0; and move
m_menuBar.Set(THISBACK(MenuBarMain)); from MenuBarWindow to MyWindow everything
works fine.

At first I thought this is because the method is pure virtual and needs an implementation in the
class from where I call it or use THISBACK but then I should get this strange behaviour after my
changes as well because I do the same with the button callbacks but they work perfectly.

So does anyone has an idea why this is happening? Is this a generell C++ thing or is it a U++
thing?

File Attachments

1) [UppCallbackProblem.PNG](#), downloaded 812 times

7FF70864FED0	mov [rsp+0x8],rcx
7FF70864FED5	sub rsp,byte +0x48
7FF70864FED9	mov rax,[rsp+0x50]
7FF70864FEDE	mov [rsp+0x28],rax
7FF70864FEE3	lea rax,[rel 0x87abd10]
7FF70864FEEA	mov [rsp+0x20],rax
7FF70864FEEF	xor r9d,r9d
7FF70864FEF2	xor r8d,r8d
7FF70864FEF5	xor edx,edx
7FF70864FEF7	mov ecx,0x1
7FF70864FEFC	call dword 0x7ff7081e6753
7FF70864FF01	mov [rsp+0x30],eax
7FF70864FF05	cmp dword [rsp+0x30],byte +0x0
7FF70864FF0A	jz 0x7ff70864ff1a
7FF70864FF0C	cmp dword [rsp+0x30],byte +0x1
7FF70864FF11	jz 0x7ff70864ff15
7FF70864FF13	jmp short 0x7ff70864ff1e
7FF70864FF15	int3
7FF70864FF16	mov al,0x1
7FF70864FF18	jmp short 0x7ff70864ff20
7FF70864FF1A	mov al,0x1
7FF70864FF1C	jmp short 0x7ff70864ff20
7FF70864FF1E	xor al,al
7FF70864FF20	add rsp,byte +0x48
7FF70864FF24	ret

Subject: Re: THISBACK and inheritance

Posted by [mirek](#) on Wed, 05 Jul 2017 12:07:18 GMT

[View Forum Message](#) <> [Reply to Message](#)

rafiwui wrote on Mon, 03 July 2017 16:15 I had an interesting issue with a MenuBar and a THISBACK.

I made three classes: MenuBarWindow, FnWindow and MyWindow.

- MenuBarWindow only has the MenuBar attribute and the method I want as its callback.
- FnWindow inherits from MenuBarWindow and has some buttons for the F1-F8 keys and the corresponding callback methods.
- MyWindow inherits from FnWindow and is the main window in my application.

Here is an example code:

```
class MenuBarWindow : public TopWindow
{
protected:
    MenuBar m_menuBar;

public:
    typedef MenuBarWindow CLASSNAME;
```

```

MenuBarWindow(int _sizeX, int _sizeY);

protected:
    virtual void MenuBarMain(Bar& _bar) = 0;
};

MenuBarWindow::MenuBarWindow(int _sizeX, int _sizeY)
{
    SetRect(0, 0, Zx(_sizeX), Zy(_sizeY + m_menuBar.GetStdHeight(m_menuBar.GetFont())));
    AddFrame(m_menuBar);
    m_menuBar.Set(THISBACK(MenuBarMain));
}

class FnWindow : public MenuBarWindow
{
protected:
    Button b_fn1;
    // ...
    Button b_fn8;

public:
    typedef FnWindow CLASSNAME;
    FnWindow(int _sizeX, int _sizeY);

private:
    virtual void OnClickFn1() = 0;
    // ...
    virtual void OnClickFn8() = 0;
};

FnWindow::FnWindow(int _sizeX, int _sizeY)
    : MenuBarWindow(_sizeX, _sizeY)
{
    // Adding buttons here...

    b_fn1 <<= THISBACK(OnClickFn1);
    // ...
    b_fn8 <<= THISBACK(OnClickFn8);
}

// MyWindow header...
MyWindow::MyWindow(int _sizeX, int _sizeY)
    : FnWindow(_sizeX, _sizeY)
{
    // do sth...
}

```

In the MyWindow files are declarations and definitions for the virtual methods.

If I run this the program stops and shows me this and exits the application when you continue:

If I remove virtual void MenuBarMain(Bar& _bar) = 0; and move m_menuBar.Set(THISBACK(MenuBarMain)); from MenuBarWindow to MyWindow everything works fine.

At first I thought this is because the method is pure virtual and needs an implementation in the class from where I call it or use THISBACK but then I should get this strange behaviour after my changes as well because I do the same with the button callbacks but they work perfectly.

So does anyone has an idea why this is happening? Is this a generell C++ thing or is it a U++ thing?

I see nothing wrong. Please, as this really looks like a small package experiment, follow the suggestion and compress the whole package and attach it to the post so that we can test it quickly.

Mirek

Subject: Re: THISBACK and inheritance
Posted by [rafiwui](#) on Thu, 06 Jul 2017 07:53:52 GMT
[View Forum Message](#) <> [Reply to Message](#)

Ok here are the packages:
One with the bug and the other one working so you can see how it should look like.

File Attachments

- 1) [TestApplication.7z](#), downloaded 324 times
- 2) [TestApplicationWorking.7z](#), downloaded 323 times

Subject: Re: THISBACK and inheritance
Posted by [Oblivion](#) on Thu, 06 Jul 2017 18:25:26 GMT
[View Forum Message](#) <> [Reply to Message](#)

Hello,

It is a "C++ thing."

As far as I can see, you are calling a pure virtual method (or storing its address -which is undefined at that moment) from base constructor.

Calling a pure virtual method from base constructor is undefined behaviour. (Since at that point the vtable entry for the said method is not yet assigned. It is basically "0" (undefined)). That's why you don't even get an explicit error message.

```

MenuBarWindow::MenuBarWindow(int _sizeX, int _sizeY)
{
    SetRect(0, 0, Zx(_sizeX), Zy(_sizeY + m_menuBar.GetStdHeight(m_menuBar.GetFont())));
    AddFrame(m_menuBar);
    m_menuBar.Set(THISBACK(MenuBarMain)); // <-- Undefined behaviour.
}

```

Why did you define a menu handler virtual anyway? We are using callbacks to define menus, so you won't really need virtual functions for this purpose.

if you want to store m_menuBar member in MenuBarWindow class that's fine, but since it is a protected member, it can be accessed from the derived classes:

```

MyWindow::MyWindow(int _sizeX, int _sizeY)
    : FnWindow(_sizeX, _sizeY)
{
    AddFrame(m_menuBar); // This should
    m_menuBar.Set(THISBACK(MenuBarMain)); // work.
}

```

Also I see that you use some obscure internal macro(s) explicitly. You dont need them at all.

Best regards,
Oblivion

Subject: Re: THISBACK and inheritance
 Posted by [rafiwui](#) on Thu, 06 Jul 2017 20:41:47 GMT
[View Forum Message](#) <> [Reply to Message](#)

Oblivion wrote on Thu, 06 July 2017 20:25

As far as I can see, you are calling a pure virtual method (or storing its address -which is undefined at that moment) from base constructor.

Calling a pure virtual method from base constructor is undefined behaviour. (Since at that point the vtable entry for the said method is not yet assigned. It is basically "0" (undefined)). That's why you don't even get an explicit error message.

But why is it working for the OnClickButton callbacks in the FnWindow?

Oblivion wrote on Thu, 06 July 2017 20:25

Also I see that you use some obscure internal macro(s) explicitly. You dont need them at all.

What macros do you mean and how can I avoid them?

Thanks,
Daniel

Subject: Re: THISBACK and inheritance
Posted by [Oblivion](#) on Thu, 06 Jul 2017 21:17:03 GMT
[View Forum Message](#) <> [Reply to Message](#)

Hello Daniel,

Quote:

But why is it working for the OnClickButton callbacks in the FnWindow?

It is because those button events aren't called immediately. They are called when there is some user action (They are called WHEN there is action (click/push, etc.).

Had they been called immediately you would have the same undefined behaviour.

On the other hand, MenuBar::Set() method calls the provided callback, and sets the menubar immediately, which leads to crash.

Quote:

What macros do you mean and how can I avoid them?

Ah, that's my fault. Nevermind. (For some reason, the below macros reminded me of U++ internal macros used in the TheIDE layout editor.)

```
#define _FN_LABEL(button, label)  button.SetLabel(label).Enable(true)
#define FN_LABEL(number, label)  _FN_LABEL(b_fn##number, label)
```

```
#define _FN_UNLABEL(button) button.SetLabel("").Enable(false)
#define FN_UNLABEL(number)  _FN_UNLABEL(b_fn##number)
```

Best regards,

Oblivion.

Subject: Re: THISBACK and inheritance
Posted by [rafiwui](#) on Fri, 07 Jul 2017 06:40:23 GMT
[View Forum Message](#) <> [Reply to Message](#)

Oblivion wrote on Thu, 06 July 2017 23:17Hello Daniel,

It is because those button events aren't called immediately. They are called when there is some user action (They are called WHEN there is action (click/push, etc.)). Had they been called immediately you would have the same undefined behaviour. On the other hand, MenuBar::Set() method calls the provided callback, and sets the menubar immediately, which leads to crash.

Ah okay. Thanks for your answers.

Oblivion wrote on Thu, 06 July 2017 23:17Hello Daniel,

Ah, that's my fault. Nevermind. (For some reason, the below macros reminded me of U++ internal macros used in the TheIDE layout editor.)

Oh yeah they are pretty similar
