Subject: my app doesn't compile under Linux ubuntu 5.10 Posted by forlano on Tue, 23 May 2006 20:50:05 GMT View Forum Message <> Reply to Message

Hello,

here http://www.arilect.com/upp/forum/index.php?t=msg&th=1026 &start=0& I've posted my package that work pretty well under windows (with mingw compiler).

I tried to compile it under linux (ubuntu 5.10) but I get some error regarding the file .iml. It seems, say the compiler, I've redefined the images present in the *iml file. To say the truth I have non completely understood how the .iml works inside the package and the #define and #include that are used to let it to work. But it works under windows and it is OK. But why do not wotk under linux?

If somebody has time to loose with that package under linux should be aware to substitued in the file Newtournament.cpp

//#ifdef PRINT_DOS f1 = TD.PATHDIR + "\\www" + TD.FILETORNEO; mkdir(f1); //#endif

```
//#ifdef LINUX
// f1 = "mkdir " + TD.PATHDIR + "/www/" + TD.FILETORNEO;
// system( f1 );
//#endif
```

with

```
//#ifdef PRINT_DOS
// f1 = TD.PATHDIR + "\\www" + TD.FILETORNEO;
// mkdir(f1);
//#endif
```

```
//#ifdef LINUX
f1 = "mkdir " + TD.PATHDIR + "/www/" + TD.FILETORNEO;
system( f1 );
//#endif
```

(a quick a dirty way to create a directory. Perhaps I should prefer the MkDir method of FileSel class)

Luigi

Subject: Re: my app doesn't compile under Linux ubuntu 5.10 Posted by mirek on Wed, 24 May 2006 16:58:21 GMT View Forum Message <> Reply to Message forlano wrote on Tue, 23 May 2006 16:50Hello,

here http://www.arilect.com/upp/forum/index.php?t=msg&th=1026 &start=0& I've posted my package that work pretty well under windows (with mingw compiler).

I tried to compile it under linux (ubuntu 5.10) but I get some error regarding the file .iml. It seems, say the compiler, I've redefined the images present in the *iml file. To say the truth I have non completely understood how the .iml works inside the package and the #define and #include that are used to let it to work. But it works under windows and it is OK. But why do not wotk under linux?

If somebody has time to loose with that package under linux should be aware to substitued in the file Newtournament.cpp

```
//#ifdef PRINT DOS
  f1 = TD.PATHDIR + "\\www" + TD.FILETORNEO;
  mkdir(f1);
//#endif
//#ifdef LINUX
// f1 = "mkdir " + TD.PATHDIR + "/www/" + TD.FILETORNEO:
// system( f1 );
//#endif
with
//#ifdef PRINT DOS
// f1 = TD.PATHDIR + "\\www" + TD.FILETORNEO;
//
   mkdir(f1);
//#endif
//#ifdef LINUX
  f1 = "mkdir " + TD.PATHDIR + "/www/" + TD.FILETORNEO:
  system(f1);
```

```
//#endif
```

(a quick a dirty way to create a directory. Perhaps I should prefer the MkDir method of FileSel class)

Luigi

Instead of LINUX (etc), you can use PLATFORM_LINUX (etc).

To create directory, use CreateDirectory

Mirek

luzr wrote on Wed, 24 May 2006 18:58 To create directory, use CreateDirectory

Mirek

Yes, it looks much better. On my Navigate CreateDirectory was absent and I was not aware of it.

Luigi

Page 3 of 3 ---- Generated from U++ Forum