
Subject: Framebuffer backend compilation errors

Posted by [Zbych](#) on Wed, 05 Dec 2018 21:58:08 GMT

[View Forum Message](#) <> [Reply to Message](#)

It looks that Framebuffer got out of sync with CtrlCore.h and gcc spits out plenty of 'no member declared' errors.

It complains about functions that ends with 0 (WndUpdate0r, EventLoop0, GuiSleep0, WndShow0 etc.)

Can I simply remove all those 0s from function names or maybe they should be wrapped by functions without 0 in names?

In file included from

/home/zbych/upp.out/reference/Framebuffer/GCC.Debug.Debug_Full.Gui.Linuxfb.Shared/\$blitz.cp
p:37:0:

/home/zbych/upp/reference/Framebuffer/Wnd.cpp:135:5: error: prototype for 'int
Upp::Ctrl::RegisterSystemHotKey(Upp::dword, Upp::Callback)' does not match any in class
'Upp::Ctrl'

int Ctrl::RegisterSystemHotKey(dword key, Callback cb)

^~~~

In file included from /home/zbych/upp/reference/Framebuffer/Draw.cpp:1:0,

from

/home/zbych/upp.out/reference/Framebuffer/GCC.Debug.Debug_Full.Gui.Linuxfb.Shared/\$blitz.cp
p:3:

/home/zbych/upp/uppsrc/CtrlCore/CtrlCore.h:793:17: error: candidate is: static int
Upp::Ctrl::RegisterSystemHotKey(Upp::dword, Upp::Function<void()>)

static int RegisterSystemHotKey(dword key, Function<void ()> cb);

^~~~~~

In file included from

/home/zbych/upp.out/reference/Framebuffer/GCC.Debug.Debug_Full.Gui.Linuxfb.Shared/\$blitz.cp
p:37:0:

/home/zbych/upp/reference/Framebuffer/Wnd.cpp:377:37: error: no 'void
Upp::Ctrl::WndUpdate0r(const Rect&)' member function declared in class 'Upp::Ctrl'

void Ctrl::WndUpdate0r(const Rect& r)

^

/home/zbych/upp/reference/Framebuffer/Wnd.cpp:409:33: error: no 'void

Upp::Ctrl::EventLoop0(Upp::Ctrl*)' member function declared in class 'Upp::Ctrl'

void Ctrl::EventLoop0(Ctrl *ctrl)

^

/home/zbych/upp/reference/Framebuffer/Wnd.cpp:444:28: error: no 'void Upp::Ctrl::GuiSleep0(int)'
member function declared in class 'Upp::Ctrl'

void Ctrl::GuiSleep0(int ms)

^

/home/zbych/upp/reference/Framebuffer/Wnd.cpp:460:27: error: no 'void

Upp::Ctrl::WndShow0(bool)' member function declared in class 'Upp::Ctrl'

void Ctrl::WndShow0(bool b)

^

/home/zbych/upp/reference/Framebuffer/Wnd.cpp:465:23: error: no 'void

```

Upp::Ctrl::WndUpdate0()' member function declared in class 'Upp::Ctrl'
void Ctrl::WndUpdate0()
    ^

/home/zbych/upp/reference/Framebuffer/Wnd.cpp: In member function 'void
Upp::Ctrl::DestroyWnd()':
/home/zbych/upp/reference/Framebuffer/Wnd.cpp:536:16: error: 'class Upp::Ctrl' has no member
named 'WndDestroy0'; did you mean 'WndDestroy'?
    topctrl[i]->WndDestroy0();
                ^~~~~~
                WndDestroy
/home/zbych/upp/reference/Framebuffer/Wnd.cpp: At global scope:
/home/zbych/upp/reference/Framebuffer/Wnd.cpp:552:24: error: no 'void
Upp::Ctrl::WndDestroy0()' member function declared in class 'Upp::Ctrl'
void Ctrl::WndDestroy0()
    ^

/home/zbych/upp/reference/Framebuffer/Wnd.cpp:576:30: error: no 'void
Upp::Ctrl::SetWndForeground0()' member function declared in class 'Upp::Ctrl'
void Ctrl::SetWndForeground0()
    ^

/home/zbych/upp/reference/Framebuffer/Wnd.cpp:602:30: error: no 'void
Upp::Ctrl::WndEnable0(bool*)' member function declared in class 'Upp::Ctrl'
void Ctrl::WndEnable0(bool *b)
    ^

/home/zbych/upp/reference/Framebuffer/Wnd.cpp:608:32: error: no 'void
Upp::Ctrl::SetWndFocus0(bool*)' member function declared in class 'Upp::Ctrl'
void Ctrl::SetWndFocus0(bool *b)
    ^

/home/zbych/upp/reference/Framebuffer/Wnd.cpp:650:39: error: no 'void
Upp::Ctrl::WndSetPos0(const Rect&)' member function declared in class 'Upp::Ctrl'
void Ctrl::WndSetPos0(const Rect& rect)
    ^

/home/zbych/upp/reference/Framebuffer/Wnd.cpp:661:57: error: no 'void
Upp::Ctrl::WndScrollView0(const Rect&, int, int)' member function declared in class 'Upp::Ctrl'
void Ctrl::WndScrollView0(const Rect& r, int dx, int dy)
    ^

In file included from
/home/zbych/upp.out/reference/Framebuffer/GCC.Debug.Debug_Full.Gui.Linuxfb.Shared/$blitz.cp
p:70:0:
/home/zbych/upp/reference/Framebuffer/Top.cpp: In member function 'void
Upp::TopWindow::SyncSizeHints()':
/home/zbych/upp/reference/Framebuffer/Top.cpp:27:2: error: 'SyncCaption0' was not declared in
this scope
    SyncCaption0();
    ^~~~~~
/home/zbych/upp/reference/Framebuffer/Top.cpp:27:2: note: suggested alternative: 'SyncCaption'
    SyncCaption0();
    ^~~~~~
    SyncCaption

```

```

/home/zbych/upp/reference/Framebuffer/Top.cpp: At global scope:
/home/zbych/upp/reference/Framebuffer/Top.cpp:30:28: error: no 'void
Upp::TopWindow::SyncTitle0()' member function declared in class 'Upp::TopWindow'
void TopWindow::SyncTitle0()
    ^
/home/zbych/upp/reference/Framebuffer/Top.cpp:35:30: error: no 'void
Upp::TopWindow::SyncCaption0()' member function declared in class 'Upp::TopWindow'
void TopWindow::SyncCaption0()
    ^
/home/zbych/upp/reference/Framebuffer/Top.cpp: In member function 'virtual void
Upp::TopWindow::State(int)':
/home/zbych/upp/reference/Framebuffer/Top.cpp:52:2: error: 'SyncCaption0' was not declared in
this scope
    SyncCaption0();
    ^~~~~~
/home/zbych/upp/reference/Framebuffer/Top.cpp:52:2: note: suggested alternative: 'SyncCaption'
    SyncCaption0();
    ^~~~~~
    SyncCaption
/home/zbych/upp/reference/Framebuffer/Top.cpp: In member function 'void
Upp::TopWindow::Open(Upp::Ctrl*)':
/home/zbych/upp/reference/Framebuffer/Top.cpp:84:2: error: 'SyncCaption0' was not declared in
this scope
    SyncCaption0();
    ^~~~~~
/home/zbych/upp/reference/Framebuffer/Top.cpp:84:2: note: suggested alternative: 'SyncCaption'
    SyncCaption0();
    ^~~~~~
    SyncCaption

```

Subject: Re: Framebuffer backend compilation errors

Posted by [mirek](#) on Sat, 05 Jan 2019 12:49:39 GMT

[View Forum Message](#) <> [Reply to Message](#)

Zbych wrote on Wed, 05 December 2018 22:58 It looks that Framebuffer got out of sync with CtrlCore.h and gcc spits out plenty of 'no member declared' errors. It complains about functions that ends with 0 (WndUpdate0r, EventLoop0, GuiSleep0, WndShow0 etc.)

Can I simply remove all those 0s from function names or maybe they should be wrapped by functions without 0 in names?

In file included from

```

/home/zbych/upp.out/reference/Framebuffer/GCC.Debug.Debug_Full.Gui.Linuxfb.Shared/$blitz.cp
p:37:0:

```

```

/home/zbych/upp/reference/Framebuffer/Wnd.cpp:135:5: error: prototype for 'int

```

Upp::Ctrl::RegisterSystemHotKey(Upp::dword, Upp::Callback)' does not match any in class 'Upp::Ctrl'

```
int Ctrl::RegisterSystemHotKey(dword key, Callback cb)
```

^~~~

In file included from /home/zbych/upp/reference/Framebuffer/Draw.cpp:1:0,

from

/home/zbych/upp.out/reference/Framebuffer/GCC.Debug.Debug_Full.Gui.Linuxfb.Shared/\$blitz.cpp:3:

/home/zbych/upp/uppsrc/CtrlCore/CtrlCore.h:793:17: error: candidate is: static int

Upp::Ctrl::RegisterSystemHotKey(Upp::dword, Upp::Function<void()>)

```
static int RegisterSystemHotKey(dword key, Function<void ()> cb);
```

^~~~~~

In file included from

/home/zbych/upp.out/reference/Framebuffer/GCC.Debug.Debug_Full.Gui.Linuxfb.Shared/\$blitz.cpp:37:0:

/home/zbych/upp/reference/Framebuffer/Wnd.cpp:377:37: error: no 'void

Upp::Ctrl::WndUpdate0r(const Rect&)' member function declared in class 'Upp::Ctrl'

```
void Ctrl::WndUpdate0r(const Rect& r)
```

^

/home/zbych/upp/reference/Framebuffer/Wnd.cpp:409:33: error: no 'void

Upp::Ctrl::EventLoop0(Upp::Ctrl*)' member function declared in class 'Upp::Ctrl'

```
void Ctrl::EventLoop0(Ctrl *ctrl)
```

^

/home/zbych/upp/reference/Framebuffer/Wnd.cpp:444:28: error: no 'void Upp::Ctrl::GuiSleep0(int)'

member function declared in class 'Upp::Ctrl'

```
void Ctrl::GuiSleep0(int ms)
```

^

/home/zbych/upp/reference/Framebuffer/Wnd.cpp:460:27: error: no 'void

Upp::Ctrl::WndShow0(bool)' member function declared in class 'Upp::Ctrl'

```
void Ctrl::WndShow0(bool b)
```

^

/home/zbych/upp/reference/Framebuffer/Wnd.cpp:465:23: error: no 'void

Upp::Ctrl::WndUpdate0()' member function declared in class 'Upp::Ctrl'

```
void Ctrl::WndUpdate0()
```

^

/home/zbych/upp/reference/Framebuffer/Wnd.cpp: In member function 'void

Upp::Ctrl::DestroyWnd()':

/home/zbych/upp/reference/Framebuffer/Wnd.cpp:536:16: error: 'class Upp::Ctrl' has no member named 'WndDestroy0'; did you mean 'WndDestroy'?

```
topctrl[i]->WndDestroy0();
```

^~~~~~

WndDestroy

/home/zbych/upp/reference/Framebuffer/Wnd.cpp: At global scope:

/home/zbych/upp/reference/Framebuffer/Wnd.cpp:552:24: error: no 'void

Upp::Ctrl::WndDestroy0()' member function declared in class 'Upp::Ctrl'

```
void Ctrl::WndDestroy0()
```

^

/home/zbych/upp/reference/Framebuffer/Wnd.cpp:576:30: error: no 'void

Upp::Ctrl::SetWndForeground()' member function declared in class 'Upp::Ctrl'

void Ctrl::SetWndForeground()

^

/home/zbych/upp/reference/Framebuffer/Wnd.cpp:602:30: error: no 'void

Upp::Ctrl::WndEnable0(bool*)' member function declared in class 'Upp::Ctrl'

void Ctrl::WndEnable0(bool *b)

^

/home/zbych/upp/reference/Framebuffer/Wnd.cpp:608:32: error: no 'void

Upp::Ctrl::SetWndFocus0(bool*)' member function declared in class 'Upp::Ctrl'

void Ctrl::SetWndFocus0(bool *b)

^

/home/zbych/upp/reference/Framebuffer/Wnd.cpp:650:39: error: no 'void

Upp::Ctrl::WndSetPos0(const Rect&)' member function declared in class 'Upp::Ctrl'

void Ctrl::WndSetPos0(const Rect& rect)

^

/home/zbych/upp/reference/Framebuffer/Wnd.cpp:661:57: error: no 'void

Upp::Ctrl::WndScrollView0(const Rect&, int, int)' member function declared in class 'Upp::Ctrl'

void Ctrl::WndScrollView0(const Rect& r, int dx, int dy)

^

In file included from

/home/zbych/upp.out/reference/Framebuffer/GCC.Debug.Debug_Full.Gui.Linuxfb.Shared/\$blitz.cp
p:70:0:

/home/zbych/upp/reference/Framebuffer/Top.cpp: In member function 'void

Upp::TopWindow::SyncSizeHints()':

/home/zbych/upp/reference/Framebuffer/Top.cpp:27:2: error: 'SyncCaption0' was not declared in
this scope

SyncCaption0();

^~~~~~

/home/zbych/upp/reference/Framebuffer/Top.cpp:27:2: note: suggested alternative: 'SyncCaption'

SyncCaption0();

^~~~~~

SyncCaption

/home/zbych/upp/reference/Framebuffer/Top.cpp: At global scope:

/home/zbych/upp/reference/Framebuffer/Top.cpp:30:28: error: no 'void

Upp::TopWindow::SyncTitle0()' member function declared in class 'Upp::TopWindow'

void TopWindow::SyncTitle0()

^

/home/zbych/upp/reference/Framebuffer/Top.cpp:35:30: error: no 'void

Upp::TopWindow::SyncCaption0()' member function declared in class 'Upp::TopWindow'

void TopWindow::SyncCaption0()

^

/home/zbych/upp/reference/Framebuffer/Top.cpp: In member function 'virtual void

Upp::TopWindow::State(int)':

/home/zbych/upp/reference/Framebuffer/Top.cpp:52:2: error: 'SyncCaption0' was not declared in
this scope

SyncCaption0();

^~~~~~

/home/zbych/upp/reference/Framebuffer/Top.cpp:52:2: note: suggested alternative: 'SyncCaption'

```

SyncCaption0();
^~~~~~
SyncCaption
/home/zbych/upp/reference/Framebuffer/Top.cpp: In member function 'void
Upp::TopWindow::Open(Upp::Ctrl*)':
/home/zbych/upp/reference/Framebuffer/Top.cpp:84:2: error: 'SyncCaption0' was not declared in
this scope
  SyncCaption0();
  ^~~~~~
/home/zbych/upp/reference/Framebuffer/Top.cpp:84:2: note: suggested alternative: 'SyncCaption'
  SyncCaption0();
  ^~~~~~
  SyncCaption

```

It is kind of deprecated and was never 'canonical' anyway.

Perhaps you could give a try to VirtualGui instead?

Mirek

Subject: Re: Framebuffer backend compilation errors
 Posted by [Zbych](#) on Sat, 05 Jan 2019 21:47:15 GMT
[View Forum Message](#) <> [Reply to Message](#)

mirek wrote on Sat, 05 January 2019 13:49
 It is kind of deprecated and was never 'canonical' anyway.
 Perhaps you could give a try to VirtualGui instead?
 Mirek

It looks perfect. Can you please move all SDL and GL dependencies from VirtualGui package to VirtualGui/SDL2GL?

```

uses
  Painter,
  CtrlLib,
  GLDraw,
  ~~~~~~
  PdfDraw;

library(POSIX) "SDL2 SDL2main GL";
~~~~~
library(WIN32) "SDL2.lib SDL2main.lib OpenGL32.lib";
~~~~~

```

Subject: Re: Framebuffer backend compilation errors
Posted by [mirek](#) on Sun, 06 Jan 2019 09:56:25 GMT
[View Forum Message](#) <> [Reply to Message](#)

Done.

Subject: Re: Framebuffer backend compilation errors
Posted by [Zbych](#) on Sun, 06 Jan 2019 17:52:10 GMT
[View Forum Message](#) <> [Reply to Message](#)

I have one more question regarding translation of key (up/down) events.
How should I know when to send some key press as ascii value and when as K_* value?
For example when I call Ctrl::DoKeyFB with key 'a' as ascii code it is shown in Uword editor, but Ctrl+a won't work.
When I translate key 'a' to K_A, Ctrl+a works, but letter 'a' won't show in the editor.
Maybe I should call Ctrl::DoKeyFB twice? One call with ascii code and second one with K_* value?

In the SDL backend there are two separated paths SDL_TEXTINPUT and SDL_KEYDOWN/SDL_KEYUP in HandleSDLEvent.
But from libinput I receive just key up/down events

Subject: Re: Framebuffer backend compilation errors
Posted by [mirek](#) on Mon, 07 Jan 2019 00:13:35 GMT
[View Forum Message](#) <> [Reply to Message](#)

Zbych wrote on Sun, 06 January 2019 18:52 I have one more question regarding translation of key (up/down) events.
How should I know when to send some key press as ascii value and when as K_* value?
For example when I call Ctrl::DoKeyFB with key 'a' as ascii code it is shown in Uword editor, but Ctrl+a won't work.
When I translate key 'a' to K_A, Ctrl+a works, but letter 'a' won't show in the editor.
Maybe I should call Ctrl::DoKeyFB twice? One call with ascii code and second one with K_* value?

In the SDL backend there are two separated paths SDL_TEXTINPUT and SDL_KEYDOWN/SDL_KEYUP in HandleSDLEvent.
But from libinput I receive just key up/down events

Call it twice.

Mirek
