
Subject: "Suicide Buttons Array" or how to re-index callbacks or...?

Posted by fudadmin on Mon, 29 May 2006 10:08:53 GMT

[View Forum Message](#) <> [Reply to Message](#)

Hi, I'm stuck with this piece of code:

```
#include <CtrlLib/CtrlLib.h>
```

```
struct App : TopWindow {
    StaticRect      work;
    Array<Button>   buts;
    //change count to change work area width
    static int const count = 10;
    static int const elw = 40;
    static int const vw=500;
    static int const ww = count*elw+50;
    static int const wh = 290;
```

```
void Suicide(int i){
    //i=GetNewIndex(i);
    buts.Remove(i);
    //ReIndex();
}
```

```
typedef App CLASSNAME;
```

```
App() {
    work.SetRect(50,50,ww,wh);
    work.Color(SRed);
    Add(work);

    for(int i=0;i<=count;i++){
        buts.Add();
        buts[i].SetRect(5+i*elw,20,30,20);
        buts[i].SetLabel(AsString(i));
        work.Add(buts[i]);
        buts[i].WhenAction=callback1(this,Suicide,i); //incorrect due to lost index!
    }
}
```

```
GUI_APP_MAIN
{
    App().Title("Suicide Buttons Array").Sizeable().Zoomable().Run();
}
```

My problem is not for buttons (this code is just visual representation of the problem. I know that I can hide buttons or remove them from parent Ctrl's. And I know that I can arrange remove buttons with "outside management".).

But my problem is something like "how to re-index "suicide" callbacks with dynamic containers".
Or what else can be used in such cases?

(Somehow I feel that my custom index management is not the best case with ntl libraries...)
Any ideas?

Subject: Re: "Suicide Buttons Array" or how to re-index callbacks or...?

Posted by [fudadmin](#) on Mon, 29 May 2006 18:01:11 GMT

[View Forum Message](#) <> [Reply to Message](#)

P.S. Or what could be a more effective way than:

```
void ReIndex(){
    for(int i=0;i<buts.GetCount();i++){
        buts[i].SetLabel(AsString(i));
        buts[i].WhenAction=callback1(this,Suicide,i);
    }
}
```

.S. Or what could be a more effective way than:

Subject: Re: "Suicide Buttons Array" or how to re-index callbacks or...?

Posted by [mirek](#) on Tue, 30 May 2006 21:42:01 GMT

[View Forum Message](#) <> [Reply to Message](#)

fudadmin wrote on Mon, 29 May 2006 14:01P.S. Or what could be a more effective way than:

```
void ReIndex(){
    for(int i=0;i<buts.GetCount();i++){
        buts[i].SetLabel(AsString(i));
        buts[i].WhenAction=callback1(this,Suicide,i);
    }
}
```

.S. Or what could be a more effective way than:

<CODE>

```
void ReIndex(){
    for(int i=0;i<buts.GetCount();i++){
        buts[i].SetLabel(AsString(i));
        buts[i].WhenAction=callback1(this,Suicide,i);
    }
}
```

</CODE>

every time after removing?

Or maybe to mark them as dead and then to filter actions everywhere else?

Are there any better ways?

Well, I believe this is not very callback-specific... it is simply the problem of unique identification of item in the array...

Solution depends on what you exactly want to achieve. What you propose is not that bad solution - if you NEED index, I see (at the moment) no other algorithmic way.

Alternative solution would have to introduce another form of unique id per button - e.g. you could post pointer to button instead of index, or you could use UUID and Index....

Mirek
