
Subject: Compiling IML file problem
Posted by [wanzi](#) on Wed, 31 May 2006 08:38:56 GMT
[View Forum Message](#) <> [Reply to Message](#)

Hi, I just downloaded the UPP, when trying to compile the examples, it gives error saying some thing like constant begins at new line.

So I open the file, and found that for many lines, the string didn't end with the quotation mark. Presumably due to the encoding problem, I then changed the encoding in the package orgnizer from default to window-1252.

Now I could see they were correctly quoted, but the compiler still didn't recognize it, I then copied the code from TheIDE and pasted it to a new file and changed its internal encoding to window-1252, then saved it.

Finally It compiled, but all images in the apps are corrupted, I then re-examed the warning issued from the previous build, found that because the file contained the non-ascii strings, it required that for every string i need to add `_T` macro for it, otherwise some info may be lost.

Since there are 2000+ lines, I wanna know if there's a way to get around it.

I am using MSVC8 professional with WinXP.

Any suggestion is appreciated.

Subject: Re: Compiling IML file problem
Posted by [mirek](#) on Thu, 01 Jun 2006 19:17:17 GMT
[View Forum Message](#) <> [Reply to Message](#)

wanzi wrote on Wed, 31 May 2006 04:38Hi, I just downloaded the UPP, when trying to compile the examples, it gives error saying some thing like constant begins at new line.

So I open the file, and found that for many lines, the string didn't end with the quotation mark. Presumably due to the encoding problem, I then changed the encoding in the package orgnizer from default to window-1252.

Now I could see they were correctly quoted, but the compiler still didn't recognize it, I then copied the code from TheIDE and pasted it to a new file and changed its internal encoding to window-1252, then saved it.

Finally It compiled, but all images in the apps are corrupted, I then re-examed the warning issued from the previous build, found that because the file contained the non-ascii strings, it required that for every string i need to add `_T` macro for it, otherwise some info may be lost.

Since there are 2000+ lines, I wanna know if there's a way to get around it.

I am using MSVC8 professional with WinXP.

Any suggestion is appreciated.

Well, this is really strange, I have not experienced anything like this so far... Of course, if you change .iml encoding, it would lead to this kind of problem (because data there binary).

And yes, there is some strange problem with string encoding in MSC 8.0

Could you please check .iml files with some form of hex editor to see whether there are or not those "\" at the end?

Mirek

Subject: Re: Compiling IML file problem
Posted by [andywang](#) on Wed, 30 Aug 2006 03:15:47 GMT
[View Forum Message](#) <> [Reply to Message](#)

HOST Version: XP+SP2 Chinese version, Cygwin(latest), MSC71 and MSC80(VC 2005 Express)
UPP Version: upp-win-605.exe

MSC71 - Debug/optimize PASS, optimize for speed/size FAILED

IMAGE_BEGIN(option2)
IMAGE_SCAN("")
IMAGE_SCAN("")
IMAGE_SCAN("")
line 366 - 370

C:\upp\uppsrc\CtrlLib\Ctrl.iml(366) : error C2001: newline in constant
C:\upp\uppsrc\CtrlLib\Ctrl.iml(368) : error C2001: newline in constant
C:\upp\uppsrc\CtrlLib\Ctrl.iml(370) : error C2001: newline in constant
C:\upp\uppsrc\CtrlLib\Ctrl.iml(372) : error C2001: newline in constant
C:\upp\uppsrc\CtrlLib\Ctrl.iml(374) : error C2001: newline in constant

MSC80 - ALL FAILED.

----- CtrlLib (GUI MSC8 DEBUG DEBUG_FULL BLITZ WIN32 MSC) (1 / 9)
BLITZ: LabelBase.cpp Button.cpp Switch.cpp EditField.cpp Text.cpp LineEdit.cpp DocEdit.cpp
ScrollBar.cpp HeaderCtrl.cpp ArrayCtrl.cpp DropList.cpp DropP

```
usher.cpp DropChoice.cpp Static.cpp Splitter.cpp SliderCtrl.cpp ColumnList.cpp Progress.cpp
AKeys.cpp RichTextView.cpp RichClip.cpp Prompt.cpp Help.
.cpp Bar.cpp MenuBar.cpp ToolBar.cpp ToolTip.cpp StatusBar.cpp TabCtrl.cpp TreeCtrl.cpp
DlgColor.cpp ColorPopup.cpp ColorPusher.cpp FileList.cpp File
Sel.cpp Windows.cpp Win32.cpp CtrlUtil.cpp Update.cpp LNGCtrl.cpp
$blitz.cpp
```

```
C:\upp\uppsrc\CtrlLib/Ctrl.iml : warning C4819: The file contains a character that cannot be
represented in the current code page (936). Save the file i
n Unicode format to prevent data loss
```

```
C:\upp\uppsrc\CtrlLib/Ctrl.iml(366) : error C2001: newline in constant
```

```
C:\upp\uppsrc\CtrlLib/Ctrl.iml(368) : error C2001: newline in constant
```

```
C:\upp\uppsrc\CtrlLib/Ctrl.iml(370) : error C2001: newline in constant
```

```
C:\upp\uppsrc\CtrlLib/Ctrl.iml(372) : error C2001: newline in constant
```

MINGW - on cygwin ALL FAILED

(the path is strange, why D:\dev\cygwin\bin/c++.exe ? should be D:\dev\cygwin\bin\c++.exe.)

----- CtrlLib (GUI GCC DEBUG DEBUG_FULL BLITZ WIN32) (1 / 9)

```
BLITZ: LabelBase.cpp Button.cpp Switch.cpp EditField.cpp Text.cpp LineEdit.cpp DocEdit.cpp
ScrollBar.cpp HeaderCtrl.cpp ArrayCtrl.cpp DropList.cpp DropP
usher.cpp DropChoice.cpp Static.cpp Splitter.cpp SliderCtrl.cpp ColumnList.cpp Progress.cpp
AKeys.cpp RichTextView.cpp RichClip.cpp Prompt.cpp Help.
.cpp Bar.cpp MenuBar.cpp ToolBar.cpp ToolTip.cpp StatusBar.cpp TabCtrl.cpp TreeCtrl.cpp
DlgColor.cpp ColorPopup.cpp ColorPusher.cpp FileList.cpp File
Sel.cpp Windows.cpp Win32.cpp CtrlUtil.cpp Update.cpp LNGCtrl.cpp
```

```
Command: D:\dev\cygwin\bin/c++.exe -c -I"C:\upp\examples" -I"C:\upp\uppsrc"
-I"D:\dev\cygwin\include" -I"C:\upp\SDL-1.2.9\include" -DflagGUI -DflagGCC
-DflagDEBUG -DflagDEBUG_FULL -DflagBLITZ -DflagWIN32 -DbmYEAR=2006
-DbmMONTH=8 -DbmDAY=29 -DbmHOUR=22 -DbmMINUTE=36 -DbmSECOND=4 -g2 -static
-D_DE
BUG -O0 "C:/upp/out/CtrlLib/MINGW.Debug_full.Gui/$blitz.cpp" -o
"C:/upp/out/CtrlLib/MINGW.Debug_full.Gui/$blitz.o"CtrlLib.icpp
```

```
Command: D:\dev\cygwin\bin/c++.exe -c -I"C:\upp\examples" -I"C:\upp\uppsrc"
-I"D:\dev\cygwin\include" -I"C:\upp\SDL-1.2.9\include" -DflagGUI -DflagGCC
-DflagDEBUG -DflagDEBUG_FULL -DflagBLITZ -DflagWIN32 -DbmYEAR=2006
-DbmMONTH=8 -DbmDAY=29 -DbmHOUR=22 -DbmMINUTE=36 -DbmSECOND=4 -g2 -static
-D_DE
BUG -O0 -x c++ "C:\upp\uppsrc\CtrlLib\CtrlLib.icpp" -o
"C:/upp/out/CtrlLib/MINGW.Debug_full.Gui/CtrlLib.o"
There were errors. (0:00.23)
```

PS1. When using WinHex to edit ctrl.iml, I happen to compile it again but then It passed in (MSC71 optimized for speed/size)! That may be because the WinHex lock the file and compiler can't access it and ignore it. what is the ctrl.iml for ? if it is missing, is there any problem following?

PS2. I capture the 366-370 hex version in WinHex, and I GUESS each line that has 0xC0C0C022 will cause the problems. I will track this further.(pls. see the attachment)

Andy.

File Attachments

1) [test.JPG](#), downloaded 1871 times

WinHex - [Ctrl.iml]

File Edit Search Position View Tools Specialist Options Window Help

File size: 122 KB (125,315 bytes)

Default Edit Mode: State: original

Undo level: 0

Undo reverses: n/a

Creation time: 08-29-2006 19:05:58

Last write time: 08-29-2006 19:05:58

Attributes: A

Icons: 0

Mode: hexadecimal

Character set: ANSI ASCII

Offsets: hexadecimal

Bytes per page: 45x16=720

Window #: 2

No. of windows: 2

Clipboard: available

TEMP folder: 7.8 GB free

UME~1\ypwang\LOCALS~1\Temp

Offset	0	1	2	3	4	5	6	7	8	9	A	B	C	D	E
000040B0	5C	33	37	37	5C	33	37	37	22	29	0D	0A	49	4D	41
000040C0	45	5F	50	41	43	4B	45	44	28	6F	70	74	69	6F	6E
000040D0	2C	20	22	5C	32	5C	32	30	5C	30	5C	30	5C	30	5C
000040E0	30	5C	30	5C	30	5C	30	5C	30	5C	30	5C	30	5C	30
000040F0	30	5C	30	5C	30	5C	30	5C	30	5C	30	5C	30	5C	30
00004100	29	0D	0A	49	4D	41	47	45	5F	42	45	47	49	4E	28
00004110	70	74	69	6F	6E	32	29	0D	0A	09	49	4D	41	47	45
00004120	53	43	41	4E	28	22	22	29	0D	0A	09	49	4D	41	47
00004130	5F	53	43	41	4E	28	22	22	29	0D	0A	09	49	4D	41
00004140	45	5F	53	43	41	4E	28	22	22	29	0D	0A	09	49	4D
00004150	47	45	5F	53	43	41	4E	28	22	C3	5C	31	31	C0	C0
00004160	5C	33	37	37	5C	33	37	37	5C	33	37	37	C0	C0	C0
00004170	33	37	37	5C	33	37	37	5C	33	37	37	C0	C0	C0	5C
00004180	37	37	5C	33	37	37	5C	33	37	37	C0	C0	C0	5C	33
00004190	37	5C	33	37	37	5C	33	37	37	C0	C0	C0	22	29	0D
000041A0	09	49	4D	41	47	45	5F	53	43	41	4E	28	22	C3	5C
000041B0	31	5C	33	37	37	5C	33	37	37	5C	33	37	37	C0	C0
000041C0	5C	33	37	37	5C	33	37	37	5C	33	37	37	C0	C0	C0
000041D0	33	37	37	5C	33	37	37	5C	33	37	37	C0	C0	C0	5C
000041E0	37	37	5C	33	37	37	5C	33	37	37	80	80	80	5C	33
000041F0	37	5C	33	37	37	5C	33	37	37	22	29	0D	0A	09	49
00004200	41	47	45	5F	53	43	41	4E	28	22	C3	5C	36	C0	C0
00004210	5C	33	37	37	5C	33	37	37	5C	33	37	37	C0	C0	C0
00004220	33	37	37	5C	33	37	37	5C	33	37	37	C0	C0	C0	5C
00004230	37	37	5C	33	37	37	5C	33	37	37	82	80	80	80	5C
00004240	C0	C0	C0	22	29	0D	0A	09	49	4D	41	47	45	5F	53
00004250	41	4E	28	22	C3	5C	35	5C	33	37	37	5C	33	37	37
00004260	33	37	37	80	80	80	5C	33	37	37	5C	33	37	37	5C
00004270	37	37	C0	C0	C0	5C	33	37	37	5C	33	37	37	5C	33
00004280	37	83	80	80	80	5C	31	5C	33	37	37	5C	33	37	37
00004290	33	37	37	22	29	0D	0A	09	49	4D	41	47	45	5F	53
000042A0	41	4E	28	22	C3	5C	31	C0	C0	C0	82	80	80	80	5C
000042B0	5C	33	37	37	5C	33	37	37	5C	33	37	37	83	80	80
000042C0	5C	32	5C	33	37	37	5C	33	37	37	5C	33	37	37	C0
000042D0	C0	22	29	0D	0A	09	49	4D	41	47	45	5F	53	43	41
000042E0	28	22	C3	5C	31	5C	33	37	37	5C	33	37	37	5C	33
000042F0	37	85	80	80	80	5C	33	5C	33	37	37	5C	33	37	37
00004300	33	37	37	C0	C0	C0	5C	33	37	37	5C	33	37	37	5C
00004310	37	37	22	29	0D	0A	09	49	4D	41	47	45	5F	53	43
00004320	4E	28	22	C3	5C	32	C0	C0	C0	5C	33	37	37	5C	33
00004330	37	5C	33	37	37	83	80	80	80	5C	34	5C	33	37	37
00004340	33	37	37	5C	33	37	37	C0	C0	C0	5C	33	37	37	5C
00004350	37	37	5C	33	37	37	C0	C0	C0	22	29	0D	0A	09	49
00004360	41	47	45	5F	53	43	41	4E	28	22	C3	5C	31	31	5C
00004370	37	37	5C	33	37	37	5C	33	37	37	C0	C0	C0	5C	33

Subject: Re: Compiling IML file problem
Posted by [andywang](#) on Wed, 30 Aug 2006 03:44:23 GMT
[View Forum Message](#) <> [Reply to Message](#)

I found :
<http://averia.unm.edu/VisualCPPErrorMessages.html>

Quote:C2001: newline in constant

This error is usually caused by a string or character constant that is missing its closing ' or " symbol.

and That is because maybe in our multi-bytes system and mixed text, every byte larger than 127 may be treated as mutli-bytes(always 2-bytes) character(if it is the odd-th char in the line and the char right before it >127), so 0xC0C0C022 be treated as 0xC0C0 and 0xC022, so 0x22 (which is ") is "lost" then VC compiler complains.

After I try add 368,370,372 a SPACE before "), these 3 lines pass. So one solution will be add an extra SPACE on each such line. Since I am brand-new to UPP, I am not sure if that is the right way.

Andy

Subject: Re: Compiling IML file problem
Posted by [mirek](#) on Wed, 30 Aug 2006 07:51:32 GMT
[View Forum Message](#) <> [Reply to Message](#)

andywang wrote on Tue, 29 August 2006 23:44I found :
<http://averia.unm.edu/VisualCPPErrorMessages.html>

Quote:C2001: newline in constant

This error is usually caused by a string or character constant that is missing its closing ' or " symbol.

and That is because maybe in our multi-bytes system and mixed text, every byte larger than 127 may be treated as mutli-bytes(always 2-bytes) character(if it is the odd-th char in the line and the char right before it >127), so 0xC0C0C022 be treated as 0xC0C0 and 0xC022, so 0x22 (which is ") is "lost" then VC compiler complains.

After I try add 368,370,372 a SPACE before "), these 3 lines pass. So one solution will be add an extra SPACE on each such line. Since I am brand-new to UPP, I am not sure if that is the right way.

Andy

Hi,

yes, I have noticed this issue when working on CJK support yesterday.

Right now, I am not sure how to resolve it: Those strings are supposed to be simply accepted in "byte" form, no stupid conversions being performed.

There is `#pragma setlocale("C")`, which should be active (it is `defs.h`), but for some reason MSC seems to ignore it.

The only possible solution right now is to switch your language to something else than chinese (e.g. with english, you should not encounter this problem).

Also, mingw works too. Errors you are reporting are unrelated to this issue. (mixing `\` and `/` is OK). I guess your build method is not set right (I recommend downloading U++/mingw version, it contains much faster linker anyway).

Mirek

Subject: Re: Compiling IML file problem
Posted by [mirek](#) on Wed, 30 Aug 2006 08:23:12 GMT
[View Forum Message](#) <> [Reply to Message](#)

OK, I have got an idea:

Maybe the

```
#pragma setlocale("C")
```

scope is just for the file it is in (so the definition inside `defs.h` is not used in `.iml`).

Could you please test it and try to put it at the beginning of the `.iml` file? If that works, I would alter `.iml` designer (and `.t` designer) to include it....

Mirek

Subject: Re: Compiling IML file problem
Posted by [andywang](#) on Thu, 31 Aug 2006 01:09:08 GMT
[View Forum Message](#) <> [Reply to Message](#)

Thanks for you reply.

Things Getting more closer
VC71 optimize for speed/size passed!
but VC8 Express still failed!(that maybe M\$'s bug?)

(later: I found in MSDN, M\$ says it will be fixed in next release. so your solution will be ok on VC8-though not test yet-.)

<http://support.microsoft.com/default.aspx?scid=kb%3Ben-us%3B 912790>

Andy

Subject: Re: Compiling IML file problem

Posted by [mirek](#) on Thu, 31 Aug 2006 18:56:17 GMT

[View Forum Message](#) <> [Reply to Message](#)

Have you tried the hotfix?

When reporting success with MSC7.1, is it with the #pragma at every .iml file, right? (In other words, should I add the pragma to the .iml save routine?).

Mirek

Subject: Re: Compiling IML file problem

Posted by [andywang](#) on Thu, 31 Aug 2006 19:53:40 GMT

[View Forum Message](#) <> [Reply to Message](#)

No, I didn't apply the hostfix. The link leads me to the M\$ support contact page not downloading. I also google but can't find where to download.

In VC71, I just patch the ctrl.iml only and no other files. (maybe only this file occurs this problem). But for safe I think any .iml file added the protecting line would be a good idea.
