Subject: Open a folder at runtime
Posted by forlano on Thu, 23 May 2019 19:55:15 GMT
View Forum Message <> Reply to Message

Hello,

with

LaunchWebBrowser(GetFileFolder(TD.PATHDIRWWW));

I can open a folder and then display its file content.
Unfortunately it does not work for Mac OS X. Do we have an U++ alternative to do the same or something similar?

Thanks,
Luigi

Subject: Re: Open a folder at runtime
Posted by forlano on Sat, 25 May 2019 19:13:56 GMT
View Forum Message <> Reply to Message

Fortunately there is the old system function that does its job pretty well

```
system("open path &");
```

Online there are example in objective c that are very scary.

Luigi

Subject: Re: Open a folder at runtime
Posted by Klugier on Sat, 25 May 2019 19:31:22 GMT
View Forum Message <> Reply to Message

Hello Luigi,

Can you try to use following line of code and let me know if it works for you:

```
void WorkspaceWork::OpenFileFolder()
{
 ShellOpenFolder(GetFileDirectory(GetActiveFilePath())); // <- This method
}
```

Sincerely,
Klugier

Subject: Re: Open a folder at runtime
Posted by forlano on Sun, 26 May 2019 09:10:58 GMT
View Forum Message <> Reply to Message

Klugier wrote on Sat, 25 May 2019 21:31Hello Luigi,

Can you try to use following line of code and let me know if it works for you:

```
void WorkspaceWork::OpenFileFolder()
{
 ShellOpenFolder(GetFileDirectory(GetActiveFilePath())); // <- This method
}
```

Hello Klugier,

it doesn't work, ShellOpenFolder() is not recognized.

Thanks,
Luigi