
Subject: S_type and ValueMap
Posted by [Giorgio](#) on Tue, 15 Oct 2019 09:40:27 GMT
[View Forum Message](#) <> [Reply to Message](#)

Hi there,

I have the following code: the idea is to get data from db, put them in a vector of ValueMap and then put them in a S_type structure.

```
std::vector<ValueMap> * results=this->dao->QueryTable(table, vmfields); //ValueMap(s) here  
represent lines from db  
for(auto it = results->begin(); it != results->end(); ++it)
```

```
    S_FILLER s(*it); //S_FILLER is defined in a .sch file  
    //Do something with s  
}
```

S_FILLER is defined as follows:

```
TABLE_ (FILLER)  
  STRING_ (KMP,8) PRIMARY_KEY REFERENCES(ITEM.KMP)  
  STRING_ (DESCRIPTION,50)  
  STRING_ (STATUS,8)  
  INT_ (NOELEMENTS)  
  DOUBLE_ (DENSITY)  
END_TABLE
```

The problem is that the code crashes if in the S_type structure there are numerical types, if they are just strings the code runs perfectly.

Is there a way to force some kind of "automatic" conversion from String to the correct type?

Thanks,
gio

Subject: Re: S_type and ValueMap
Posted by [mirek](#) on Tue, 15 Oct 2019 10:00:11 GMT
[View Forum Message](#) <> [Reply to Message](#)

Giorgio wrote on Tue, 15 October 2019 11:40Hi there,

I have the following code: the idea is to get data from db, put them in a vector of ValueMap and then put them in a S_type structure.

```
std::vector<ValueMap> * results=this->dao->QueryTable(table, vmfields); //ValueMap(s) here
```

```
represent lines from db
for(auto it = results->begin(); it != results->end(); ++it)

    S_FILLER s(*it); //S_FILLER is defined in a .sch file
    //Do something with s
}
```

S_FILLER is defined as follows:

```
TABLE_ (FILLER)
  STRING_ (KMP,8) PRIMARY_KEY REFERENCES(ITEM.KMP)
  STRING_ (DESCRIPTION,50)
  STRING_ (STATUS,8)
  INT_ (NOELEMENTS)
  DOUBLE_ (DENSITY)
END_TABLE
```

The problem is that the code crashes if in the S_type structure there are numerical types, if they are just strings the code runs perfectly.

Is there a way to force some kind of "automatic" conversion from String to the correct type?

Thanks,

gio

No. I believe that would be dangerous.

I think you can do this by using S_type introspection and doing the conversion yourself. E.g. use GetRef to get a reference to column attribute, then you can use 'Is' to check for its type. Create a template function to do the conversion to accomodate various S_tables.

Mirek

Subject: Re: S_type and ValueMap
Posted by [Giorgio](#) on Tue, 15 Oct 2019 11:54:52 GMT
[View Forum Message](#) <> [Reply to Message](#)

Hi,
thank you for your suggestion.

This is what I came up with, I post it here for reference and improvements.

[...]

```
//S_FILLER s(*vm); Crashes if it contains int or double
S_FILLER s;
S_convert(&s,vm);
```

[...]

```
template <class T>
void S_convert(T * s, ValueMap * vm){

    for(int i=0;i<vm->GetCount();i++){

        Ref r=s->GetRef(SqlId(vm->GetKey(i)));
        if(r.Is<double>())
            s->Set(SqlId(vm->GetKey(i)),StrDbl(AsString(vm->GetValue(i))));

        if(r.Is<int>())
            s->Set(SqlId(vm->GetKey(i)),StrInt(AsString(vm->GetValue(i))));

        if(r.Is<String>())
            s->Set(SqlId(vm->GetKey(i)),AsString(vm->GetValue(i)));
    }
}
```

Subject: Re: S_type and ValueMap
Posted by [mirek](#) on Tue, 15 Oct 2019 12:39:41 GMT
[View Forum Message](#) <> [Reply to Message](#)

Giorgio wrote on Tue, 15 October 2019 13:54Hi,
thank you for your suggestion.

This is what I came up with, I post it here for reference and improvements.

```
[...]
//S_FILLER s(*vm); Crashes if it contains int or double
S_FILLER s;
S_convert(&s,vm);
```

[...]

```
template <class T>
void S_convert(T * s, ValueMap * vm){
```

```

for(int i=0;i<vm->GetCount();i++){

    Ref r=s->GetRef(SqlId(vm->GetKey(i)));
    if(r.Is<double>())
        s->Set(SqlId(vm->GetKey(i)),StrDbl(AsString(vm->GetValue(i))));

    if(r.Is<int>())
        s->Set(SqlId(vm->GetKey(i)),StrInt(AsString(vm->GetValue(i))));

    if(r.Is<String>())
        s->Set(SqlId(vm->GetKey(i)),AsString(vm->GetValue(i)));
}
}

```

Why not

```

template <class T>
void S_convert(T& s, const ValueMap& vm){

```

?

Mirek

Subject: Re: S_type and ValueMap
 Posted by [Giorgio](#) on Mon, 21 Oct 2019 07:31:57 GMT
[View Forum Message](#) <> [Reply to Message](#)

You are right, in my specific case I already have the ValueMap as a pointer, but in general your solution is better.

Also, I added a continue instruction after evry set (all in brackets of course) to improve a little the execution time.
