

---

Subject: HttpClientGet problems on Linux [BUG?]  
Posted by [hojtsy](#) on Wed, 07 Jun 2006 15:36:04 GMT  
[View Forum Message](#) <> [Reply to Message](#)

---

Check this code:

```
String error;  
String result = HttpClientGet("someserver.com/somefile.txt", NULL, &error);  
if(result.IsEmpty())  
    Cout << "Error: " << error << "\n";
```

Runs OK on windows, but prints this error in linux:  
Error: socket(3) / connect(someserver.com:80): Operation now in progress

HttpClientGet is supposed to download the file during the call, and not return until ready or timeout, correct?

---

---

Subject: Re: HttpClientGet problems on Linux  
Posted by [hojtsy](#) on Wed, 07 Jun 2006 15:59:39 GMT  
[View Forum Message](#) <> [Reply to Message](#)

---

On linux WSAEINPROGRESS is sent when "An operation that takes a long time to complete (such as a connect) was attempted on a non-blocking socket." I tried with blocking sockets and it works. I modified one line in HttpClient::Execute, instead of:

```
if(!socket.IsOpen() && !ClientSocket(socket, sock_host, sock_port, true, NULL, 0, false)) {
```

rather:

```
if(!socket.IsOpen() && !ClientSocket(socket, sock_host, sock_port, true, NULL, 0, true)) {
```

---

Subject: Re: HttpClientGet problems on Linux [BUG?]  
Posted by [rylek](#) on Thu, 08 Jun 2006 05:48:11 GMT  
[View Forum Message](#) <> [Reply to Message](#)

---

Now, this is clearly an error and one that I hope to fix easily. It is not very handy to create the socket itself as blocking because it can hang the application for a long time during the connect / receive calls. The trouble is probably caused by the fact that Windows and Linux use different error codes to report an unfinished blocking operation (Windows = EWOULDBLOCK, Linux = EINPROGRESS).

Regards

