

---

Subject: Changing Database [Solved]

Posted by [jimlef](#) on Wed, 07 Oct 2020 18:24:39 GMT

[View Forum Message](#) <> [Reply to Message](#)

---

In c#, a db was opened used then closed. In U++, it has proven very convenient to use a global SQL for most things.

The one exception, is that open my db at run time, so I select a default. But, while running, I choose a different db with the same schema.

I'm confused as to how to update SQL (and associated table views) to the new file? Currently, when I change the db file with

```
Sqlite3Session sqlite3;  
  
if(!sqlite3.Open(selectdbfile.Get())) {  
    Exclamation("Can't create or open database file\n");  
    return;  
}
```

```
SQL = sqlite3;
```

It compiles fine, but I get memory access error when I go to open a view?

```
bar.Add(t_("List Invoices"), [=]{  
    if(!invoiceswin.IsOpen()) {  
        invoiceswin.InvoicesArray.ReQuery();  
        invoiceswin.InvoicesArray.GoBegin();  
        invoiceswin.Open(this);  
    }  
});
```

U++/C++ noob needs more help haha :)

Thank you :)

Jim

Edit:

Mirek showed me the best option for my configurations, and now if the program doesn't have a db selected at run time, it let's you choose one. Sources updated at github

---