

---

Subject: About WebAssembly  
Posted by [Tom1](#) on Mon, 08 Feb 2021 09:13:56 GMT  
[View Forum Message](#) <> [Reply to Message](#)

---

Hi,

Would it be difficult to create U++ GUI apps targeting WebAssembly as the platform?

Best regards,

Tom

---

---

Subject: Re: About WebAssembly  
Posted by [Novo](#) on Mon, 08 Feb 2021 18:35:30 GMT  
[View Forum Message](#) <> [Reply to Message](#)

---

AFAIK, WebAssembly requires all data to be aligned by at least the word size. This can be a problem ...

---

---

Subject: Re: About WebAssembly  
Posted by [mirek](#) on Mon, 08 Feb 2021 19:49:51 GMT  
[View Forum Message](#) <> [Reply to Message](#)

---

Novo wrote on Mon, 08 February 2021 19:35 AFAIK, WebAssembly requires all data to be aligned by at least the word size. This can be a problem ...

Even char? Like you cannot do `char *s = ...; *s++?`

---

---

Subject: Re: About WebAssembly  
Posted by [Novo](#) on Mon, 08 Feb 2021 22:00:07 GMT  
[View Forum Message](#) <> [Reply to Message](#)

---

mirek wrote on Mon, 08 February 2021 14:49 Novo wrote on Mon, 08 February 2021 19:35 AFAIK, WebAssembly requires all data to be aligned by at least the word size. This can be a problem ...

Even char? Like you cannot do `char *s = ...; *s++?`

Probably, you can do that. Last time I had to deal with compiling C++ to Web was, probably, ~5 years ago. And that was Emscripten.

The only thing I remember for sure I had to properly align unaligned data structures, otherwise we were getting runtime exceptions. Part of the code had to be disabled because of problems with data alignment.

This was ~FIVE years ago. Life has changed since that time. And we have WebAssembly in addition to Emscripten now.

Another thing: compilation with Emscripten wasn't a problem at all.

P.S. I personally would prefer to use Turtle because of security reasons. WebAssembly can be easily decompiled, and in case of Turtle the only thing people can steal is a picture in a Web-browser. :roll:

---

---

Subject: Re: About WebAssembly  
Posted by [Tom1](#) on Tue, 09 Feb 2021 11:42:28 GMT  
[View Forum Message](#) <> [Reply to Message](#)

---

Novo wrote on Tue, 09 February 2021 00:00mirek wrote on Mon, 08 February 2021 14:49Novo wrote on Mon, 08 February 2021 19:35AFAIK, WebAssembly requires all data to be aligned by at least the word size. This can be a problem ...

Even char? Like you cannot do `char *s = ...; *s++?`

Probably, you can do that. Last time I had to deal with compiling C++ to Web was, probably, ~5 years ago. And that was Emscripten.

The only thing I remember for sure I had to properly align unaligned data structures, otherwise we were getting runtime exceptions. Part of the code had to be disabled because of problems with data alignment.

This was ~FIVE years ago. Life has changed since that time. And we have WebAssembly in addition to Emscripten now.

Another thing: compilation with Emscripten wasn't a problem at all.

P.S. I personally would prefer to use Turtle because of security reasons. WebAssembly can be easily decompiled, and in case of Turtle the only thing people can steal is a picture in a Web-browser. :roll:

Hi,

Thanks for your response. Yes, I agree very much: Turtle is and remains the solution for code to be kept safe. However, to move the computational load to the client side requires different approach. (Maybe even a hybrid approach, where GUI runs on the client side and the critical algorithms on the server side out of reach.)

Anyway, I tried out the structure alignment and it seems to work just fine like in MSC/CLANG/GCC when using `#pragma pack(push,1)`:

```
#include <stdio.h>
```

```
#pragma pack(push,1)
```

```
typedef struct{
    char  a;
    short b;
```

```

    int    c;
}struct_t;

#pragma pack(pop)

int main(){
    char buffer[]={0,1,2,3,4,5,6,7,8,9,10,11};
    struct_t &s=(struct_t*)buffer;
    printf("a = %XH\n",s.a);
    printf("b = %XH\n",s.b);
    printf("c = %XH\n",s.c);
    return 0;
}

```

The result is:

tom@TomVM:~/test\$ emcc test.cpp

tom@TomVM:~/test\$ node a.out.js

a = 0H

b = 201H

c = 6050403H

(When I tried it without `#pragma pack()`, the structure alignment was on 16 bit boundaries by default, just as you pointed out.)

This was using Emscripten producing WebAssembly+JS output files.

Well, I guess it is still a long way to a U++ based GUI app running on a browser as WebAssembly with WebGL graphics backend.

Best regards,

Tom

Subject: Re: About WebAssembly

Posted by [mirek](#) on Tue, 09 Feb 2021 13:33:03 GMT

[View Forum Message](#) <> [Reply to Message](#)

Tom1 wrote on Tue, 09 February 2021 12:42Novo wrote on Tue, 09 February 2021 00:00mirek wrote on Mon, 08 February 2021 14:49Novo wrote on Mon, 08 February 2021 19:35AFAIK, WebAssembly requires all data to be aligned by at least the word size. This can be a problem ...

Even char? Like you cannot do `char *s = ...; *s++?`

Probably, you can do that. Last time I had to deal with compiling C++ to Web was, probably, ~5 years ago. And that was Emscripten.

The only thing I remember for sure I had to properly align unaligned data structures, otherwise we

were getting runtime exceptions. Part of the code had to be disabled because of problems with data alignment.

This was ~FIVE years ago. Life has changed since that time. And we have WebAssembly in addition to Emscripten now.

Another thing: compilation with Emscripten wasn't a problem at all.

P.S. I personally would prefer to use Turtle because of security reasons. WebAssembly can be easily decompiled, and in case of Turtle the only thing people can steal is a picture in a Web-browser. :roll:

Hi,

Thanks for your response. Yes, I agree very much: Turtle is and remains the solution for code to be kept safe. However, to move the computational load to the client side requires different approach. (Maybe even a hybrid approach, where GUI runs on the client side and the critical algorithms on the server side out of reach.)

Anyway, I tried out the structure alignment and it seems to work just fine like in MSC/CLANG/GCC when using `#pragma pack(push,1)`:

```
#include <stdio.h>
```

```
#pragma pack(push,1)
```

```
typedef struct{
    char  a;
    short b;
    int   c;
}struct_t;
```

```
#pragma pack(pop)
```

```
int main(){
    char buffer[]={0,1,2,3,4,5,6,7,8,9,10,11};
    struct_t &s=(struct_t*)buffer;
    printf("a = %XH\n",s.a);
    printf("b = %XH\n",s.b);
    printf("c = %XH\n",s.c);
    return 0;
}
```

The result is:

```
tom@TomVM:~/test$ emcc test.cpp
```

```
tom@TomVM:~/test$ node a.out.js
```

```
a = 0H
```

```
b = 201H
```

c = 6050403H

(When I tried it without `#pragma pack()`, the structure alignment was on 16 bit boundaries by default, just as you pointed out.)

This was using Emscripten producing WebAssembly+JS output files.

Well, I guess it is still a long way to a U++ based GUI app running on a browser as WebAssembly with WebGL graphics backend.

Best regards,

Tom

Well, WebAssembly was definitely one possible "next step" in U++ development. Simple WebAssembly should be fairly trivial, devil is in details like clipboard and drag&drop - last time I have checked these were not quite simple to achieve. Maybe window management, if we wanted it to behave more like standard desktop app...

---