
Subject: ide: MD support

Posted by [mirek](#) on Thu, 04 Mar 2021 20:26:39 GMT

[View Forum Message](#) <> [Reply to Message](#)

Ide now has rudimentary support for Markdown - based on Oblivion code - basically DocEdit with preview...

Subject: Re: ide: MD support

Posted by [Oblivion](#) on Thu, 04 Mar 2021 20:50:00 GMT

[View Forum Message](#) <> [Reply to Message](#)

Quote:Ide now has rudimentary support for Markdown - based on Oblivion code - basically DocEdit with preview...

Ah, this is really nice.

(Refinements are pending, by the way. I apologize for the delay. I am currently finalizing the winpty support for my terminal. Then I'll be free to focus on it).

However, I have noticed one thing: The font in the editor is not monospaced. Markdown format is best worked on with monospaced fonts:

If possible, we should make it monospaced.

Best regards,
Oblivion

File Attachments

1) [md.png](#), downloaded 580 times

[Linux console](http://www.kernel.org/doc/man-pages/online/pages/man4/console_codes.4.html), and that aren't available in xterm, are also supported.

This page only lists control sequences that are specific to mintty.

[Caret notation](http://en.wikipedia.org/wiki/Caret_notation) is used to show control characters.

The full details of all supported control sequences are only available in the

[source code](https://github.com/mintty/mintty/blob/master/src/termout.c).

Escape keycode

There are two settings controlling the keycode sent by the [Esc key](http://en.wikipedia.org/wiki/Esc_key).

The first controls application escape key mode, where the escape key sends a keycode that allows applications such as **[vim](http://www.vim.org)** to tell it apart from the escape character appearing at the start of many other keycodes, without resorting to a timeout mechanism.

```
| **sequence** | **mode** | **keycode** |
|:-----|:-----|:-----|
| `^[[?7727l` | normal | `^[' or `^\` |
| `^[[?7727h` | application | `^[O` |
```

When application escape key mode is off, the escape key can be configured to send `^\` instead of the standard `^[`. This allows the escape key to be used as one of the special keys in the terminal line settings (as set with the **[stty](http://www.opengroup.org/onlinepubs/009695399/utilities/stty.html)** utility).

```
| **sequence** | **keycode** |
|:-----|:-----|
| `^[[?7728l` | `^[` |
| `^[[?7728h` | `^\` |
```

Control key codes

Subject: Re: ide: MD support

Posted by [Xemuth](#) on Fri, 12 Mar 2021 20:12:09 GMT

[View Forum Message](#) <> [Reply to Message](#)

This new feature is awesome, it's now possible to edit README from TheIDE.

Thanks Oblivion and Mirek !
