

---

Subject: How to display an icon on the right side of a label/button

Posted by [forlano](#) on Thu, 06 Jul 2006 18:58:37 GMT

[View Forum Message](#) <> [Reply to Message](#)

---

Hello,

By default the image - `btn.SetImage(CtrlImg::new_doc());` - is displayed at left of a label/button. Is there a way to display it to the right side?

Luigi

---

---

Subject: Re: How to display an icon on the right side of a label/button

Posted by [fudadmin](#) on Thu, 06 Jul 2006 20:44:28 GMT

[View Forum Message](#) <> [Reply to Message](#)

---

I haven't tried - but what if

```
btn.SetImage(CtrlImg::new_doc().SizeRight());
```

? or something similar? (at least, I'd like to have this kind of interface...)

---

---

Subject: Re: How to display an icon on the right side of a label/button

Posted by [fallingdutch](#) on Thu, 06 Jul 2006 20:51:57 GMT

[View Forum Message](#) <> [Reply to Message](#)

---

don't know wether the first suggestion works, but i am sure it works with deriving and rewriting `Paint()`

in `Button::Paint` a `DrawLabel 'dl'` is created and painted, just add the following instruction:

```
dl.align = ALIGN_RIGHT
```

best would be to add `align` as a private Member to `Button` class and add get/set methods and in the `Paint` method set `dl.align` as the private `align` member.

---

---

Subject: Re: How to display an icon on the right side of a label/button

Posted by [fudadmin](#) on Thu, 06 Jul 2006 21:42:14 GMT

[View Forum Message](#) <> [Reply to Message](#)

---

fudadmin wrote on Thu, 06 July 2006 21:44 I haven't tried - but what if

```
btn.SetImage(CtrlImg::new_doc().SizeRight());
```

? or something similar? (at least, I'd like to have this kind of interface...)

No, it looks like this doesn't work.

---

But LabelBase has got some kind of image positioning interface...

---

---

Subject: Re: How to display an icon on the right side of a label/button

Posted by [forlano](#) on Thu, 06 Jul 2006 22:26:07 GMT

[View Forum Message](#) <> [Reply to Message](#)

---

fallingdutch wrote on Thu, 06 July 2006 22:51 don't know wether the first suggestion works, but i am sure it works with deriving and rewriting Paint()

in Button::Paint a DrawLabel 'dl' is created and painted, just add the following instruction:  
dl.align = ALIGN\_RIGHT

best would be to add align as a private Member to Button class and add get/set methods and in the Paint method set dl.align as the private align member.

Thank you.

The Aris' method doesn't work. While your method... .. I do not know what to do. It seems in U++ one should be ready to derive often and at the moment I feel not comfortable with this operation regarding Paint, Display, Draw, etc.... Can you be more explicit about the operation I have to do?

Luigi

PS: I agree that a method like .SetImgAlign(LEFT/RIGHT) would be more friendly

---

---

Subject: Re: How to display an icon on the right side of a label/button

Posted by [fallingdutch](#) on Thu, 06 Jul 2006 22:56:03 GMT

[View Forum Message](#) <> [Reply to Message](#)

---

forlano wrote on Fri, 07 July 2006 00:26 It seems in U++ one should be ready to derive often don't know wether it is ment to be this way, but its the only way I see

forlano wrote on Fri, 07 July 2006 00:26 Can you be more explicit about the operation I have to do?  
sure!

```
#include <CtrlLib/CtrlLib.h>
```

```
//derived Class:
```

```
// adding a new private member: align, containing the alignment value
```

```
// the two methods to get and set the value mentioned above (Get/SetAlignment() )
```

```
// adding one line to the Paint method (see ImageButton::Paint)
```

```
class ImageButton : public Button {
```

```

private:
    int align;
public:
    ImageButton() {align = ALIGN_CENTER; }; //default alignment is center
    virtual void Paint(Draw& draw);
    void SetAlignment(int _align) {align = _align;}; //method to set the Alignment
    int GetAlignment() {return align;}; //method to get the alignment
};

void ImageButton::Paint(Draw& w) {
    Size sz = GetSize(); //this is the beginning of the original Paint method
    bool ds = !IsShowEnabled();
    DrawLabel dl;
    dl.align = align; //this is the only line to be added
    // PUT HERE THE REST OF BUTTON::PAINT (CtrlLib/Button.cpp)
};

```

after changing the Alignment you have to call Refresh() so the Ctrl will be repainted. Or change the implementation to

```
void SetAlignment(int _align) {align=_align;Refresh();};
```

the possible Values for align are:

ALIGN\_RIGHT, ALIGN\_CENTER, ALIGN\_LEFT

Hope that helps,

Bas

PS: why isnt that implemented in the original Button class?

PPS: what about valign? could that be usefull, too?

Subject: Re: How to display an icon on the right side of a label/button

Posted by [fudadmin](#) on Thu, 06 Jul 2006 23:32:48 GMT

[View Forum Message](#) <> [Reply to Message](#)

Very primitive explanation about Paint and deriving.

Luigi, imagine every widget as consisting of 2 parts:

1. ala Database and functions (methods).
2. Paint

Paint creates parts of the widget on the screen. That means, if you make your derived widget (you can do it, can't you?) with Paint method, in your new widget class you can output to the screen anything you want. As an example I'd suggest to have a look once again at my OptionImage example which you already have succesfully used.

Then

1. copy it with a new name, say CellButton
2. change it to be derived from Button ( :public Button)
3. comment/remove all except Paint
4. copy from Button.cpp Paint( all lines and paste over into your Paint
5. Below DrawLabel dl; add a new line  
dl.align = ALIGN\_RIGHT

---

Subject: Re: How to display an icon on the right side of a label/button  
Posted by [fudadmin](#) on Thu, 06 Jul 2006 23:51:44 GMT

[View Forum Message](#) <> [Reply to Message](#)

---

...then extend it to the fallingdutch example...

---

Subject: Re: How to display an icon on the right side of a label/button  
Posted by [forlano](#) on Fri, 07 Jul 2006 12:23:22 GMT

[View Forum Message](#) <> [Reply to Message](#)

---

fudadmin wrote on Fri, 07 July 2006 01:51...then extend it to the fallingdutch example...

Thanks a lot!

After the explanation and the code ready to use I'm ready to derive a horse and obtain a zebra using the paint method .

Unfortunately some thing was wrong because the compiler doesn't recognise these identifiers

```
C:\MyApps\RowColorPair\main.cpp(31) : error C3861: 'ButtonFont': identifier not found
C:\MyApps\RowColorPair\main.cpp(40) : error C2065: 'ButtonLook' : undeclared identifier
C:\MyApps\RowColorPair\main.cpp(42) : error C2065: 'EdgeButtonLook' : undeclared identifier
C:\MyApps\RowColorPair\main.cpp(44) : error C2065: 'OkButtonLook' : undeclared identifier
C:\MyApps\RowColorPair\main.cpp(48) : error C3861: 'ButtonTextColor': identifier not found
C:\MyApps\RowColorPair\main.cpp(50) : error C3861: 'ButtonMonoColor': identifier not found
C:\MyApps\RowColorPair\main.cpp(51) : error C3861: 'ButtonPressOffsetFlag': identifier not found
```

All are connected with Chamaleon. Any idea to overcome this last obstacle? (I'm using 606-dev3)

Luigi

---

Subject: Re: How to display an icon on the right side of a label/button  
Posted by [fudadmin](#) on Sat, 08 Jul 2006 12:28:24 GMT

[View Forum Message](#) <> [Reply to Message](#)

---

Quote:Any idea to overcome this last obstacle? (I'm using 606-dev3)

606-dev4?

---

Subject: Re: How to display an icon on the right side of a label/button

Posted by [forlano](#) on Sat, 08 Jul 2006 13:11:40 GMT

[View Forum Message](#) <> [Reply to Message](#)

---

fudadmin wrote on Sat, 08 July 2006 14:28Quote:Any idea to overcome this last obstacle? (I'm using 606-dev3)

606-dev4?

Werner signaled problems with this version under XP and nobody replied.

<http://www.arilect.com/upp/forum/index.php?t=msg&th=1139&start=0> .

So I wait a bit because I've no time up Monday. For the moment I have added an icon-label to the right or the left of a button to get the effect.

---

---

Subject: Re: How to display an icon on the right side of a label/button

Posted by [fudadmin](#) on Sat, 08 Jul 2006 13:35:55 GMT

[View Forum Message](#) <> [Reply to Message](#)

---

forlano wrote on Sat, 08 July 2006 14:11fudadmin wrote on Sat, 08 July 2006 14:28Quote:Any idea to overcome this last obstacle? (I'm using 606-dev3)

606-dev4?

Werner signaled problems with this version under XP and nobody replied.

<http://www.arilect.com/upp/forum/index.php?t=msg&th=1139&start=0> .

So I wait a bit because I've no time up Monday. For the moment I have added an icon-label to the right or the left of a button to get the effect.

But in 606-dev4 Debug mode you can progress without any problems. At least, I haven't encountered.

---