
Subject: TimerCallback interval resolution
Posted by [deep](#) on Wed, 19 Jan 2022 06:41:00 GMT
[View Forum Message](#) <> [Reply to Message](#)

Hi

I am experimenting with TimerCallback. I want to set callback interval to say 25 ms.
To check this I have done small code sample. It is attached to this message.
I am measuring delay with GetTickCount(). Running this for 10 sec. And counting - Histogram.

My observation shows time aligns to 20 ms

Timer Delay -20

Time Count

20	320
21	160
22	5
23	2
28	1
37	1

Timer Delay -25

Time Count

28	1
30	1
34	1
40	102
41	142

Timer Delay -19

Time Count

19	2
20	331
21	147
22	5
23	1
24	1
31	1
60	1

Timer Delay -22

Time Count

22	3
23	2
24	5

```
40 116
41 113
43 1
```

Timer Delay -38

Time Count

```
40 114
41 131
55 1
```

```
#include <CtrlLib/CtrlLib.h>
```

```
using namespace Upp;
```

```
struct TimerCallbackVariation : TopWindow
{
```

```
    Vector<int> interval;
    dword prev, now;
```

```
    TimeCallback timer, process;
    int timerDelay, processDelay;
    LineEdit le1;
    String Result;
```

```
    void Timer()
    {
        now = GetTickCount();
        interval.Add ( now - prev );
        prev = now ;
    }
```

```
    void Process()
    {
        timer.Kill();
```

```
        Result << "Count - " << interval.GetCount() << "\n";
        Result << "Interval Vector - " << interval << "\n" ;
```

```
        Sort ( interval );
```

```
        Result << "Sorted - " << interval << "\n";
```

```
        VectorMap<int, int> hist;
        int j, k;
```

```

for ( int i = 0; i < interval.GetCount(); i++ )
{
j = interval[i];
k = hist.Find ( j );

if ( k > -1 )
{
hist[k] = hist[k] + 1;
}

else
{
hist.Add ( j, 1 );
}
}

Result << "\nTimer Delay " << timerDelay << "\n";

Result << "Time \tCount" "\n";

for ( int i = 0; i < hist.GetCount(); i++ )
{
Result << hist.GetKey ( i ) << " \t" << hist.GetValues() [i] << "\n";
}

this->Title ( "Done" );
le1.Paste(Result.ToWString());
}

TimerCallbackVariation()
{
timerDelay = -38;
processDelay = 10000;
Title ( "Timer Callback Time Variation" ).Zoomable().Sizeable();
Add(le1);
le1.SizePos();
prev = GetTickCount();
timer.Set ( timerDelay, [=] {Timer();} );
process.Set ( processDelay, [=] { Process();} );
}

};

GUI_APP_MAIN
{
TimerCallbackVariation app;
app.Run();
}

```

File Attachments

1) [TimerCallCheck.tar.bz2](#), downloaded 380 times

Subject: Re: TimerCallBack interval resolution
Posted by [Tom1](#) on Wed, 19 Jan 2022 12:19:43 GMT
[View Forum Message](#) <> [Reply to Message](#)

Hi Deepak,

Are you running on Windows? If so, you can improve your timing to one millisecond resolution by adding this in your program:

```
#ifdef _WIN32
#include <MMSystem.h>
```

```
INITBLOCK{
    timeBeginPeriod(1);
}
```

```
EXITBLOCK{
    timeEndPeriod(1);
}
#endif
```

You may also want to use `usecs()` for measuring time at better than millisecond resolution.

Best regards,

Tom

Subject: Re: TimerCallBack interval resolution
Posted by [deep](#) on Wed, 19 Jan 2022 13:27:48 GMT
[View Forum Message](#) <> [Reply to Message](#)

Hi Tom

Thanks for reply.

I want this on Linux.

I need consistency in TimerCallback. Actually consistency is there but with multiple of 20 ms interval.

My observation is I get time resolution of 20 ms.

I need to have say every 30 ms. +/- 2 ms callback. Is it possible with TimerCallback ?

Subject: Re: TimerCallback interval resolution
Posted by [Tom1](#) on Wed, 19 Jan 2022 13:40:13 GMT
[View Forum Message](#) <> [Reply to Message](#)

Hi,

I'm afraid I cannot help you there. You need someone with better Linux timing knowledge...

Best regards,

Tom

Subject: Re: TimerCallback interval resolution
Posted by [Didier](#) on Thu, 20 Jan 2022 20:43:52 GMT
[View Forum Message](#) <> [Reply to Message](#)

Hello Deep,

You should look at RTIMING.

There is an example : [upp/reference/Timing](#)

Works on windows and linux: it should do the job

Subject: Re: TimerCallback interval resolution
Posted by [deep](#) on Fri, 21 Jan 2022 06:39:41 GMT
[View Forum Message](#) <> [Reply to Message](#)

Hi Didier,

My issue is not about time profiling.

I am looking at time interval and repeatability of time interval.

When I set TimerCallback time value between -22 to -39 ms. I get interval of 40 ms.
Depending on value of time I set I get time interval in multiple of 20 ms.

If I want 30 ms. time interval for timercallback I am not getting it. I get greater time interval - multiple time interval of 20 ms.

Interval repeatability is 1ms. which is okay for me.

Subject: Re: TimerCallback interval resolution
Posted by [mirek](#) on Sat, 22 Jan 2022 18:32:02 GMT
[View Forum Message](#) <> [Reply to Message](#)

deep wrote on Fri, 21 January 2022 07:39Hi Didier,

My issue is not about time profiling.

I am looking at time interval and repeatability of time interval.

When I set TimerCallback time value between -22 to -39 ms. I get interval of 40 ms.
Depending on value of time I set I get time interval in multiple of 20 ms.

If I want 30 ms. time interval for timercallback I am not getting it. I get greater time interval - multiple time interval of 20 ms.

Interval repeatability is 1ms. which is okay for me.

It is supposed to be about 20ms by design and it is not even guaranteed. If you need more precise timing, you need to run it in separate thread.

More details: GUI timer is run each time after the set of GUI events is processed and queue becomes empty. Those 20ms actually apply for the case that there are no events - if there are no event for 20 ms, timer is invoked. That also means if the GUI event (e.g. keystroke) takes more than 20ms to process, the interval can be actually much bigger than 20ms.

Subject: Re: TimerCallback interval resolution
Posted by [deep](#) on Mon, 24 Jan 2022 08:56:09 GMT
[View Forum Message](#) <> [Reply to Message](#)

Hi Mirek,

Thanks for explanation.

I was under impression that SetTimeCallback/TimeCallback as independent time trigger.

mirek wrote on Sun, 23 January 2022 00:02

It is supposed to be about 20ms by design and it is not even guaranteed. If you need more precise timing, you need to run it in separate thread.

Small code snippet or link will be helpful to setup repeat callback independent of GUI.

Subject: Re: TimerCallback interval resolution
Posted by [mirek](#) on Mon, 24 Jan 2022 09:47:30 GMT
[View Forum Message](#) <> [Reply to Message](#)

deep wrote on Mon, 24 January 2022 09:56Hi Mirek,

Thanks for explanation.

I was under impression that SetTimeCallback/TimeCallback as independent time trigger.

mirek wrote on Sun, 23 January 2022 00:02

It is supposed to be about 20ms by design and it is not even guaranteed. If you need more precise timing, you need to run it in separate thread.

Small code snippet or link will be helpful to setup repeat callback independent of GUI.

Frankly, the only time I did that was in SDL2 based sound synthetiser and there the period is set by SDL2 sound system.

Still, you can check it here:

<https://github.com/ultimatepp/ultimatepp/blob/master/examples/Synth/Core.cpp>

(or in examples/SDLSoundDemo)

Subject: Re: TimerCallback interval resolution
Posted by [superdev](#) on Wed, 04 Jan 2023 19:19:20 GMT
[View Forum Message](#) <> [Reply to Message](#)

mirek wrote on Mon, 24 January 2022 10:47deep wrote on Mon, 24 January 2022 09:56Hi Mirek,

Thanks for explanation.

I was under impression that SetTimeCallback/TimeCallback as independent time trigger.

mirek wrote on Sun, 23 January 2022 00:02

It is supposed to be about 20ms by design and it is not even guaranteed. If you need more precise timing, you need to run it in separate thread.

Small code snippet or link will be helpful to setup repeat callback independent of GUI.

Frankly, the only time I did that was in SDL2 based sound synthetiser and there the period is set by SDL2 sound system.

Still, you can check it here:

<https://github.com/ultimatepp/ultimatepp/blob/master/examples/Synth/Core.cpp>

(or in examples/SDLSoundDemo)

So how to combine UPP GUI(Ctrl) and SDL2 window (>100 FPS)?

I've tried TopWindow::OpenMain(), then ProcessEvents and render in loop. It works but the loop freezes, for example during TopWindow resizing, dialog showing.

Subject: Re: TimerCallback interval resolution

Posted by [mirek](#) on Thu, 05 Jan 2023 08:29:51 GMT

[View Forum Message](#) <> [Reply to Message](#)

superdev wrote on Wed, 04 January 2023 20:19mirek wrote on Mon, 24 January 2022 10:47deep wrote on Mon, 24 January 2022 09:56Hi Mirek,

Thanks for explanation.

I was under impression that SetTimeCallback/TimeCallback as independent time trigger.

mirek wrote on Sun, 23 January 2022 00:02

It is supposed to be about 20ms by design and it is not even guaranteed. If you need more precise timing, you need to run it in separate thread.

Small code snippet or link will be helpful to setup repeat callback independent of GUI.

Frankly, the only time I did that was in SDL2 based sound synthetiser and there the period is set by SDL2 sound system.

Still, you can check it here:

<https://github.com/ultimatepp/ultimatepp/blob/master/examples/Synth/Core.cpp>

(or in examples/SDLSoundDemo)

So how to combine UPP GUI(Ctrl) and SDL2 window (>100 FPS)?

I've tried TopWindow::OpenMain(), then ProcessEvents and render in loop. It works but the loop freezes, for example during TopWindow resizing, dialog showing.

If you are doing a game, probably consider using VirtualGui. Otherwise, what about separate thread for SDL?

Subject: Re: TimerCallback interval resolution

Posted by [superdev](#) on Fri, 06 Jan 2023 15:20:11 GMT

[View Forum Message](#) <> [Reply to Message](#)

mirek wrote on Thu, 05 January 2023 09:29superdev wrote on Wed, 04 January 2023 20:19...

So how to combine UPP GUI(Ctrl) and SDL2 window (>100 FPS)?

I've tried TopWindow::OpenMain(), then ProcessEvents and render in loop. It works but the loop freezes, for example during TopWindow resizing, dialog showing.

If you are doing a game, probably consider using VirtualGui. Otherwise, what about separate thread for SDL?

Video player.

What widgets can i use with VirtualGui? Sorry but its description is poor and i can't test it yet.

SDL2Uword (built with fresh 16660, 32 or 64 bit) causes "exception c0000005 at 0".

"SDL render functions must be called from the main thread". I tried separate thread and it was glitchy.

Subject: Re: TimerCallback interval resolution

Posted by [mirek](#) on Sat, 07 Jan 2023 08:10:22 GMT

[View Forum Message](#) <> [Reply to Message](#)

superdev wrote on Fri, 06 January 2023 16:20mirek wrote on Thu, 05 January 2023

09:29superdev wrote on Wed, 04 January 2023 20:19...

So how to combine UPP GUI(Ctrl) and SDL2 window (>100 FPS)?

I've tried TopWindow::OpenMain(), then ProcessEvents and render in loop. It works but the loop freezes, for example during TopWindow resizing, dialog showing.

If you are doing a game, probably consider using VirtualGui. Otherwise, what about separate thread for SDL?

Video player.
What widgets can i use with VirtualGui?

All of them. The major disadvantage is that VirtualGui takes over window management, so that means it cannot really be used e.g. for normal applications.

What kind of application are you trying to develop?

Subject: Re: TimerCallback interval resolution
Posted by [superdev](#) on Sat, 07 Jan 2023 10:05:52 GMT
[View Forum Message](#) <> [Reply to Message](#)

mirek wrote on Sat, 07 January 2023 09:10superdev wrote on Fri, 06 January 2023 16:20...
Video player.
What widgets can i use with VirtualGui?

All of them. The major disadvantage is that VirtualGui takes over window management, so that means it cannot really be used e.g. for normal applications.

What kind of application are you trying to develop?

Video player.

Subject: Re: TimerCallback interval resolution
Posted by [mirek](#) on Sat, 07 Jan 2023 12:15:09 GMT
[View Forum Message](#) <> [Reply to Message](#)

superdev wrote on Sat, 07 January 2023 11:05mirek wrote on Sat, 07 January 2023
09:10superdev wrote on Fri, 06 January 2023 16:20...
Video player.
What widgets can i use with VirtualGui?

All of them. The major disadvantage is that VirtualGui takes over window management, so that means it cannot really be used e.g. for normal applications.

What kind of application are you trying to develop?

Video player.

Interesting!

So that would imply that you need one window area capable of updating much faster than 40ms, while you want to keep GUI.

I guess you will need to go a bit deeper for this one. Probably the part handling videooutput running in separate thread, then you have to connect with it through low-level stuff, like HWND in Windows (and that part will be host specific).

Subject: Re: TimerCallback interval resolution
Posted by [superdev](#) on Sun, 08 Jan 2023 05:38:19 GMT
[View Forum Message](#) <> [Reply to Message](#)

mirek wrote on Sat, 07 January 2023 13:15superdev wrote on Sat, 07 January 2023 11:05...
Video player.

Interesting!

So that would imply that you need one window area capable of updating much faster than 40ms, while you want to keep GUI.

I guess you will need to go a bit deeper for this one. Probably the part handling videooutput running in separate thread, then you have to connect with it through low-level stuff, like HWND in Windows (and that part will be host specific).

No, i simply use SDL window for video and TopWindow for GUI

Subject: Re: TimerCallback interval resolution
Posted by [superdev](#) on Tue, 10 Jan 2023 18:12:16 GMT
[View Forum Message](#) <> [Reply to Message](#)

mirek wrote on Sat, 07 January 2023 09:10superdev wrote on Fri, 06 January 2023 16:20..
Video player.
What widgets can i use with VirtualGui?

All of them. The major disadvantage is that VirtualGui takes over window management, so that means it cannot really be used e.g. for normal applications.

So what things cannot be done with VirtualGui?

Subject: Re: TimerCallback interval resolution

Posted by [mirek](#) on Wed, 11 Jan 2023 09:36:23 GMT

[View Forum Message](#) <> [Reply to Message](#)

superdev wrote on Tue, 10 January 2023 19:12mirek wrote on Sat, 07 January 2023 09:10superdev wrote on Fri, 06 January 2023 16:20..

Video player.

What widgets can i use with VirtualGui?

All of them. The major disadvantage is that VirtualGui takes over window management, so that means it cannot really be used e.g. for normal applications.

So what things cannot be done with VirtualGui?

Management of normal windows.

Drag&Drop between VirtualGui app and host GUI.

Ditto clipboard.

Basically, it runs as separate GUI system, not integrated with rest of OS. OK for games / special uses. Bad for applications.

Subject: Re: TimerCallback interval resolution

Posted by [superdev](#) on Wed, 11 Jan 2023 17:17:33 GMT

[View Forum Message](#) <> [Reply to Message](#)

mirek wrote on Wed, 11 January 2023 10:36...

Thanks for the explanation.

Pardon my offtop.
