
Subject: Ini file

Posted by [Silvan](#) on Sun, 13 Feb 2022 17:57:24 GMT

[View Forum Message](#) <> [Reply to Message](#)

Hello!

Another newby question.

I read the examples of usage of ini file, and I read the source ini.cpp.

I don't find a method to Save the ini file. Have I to do it?

It would be useful (for me) to have an example of defining, reading, modifying and writing an ini file.

Thank you

Silvan

Subject: Re: Ini file

Posted by [jjacksonRIAB](#) on Mon, 14 Feb 2022 06:49:47 GMT

[View Forum Message](#) <> [Reply to Message](#)

```
// contains key value pairs for ini file
VectorMap<String, String> kv = GetIniKeys();

// add a new key
kv.Add("testing", "new key");

// replace an existing key's value
kv.GetPut("text") = "non-default text";

// remove an existing key
kv.RemoveKey("number");

FileOut out("test.ini");

// write pairs to disk
for(KeyValueRef pair : ~kv) {
    out << Format("%s=%s\n", pair.key, pair.value);
}
```

Subject: Re: Ini file

Posted by [Silvan](#) on Tue, 15 Feb 2022 19:29:37 GMT

[View Forum Message](#) <> [Reply to Message](#)

Thank you, I suppose that makes almost unuseful ini.cpp

ps: what is pair?

That does not work:

```
template <class T>
class pair {
    T &key, &value;
};
```

Subject: Re: Ini file

Posted by [jjacksonRIAB](#) on Wed, 16 Feb 2022 09:24:52 GMT

[View Forum Message](#) <> [Reply to Message](#)

In a dictionary, map and other associative containers, both elements together (key and value) are commonly called key-value pairs, or a pair for short.

>that does not work

I'm assuming you looked up KeyValueType and tried to roll your own?

```
template <class K, class V>
struct KeyValueType {
    const K& key;
    V& value;
    KeyValueType(const K& key, V& value) : key(key), value(value) {}
};
```

The reason your version doesn't work is because references *must* be initialized at time of creation, they cannot be nullptr and they cannot be changed to point to something else. That's one of the major differences between a reference and a pointer - so if you look at the code above you'll see that in the constructor those references are being initialized at key(key), value(value). That's why that version works and yours doesn't.

Subject: Re: Ini file

Posted by [Silvan](#) on Wed, 16 Feb 2022 10:58:37 GMT

[View Forum Message](#) <> [Reply to Message](#)

Thank you.

The problem is I am a C programmer and I know little of C++

The code above don't compile because of a missing declaration:

```
for(KeyValueRef pair : ~kv) {  
    out << Format("%s=%s\n", pair.key, pair.value);  
}
```

In the first line:

error: use of class template 'KeyValueRef' requires template arguments.

??

Subject: Re: Ini file

Posted by [jjacksonRIAB](#) on Wed, 16 Feb 2022 11:31:36 GMT

[View Forum Message](#) <> [Reply to Message](#)

KeyValueRef is already part of U++, it's contained in Core/Map.h. I posted the code to it for illustrative purposes but you don't want to recreate it in your program.

If Upp's KeyValueRef is not working it could be because you either haven't included Core/Core.h or you aren't using the Upp namespace.

```
#include <Core/Core.h>
```

```
using namespace Upp;
```

```
namespace Config {
```

```
INI_BOOL(flag1, false, "This is bool parameter 1")
```

```
INI_BOOL(flag2, true, "This is bool parameter 2")
```

```
INI_STRING(text, "default text", "Text parameter");
```

```
INI_INT(number, 123456, "Number parameter");
```

```
INI_INT64(size, 0, "Int64 parameter");
```

```
INI_DOUBLE(fp_number, 0.1, "Floating point parameter");
```

```
};
```

```
extern void ExternalFn();
```

```
CONSOLE_APP_MAIN
```

```

{
  StdLogSetup(LOG_COUT|LOG_FILE);

  SetIniFile(GetDataFile("test.ini"));

  RDUMP(Config::flag1);
  RDUMP(Config::flag2);
  RDUMP(Config::text);
  RDUMP(Config::number);
  RDUMP(Config::fp_number);

  RLOG(GetIniInfoFormatted());

  Config::number = 321;
  RDUMP(Config::number);

  RLOG(GetIniInfoFormatted());

  ExternalFn();

  // contains key value pairs for ini file
  VectorMap<String, String> kv = GetIniKeys();

  // add a new key
  kv.Add("testing", "new key");

  // replace an existing key's value
  kv.GetPut("text") = "non-default text";

  // remove an existing key
  kv.RemoveKey("number");

  FileOut out("test.ini");

  // write pairs to disk
  for(KeyValueRef pair : ~kv) {
    out << Format("%s=%s\n", pair.key, pair.value);
  }
}

```

If you wanted to instantiate KeyValueRef directly instead of receiving it as a return from a function, you'd do it like this:

```

String foo = "foo";
String bar = "bar";
KeyValueRef<String, String> test = { foo, bar };

```

You'll have to read up on template classes and template functions to understand how they work. I'd also direct you to [https://www.ultimatepp.org/src\\$Core\\$VectorMap_en-us.html](https://www.ultimatepp.org/src$Core$VectorMap_en-us.html) and [https://www.ultimatepp.org/srcdoc\\$Core\\$Tutorial_en-us.html#Chapter_3](https://www.ultimatepp.org/srcdoc$Core$Tutorial_en-us.html#Chapter_3) so you can learn about NTL containers.

Once you understand how containers in U++ work then you have the key to understanding many of the features of U++. A basic understanding of Vector and VectorMap along with templates are essential because they are such a common part of U++ functions and classes. Another thing I have discovered is critical to be able to find undocumented features is to just Ctrl+click on known features and look at the code adjacent to that and its headers for undocumented features. GetIniKeys() is not documented by an example program (and should be), but it is discoverable.

Incidentally I would have not named it GetIniKeys() because it's not returning just an array of keys, it's returning an array of keys and values. I would have named it GetIniPairs() but whatever

Subject: Re: Ini file
Posted by [Silvan](#) on Wed, 16 Feb 2022 13:18:20 GMT
[View Forum Message](#) <> [Reply to Message](#)

Thank you.
What it missed was: `KeyValueRef<String, String>`

Yes the documentation of U++ is big but don't cover everything and I use to navigate to the U++ source to understand, but in this case I missed the solution. Examples are the winning card.

Regards
Silvano

PS: 3. Array containers that is very important and vast and I need more time to practise

Subject: Re: Ini file
Posted by [jjacksonRIAB](#) on Wed, 16 Feb 2022 13:31:35 GMT
[View Forum Message](#) <> [Reply to Message](#)

Ahh yeah, I see what's going on. I'm using `-std=c++2a` for a later version of C++ which apparently doesn't require you to type in the template parameters. My bad for forgetting that not everyone is using later stuff.

If you don't want to have to do `KeyValueRef<String, String>` you can just use auto type deduction instead.

```
for(auto pair : ~kv) {  
    out << Format("%s=%s\n", pair.key, pair.value);  
}
```

Apparently that's been the case since C++17 and I just never stumbled on it. Technically in c++17 onward you can also do

```
VectorMap vm = GetIniKeys();
```

and it will auto-deduce the template parameters for you. Anyway: cheers!

Subject: Re: Ini file
Posted by [Silvan](#) on Thu, 17 Feb 2022 17:59:13 GMT
[View Forum Message](#) <> [Reply to Message](#)

Still there is something I don't understand...

Your example works fine in console_app but not in a normal windows application. The file ini will be written whitout nothing inside, and if I manually write it, it will be overwritten empty.

After this, kv is empty:

```
SetIniFile(GetDataFile("test.ini"));  
VectorMap<String, String> kv = GetIniKeys();
```

Subject: Re: Ini file
Posted by [jjacksonRIAB](#) on Thu, 17 Feb 2022 20:57:17 GMT
[View Forum Message](#) <> [Reply to Message](#)

Just a guess, but when you switch compilers, switch from console app to windowed app and various other changes, it creates a new output directory for your build. Check and make sure the .ini file you're writing isn't being relocated along with it.

Subject: Re: Ini file
Posted by [Silvan](#) on Fri, 18 Feb 2022 17:50:31 GMT
[View Forum Message](#) <> [Reply to Message](#)

Solved.... I have to add text.ini to the project.

Thx
