

---

Subject: LoadFile("/sys/devices/virtual/thermal/ ...") does not work

Posted by [Tom1](#) on Wed, 06 Apr 2022 10:29:15 GMT

[View Forum Message](#) <> [Reply to Message](#)

---

Hi,

I attempted to read Raspberry Pi 4 SoC temperature with the below code. For some reason using LoadFile does not work:

```
double GetRaspberryPiTemperature(){
    String result = LoadFile("/sys/devices/virtual/thermal/thermal_zone0/temp");
    if(!result.IsEmpty()) return 0.001*ScanDouble(~result);
    return -55.0;
}
```

So I had to revert using FILE and fgets instead:

```
double GetRaspberryPiTemperature(){
    FILE *in=fopen("/sys/devices/virtual/thermal/thermal_zone0/temp","rb");
    char s[8];
    if(fgets(s,8,in)) return 0.001*ScanDouble(s);
    return -55.0;
}
```

Is this expected or is this a bug?

Best regards,

Tom

---

---

Subject: Re: LoadFile("/sys/devices/virtual/thermal/ ...") does not work

Posted by [mirek](#) on Fri, 08 Apr 2022 14:11:18 GMT

[View Forum Message](#) <> [Reply to Message](#)

---

Tom1 wrote on Wed, 06 April 2022 12:29Hi,

I attempted to read Raspberry Pi 4 SoC temperature with the below code. For some reason using LoadFile does not work:

```
double GetRaspberryPiTemperature(){
    String result = LoadFile("/sys/devices/virtual/thermal/thermal_zone0/temp");
    if(!result.IsEmpty()) return 0.001*ScanDouble(~result);
    return -55.0;
}
```

So I had to revert using FILE and fgets instead:

```
double GetRaspberryPiTemperature(){
    FILE *in=fopen("/sys/devices/virtual/thermal/thermal_zone0/temp","rb");
    char s[8];
    if(fgets(s,8,in)) return 0.001*ScanDouble(s);
    return -55.0;
}
```

Is this expected or is this a bug?

Best regards,

Tom

Have you tried the exact equivalent? (like reading 8 bytes only).

---

---

Subject: Re: LoadFile("/sys/devices/virtual/thermal/ ...") does not work

Posted by [Tom1](#) on Tue, 12 Apr 2022 06:54:50 GMT

[View Forum Message](#) <> [Reply to Message](#)

---

Hi Mirek,

None of the options below work. The file opens OK, but reading fails with all means:

```
FileIn in;
in.Open("/sys/devices/virtual/thermal/thermal_zone0/temp");
if(in.IsError()) return -100;

// String result = in.GetLine();
// String result = in.Get(5);
String result = in.GetAll(8);
if(!result.IsEmpty()) return 0.001*ScanInt(~result);
return -55.0;
```

Best regards,

Tom

---

---

Subject: Re: LoadFile("/sys/devices/virtual/thermal/ ...") does not work

Posted by [Tom1](#) on Tue, 12 Apr 2022 12:46:55 GMT

[View Forum Message](#) <> [Reply to Message](#)

---

Hi Mirek,

First it seems the problem is that the Stream::GetSize() returns 4096 for some reason. (The file is more like five bytes long.) Then it breaks in BlockStream::\_Get(void \*data, dword size) in a way that causes error.

Best regards,

Tom

---

---

Subject: Re: LoadFile("/sys/devices/virtual/thermal/ ...") does not work

Posted by [Tom1](#) on Wed, 13 Apr 2022 07:13:49 GMT

[View Forum Message](#) <> [Reply to Message](#)

---

Hi Mirek,

There is also an easier way to test this -- the following does not work on Linux Mint on normal x86\_64 platform:

```
#include <Core/Core.h>
```

```
using namespace Upp;
```

```
CONSOLE_APP_MAIN
```

```
{  
  String meminfo = LoadFile("/proc/meminfo");  
  Cout() << meminfo << "\n";  
}
```

Best regards,

Tom

---

---

Subject: Re: LoadFile("/sys/devices/virtual/thermal/ ...") does not work

Posted by [Tom1](#) on Wed, 13 Apr 2022 12:44:57 GMT

[View Forum Message](#) <> [Reply to Message](#)

---

Hi,

This does work on both Raspberry Pi OS (on RPi4) and Linux Mint (on x86\_64):

```
#include <Core/Core.h>
```

```
using namespace Upp;
```

```
String LoadFileRaw(const char *filename){  
  int fd = open(filename,O_RDONLY);  
  if(fd!=-1){  
    char buf[4096];  
    StringBuffer s;  
    int len;  
    while((len=read(fd,buf,4096))==4096) s.Cat(buf,len);  
    if(len>0) s.Cat(buf,len);  
    close(fd);  
    if(s.GetCount(>0) return s;  
  }  
  return String::GetVoid();  
}
```

```
CONSOLE_APP_MAIN
{
  String meminfo = LoadFileRaw("/proc/meminfo");
  Cout() << meminfo << "\n\n";
}
```

Also:

```
LoadFileRaw("/sys/devices/virtual/thermal/thermal_zone0/temp");
works fine on RPi4.
```

Best regards,

Tom

---

---

Subject: Re: LoadFile("/sys/devices/virtual/thermal/ ...") does not work  
Posted by [mirek](#) on Wed, 13 Apr 2022 15:39:58 GMT  
[View Forum Message](#) <> [Reply to Message](#)

---

Tom1 wrote on Wed, 13 April 2022 14:44Hi,

This does work on both Raspberry Pi OS (on RPi4) and Linux Mint (on x86\_64):  
#include <Core/Core.h>

using namespace Upp;

```
String LoadFileRaw(const char *filename){
  int fd = open(filename,O_RDONLY);
  if(fd!=-1){
    char buf[4096];
    StringBuffer s;
    int len;
    while((len=read(fd,buf,4096))==4096) s.Cat(buf,len);
    if(len>0) s.Cat(buf,len);
    close(fd);
    if(s.GetCount(>0) return s;
  }
  return String::GetVoid();
}
```

```
CONSOLE_APP_MAIN
{
  String meminfo = LoadFileRaw("/proc/meminfo");
  Cout() << meminfo << "\n\n";
}
```

Also:

```
LoadFileRaw("/sys/devices/virtual/thermal/thermal_zone0/temp");
works fine on RPi4.
```

Best regards,

Tom

I suspect that the problem is somewhere here: Core/BlockStream.cpp:474

Probably that S\_IFREG flag test. Maybe using S\_IFBLK would fix it?

Mirek

---

---

Subject: Re: LoadFile("/sys/devices/virtual/thermal/ ...") does not work

Posted by [Tom1](#) on Wed, 13 Apr 2022 16:45:51 GMT

[View Forum Message](#) <> [Reply to Message](#)

---

mirek wrote on Wed, 13 April 2022 18:39

I suspect that the problem is somewhere here: Core/BlockStream.cpp:474

Probably that S\_IFREG flag test. Maybe using S\_IFBLK would fix it?

Mirek

Hi,

Unfortunately this does not help. I think, it opens OK, but fails to read.

Best regards,

Tom

---

---

Subject: Re: LoadFile("/sys/devices/virtual/thermal/ ...") does not work

Posted by [Tom1](#) on Wed, 13 Apr 2022 18:33:45 GMT

[View Forum Message](#) <> [Reply to Message](#)

---

Hi Mirek,

OK, the problem is here:

```
bool FileStream::Open(const char *name, dword mode, mode_t tmode) {
    Close();
    LLOG("Open " << name);
    int iomode = mode & ~SHAREMASK;
    handle = open(ToSystemCharset(name), iomode == READ ? O_RDONLY :
        iomode == CREATE ? O_CREAT|O_RDWR|O_TRUNC :
        O_RDWR|O_CREAT,
        tmode);
```

```
if(handle >= 0) {
    struct stat st[1];
    fstat(handle, st);
    if(!(st->st_mode & S_IFREG) || // not a regular file, e.g. folder - bad things would happen
        (mode & NOWRITESHARE) && flock(handle, LOCK_EX|LOCK_NB) < 0) { // lock if not sharing
        close(handle);
        handle = -1;
        return false;
    }
    int64 fsz = st->st_size;
```

The 'st->st\_size' returned from fstat() above is zero for e.g. "/proc/meminfo". This causes the contents of the file not being read at all. (I tested with a fake length of five bytes and received the five first characters of "/proc/meminfo", so this explains the behavior.)

Best regards,

Tom

More edit: It turns out that files in "/proc" or "/sys" are not really files. Not on disk, but not even in memory. Their contents is generated by the kernel on the fly. So, there is no way to tell their size and so fstat() returns zero. Only way to read them is to just read() them in until EOF.

Maybe they could be read up to the buffer (page) size and if the EOF is encountered, the filesize becomes determined...?

---

---

Subject: Re: LoadFile("/sys/devices/virtual/thermal/ ...") does not work

Posted by [mirek](#) on Mon, 16 May 2022 08:48:38 GMT

[View Forum Message](#) <> [Reply to Message](#)

---

Quote:

More edit: It turns out that files in "/proc" or "/sys" are not really files. Not on disk, but not even in memory. Their contents is generated by the kernel on the fly. So, there is no way to tell their size and so fstat() returns zero. Only way to read them is to just read() them in until EOF.

Maybe they could be read up to the buffer (page) size and if the EOF is encountered, the filesize becomes determined...?

Well, one simple possible solution is to change LoadFile... However, it will then need to be implemented for every platform.

Mirek

---

---

Subject: Re: LoadFile("/sys/devices/virtual/thermal/ ...") does not work

Posted by [Tom1](#) on Wed, 18 May 2022 07:05:34 GMT

---

Hi Mirek,

Well, the LoadFileRaw() implementation above (a couple of messages up) could likely replace LoadFile() on Linux (or POSIX) and Windows does not need any changes. So, I guess it is just Mac that possibly needs attention. (I do not have a Mac, so I cannot really tell.)

EDIT: Or maybe we could use LoadFileRaw() just for files in POSIX that fail to open with LoadFile(). Then allocation of String would be better optimized for normal files.

Best regards,

Tom

---

---

Subject: Re: LoadFile("/sys/devices/virtual/thermal/ ...") does not work  
Posted by [mirek](#) on Wed, 18 May 2022 07:58:01 GMT

[View Forum Message](#) <> [Reply to Message](#)

---

OK, this should do the job:

```
String LoadFile(const char *filename) {
    FindFile ff(filename);
    if(ff && ff.IsFile()) {
#ifdef PLATFORM_POSIX
        if(ff.GetLength() == 0) { // handle special cases like /proc/...
            int fd = open(filename,O_RDONLY);
            if(fd >= 0) {
                const int CHUNK = 32768;
                StringBuffer s;
                for(;;) {
                    int n = s.GetCount();
                    s.SetCount(n + CHUNK);
                    int len = read(fd, ~s + n, CHUNK);
                    if(len != CHUNK) {
                        if(len > 0)
                            s.SetCount(n + len);
                        return s;
                    }
                }
            }
        }
#endif
        return String::GetVoid();
    }
    FileIn in(filename);
    return LoadStream(in);
}
```

```
}  
return String::GetVoid();  
}
```

---

---

Subject: Re: LoadFile("/sys/devices/virtual/thermal/ ...") does not work  
Posted by [Tom1](#) on Wed, 18 May 2022 08:15:29 GMT  
[View Forum Message](#) <> [Reply to Message](#)

---

Mirek,

A nice idea. Now it works in /proc too. Unfortunately, now a truly empty file comes in as garbage sized at 32769 bytes. The StringBuffer sizing needs some tuning...

Best regards,

Tom

---

---

Subject: Re: LoadFile("/sys/devices/virtual/thermal/ ...") does not work  
Posted by [Tom1](#) on Wed, 18 May 2022 08:26:48 GMT  
[View Forum Message](#) <> [Reply to Message](#)

---

EDIT: My mistake, IsVoid() works correctly for String::GetVoid().

Best regards,

Tom

---

---

Subject: Re: LoadFile("/sys/devices/virtual/thermal/ ...") does not work  
Posted by [mirek](#) on Wed, 18 May 2022 08:29:41 GMT  
[View Forum Message](#) <> [Reply to Message](#)

---

Empty file issue fixed (with len >= 0).

Not sure what do you mean with IsVoid problem, piece of code maybe?

---

---

Subject: Re: LoadFile("/sys/devices/virtual/thermal/ ...") does not work  
Posted by [Tom1](#) on Wed, 18 May 2022 08:36:51 GMT  
[View Forum Message](#) <> [Reply to Message](#)

---

Thanks Mirek!

Now it works perfectly.

Sorry, GetVoid() / IsVoid() issue was my mistake in testing...

Best regards,

Tom

---

---

Subject: Re: LoadFile("/sys/devices/virtual/thermal/ ...") does not work  
Posted by [Tom1](#) on Wed, 18 May 2022 08:47:56 GMT

[View Forum Message](#) <> [Reply to Message](#)

---

mirek wrote on Wed, 18 May 2022 11:29 Empty file issue fixed (with len >= 0).

Not sure what do you mean with IsVoid problem, piece of code maybe?

OK, I found the reason causing part of my testing issues:

```
if(String::GetVoid().IsVoid()) Cout() << "String::GetVoid().IsVoid() works!\n";  
else Cout() << "String::GetVoid().IsVoid() fails!\n";  
if(IsVoid(String::GetVoid())) Cout() << "IsVoid(String::GetVoid()) works!\n";  
else Cout() << "IsVoid(String::GetVoid()) fails!\n";
```

Best regards,

Tom

EDIT: Improved test code.

---

---

Subject: Re: LoadFile("/sys/devices/virtual/thermal/ ...") does not work  
Posted by [pvictor](#) on Wed, 18 May 2022 08:50:30 GMT

[View Forum Message](#) <> [Reply to Message](#)

---

Hi Mirek,

You should close(fd) in the above code.

Best regards,  
Victor

---

---

Subject: Re: LoadFile("/sys/devices/virtual/thermal/ ...") does not work  
Posted by [mirek](#) on Wed, 18 May 2022 08:58:42 GMT

[View Forum Message](#) <> [Reply to Message](#)

---

pvictor wrote on Wed, 18 May 2022 10:50Hi Mirek,

You should close(fd) in the above code.

Best regards,  
Victor

Thanks, not my best morning....

Mirek

---

---

Subject: Re: LoadFile("/sys/devices/virtual/thermal/ ...") does not work  
Posted by [mirek](#) on Wed, 18 May 2022 09:04:41 GMT

[View Forum Message](#) <> [Reply to Message](#)

---

Tom1 wrote on Wed, 18 May 2022 10:47mirek wrote on Wed, 18 May 2022 11:29Empty file issue fixed (with len >= 0).

Not sure what do you mean with IsVoid problem, piece of code maybe?

OK, I found the reason causing part of my testing issues:

```
if(String::GetVoid().IsVoid()) Cout() << "String::GetVoid().IsVoid() works!\n";  
else Cout() << "String::GetVoid().IsVoid() fails!\n";  
if(IsVoid(String::GetVoid())) Cout() << "IsVoid(String::GetVoid()) works!\n";  
else Cout() << "IsVoid(String::GetVoid()) fails!\n";
```

Best regards,

Tom

EDIT: Improved test code.

Uhm, that is actually API problem:

IsVoid(const Value&) function is about Value - it tells you that Value was not assigned anything. In above example you assign it a String, so it must return false.

I agree this is a bit confusing, but I am not sure there is a solution to that.

Mirek

---

---

Subject: Re: LoadFile("/sys/devices/virtual/thermal/ ...") does not work  
Posted by [Tom1](#) on Wed, 18 May 2022 09:10:56 GMT

[View Forum Message](#) <> [Reply to Message](#)

---

mirek wrote on Wed, 18 May 2022 12:04 Tom1 wrote on Wed, 18 May 2022 10:47 mirek wrote on Wed, 18 May 2022 11:29 Empty file issue fixed (with len >= 0).

Not sure what do you mean with IsVoid problem, piece of code maybe?

OK, I found the reason causing part of my testing issues:

```
if(String::GetVoid().IsVoid()) Cout() << "String::GetVoid().IsVoid() works!\n";  
else Cout() << "String::GetVoid().IsVoid() fails!\n";  
if(IsVoid(String::GetVoid())) Cout() << "IsVoid(String::GetVoid()) works!\n";  
else Cout() << "IsVoid(String::GetVoid()) fails!\n";
```

Best regards,

Tom

EDIT: Improved test code.

Uhm, that is actually API problem:

IsVoid(const Value&) function is about Value - it tells you that Value was not assigned anything. In above example you assign it a String, so it must return false.

I agree this is a bit confusing, but I am not sure there is a solution to that.

Mirek

How about introducing an additional IsVoid variant?:

```
bool IsVoid(const String &s){ return s.IsVoid(); }
```

Best regards,

Tom

---

Subject: Re: LoadFile("/sys/devices/virtual/thermal/ ...") does not work

Posted by [mirek](#) on Thu, 19 May 2022 08:33:41 GMT

[View Forum Message](#) <> [Reply to Message](#)

---

Tom1 wrote on Wed, 18 May 2022 11:10

How about introducing an additional IsVoid variant?:

```
bool IsVoid(const String &s){ return s.IsVoid(); }
```

Best regards,

Tom

OK, done

---

Subject: Re: LoadFile("/sys/devices/virtual/thermal/ ...") does not work  
Posted by [Tom1](#) on Thu, 19 May 2022 09:04:23 GMT  
[View Forum Message](#) <> [Reply to Message](#)

---

Thanks!

---