

---

Subject: Updated Sqlite3 plugin

Posted by [aroman](#) on Tue, 25 Jul 2006 08:07:49 GMT

[View Forum Message](#) <> [Reply to Message](#)

---

EDIT: PLEASE NOTE THAT DATABASES CREATED WITH THIS VERSION ARE NOT COMPATIBLE WITH THE PREVIOUS VERSION!! See the sqlite homepage for details.

Sorry for the delayed response. Here is the code necessary to update the sqlite3 plugin to the newest version:

Download the newest version, 3.3.6, from the sqlite homepage. In particular, you want the fully preprocessed source code:

[http://www.sqlite.org/sqlite-source-3\\_3\\_6.zip](http://www.sqlite.org/sqlite-source-3_3_6.zip)

Delete all files in `uppsrc/plugin/sqlite3/lib/*`  
Then unzip the new source files into that directory.

Apply the following patch to `uppsrc/plugin/sqlite3/sqlite3.uppPatch`:

Index: `C:/Research/upp/uppsrc/plugin/sqlite3/sqlite3.upp`

```
=====
--- C:/Research/upp/uppsrc/plugin/sqlite3/sqlite3.upp (revision 29)
+++ C:/Research/upp/uppsrc/plugin/sqlite3/sqlite3.upp (working copy)
@@ -30,12 +30,12 @@
 lib/main.c,
 lib/opcodes.c,
 lib/opcodes.h,
+ lib/os.c,
 lib/os.h,
 lib/os_common.h,
+ lib/os_os2.c,
 lib/os_unix.c,
- lib/os_unix.h,
 lib/os_win.c,
- lib/os_win.h,
 lib/pager.c,
 lib/pager.h,
 lib/parse.c,
```

That is, add `os.c` and `os_os2.c`, remove `os_unix.h` and `os_win.h`.

It should compile without errors.

- Augusto

---

---

Subject: Re: Updated Sqlite3 plugin  
Posted by [unodgs](#) on Tue, 25 Jul 2006 08:50:30 GMT  
[View Forum Message](#) <> [Reply to Message](#)

---

aroman wrote on Tue, 25 July 2006 04:07EDIT: PLEASE NOTE THAT DATABASES CREATED WITH THIS VERSION ARE NOT COMPATIBLE WITH THE PREVIOUS VERSION!! See the sqlite homepage for details.

Thanks for info.

BTW: I think upp sql interface is missing two important functions:

int GetInsertedId() - returns last inserted id if column has "auto increment" attribute

int GetSqlCode() - returns native sql error code as integer value.

for sqlite3:

```
int GetInsertedId()
{
    return sqlite3_last_insert_rowid(db);
}
```

for ms sql server (and it seems for oledb too):

```
int GetInsertedId()
{
    static Sql sql("select @@identity", db);
    sql.ExecuteX();
    sql.Fetch();
    return (int) sql[0];
}
```

I don't know how it should look for oracle.

---

---

Subject: Re: Updated Sqlite3 plugin  
Posted by [mirek](#) on Tue, 25 Jul 2006 13:52:59 GMT  
[View Forum Message](#) <> [Reply to Message](#)

---

Yes. Long term "TODO" entry ..but there is always so much else to do..

Oracle does not have insert autonumbers, that is why it is missing yet.

BTW, what about this syntax:

```
int q = SQL * Insert(TABLE)(VALUE, xx)
```

?

Also, SqlArray will need fixing to work both with autonumber inserts AND oracle sequences.

Mirek

---

---

Subject: Re: Updated Sqlite3 plugin  
Posted by [unodgs](#) on Tue, 25 Jul 2006 16:06:54 GMT  
[View Forum Message](#) <> [Reply to Message](#)

---

luzr wrote on Tue, 25 July 2006 09:52  
BTW, what about this syntax:

```
int q = SQL * Insert(TABLE)(VALUE, xx)
```

Very cool! However I would also keep ability to get id value as separate function.

---

---

Subject: Re: Updated Sqlite3 plugin  
Posted by [mirek](#) on Tue, 25 Jul 2006 16:37:50 GMT  
[View Forum Message](#) <> [Reply to Message](#)

---

BTW, is not it UUID in MS-SQL? I will make it return Value to be sure

Mirek

---