Subject: (RESOLVED) Line drawn across Null values Posted by Maginor on Wed, 15 Mar 2023 12:54:21 GMT View Forum Message <> Reply to Message

Edit: This is resolved in an upcoming version.

Hi,

It used to be so that if a line plot has a Null data value in it, it would have a gap at that value. Now this has been changed so that it draws a line from the last valid value to the next one.

If this change is intentional, I would prefer it to be configurable so that I can still get the old behaviour.

Edit:

Digging into it a bit, I found that this change is caused by the new DataAddPoints

function which extracts the points from the data source into a Vector<Point>. It has been coded so that it just skips values where !IsNum(yy).

I guess this is a nice optimization unless you actually want it to have holes at Null values, which was how it worked before intentionally.

Unfortunately, I am not able to fix it just by removing the condition IsNum(yy), because it produces an incorrect plot, so I am not entirely sure what is going on.

Subject: Re: (RESOLVED) Line drawn across Null values Posted by koldo on Sun, 19 Mar 2023 11:43:27 GMT View Forum Message <> Reply to Message

I am not totally sure about the best behaviour. If you run ScatterDraw_demo_cl, you will get from this vector

 $s1 = \{\{1,14\}, \{2,65\}, \{3,29\}, \{Null,Null\}, \{5,40\}, \{6,50\}, \{7,Null\}, \{8,25\}, \{9,10\}\};$ this plot

If x == y == Null, plot line jumps, but if just y == Null, a hole is created.

What would be the best behaviour?

File Attachments
1) Scatter null data.png, downloaded 255 times

Subject: Re: (RESOLVED) Line drawn across Null values

Well, probably if either x or y are Null, it is better the plot will have a hole. A WhenPainter() is also added.

File Attachments
1) Scatter null data.png, downloaded 222 times

Page 2 of 2 ---- Generated from U++ Forum