

---

Subject: Fields

Posted by [unodgs](#) on Wed, 26 Jul 2006 07:41:32 GMT

[View Forum Message](#) <> [Reply to Message](#)

---

What I miss in current implementation of sql interface is some kind of Fields class. Let me explain what I mean:

Let's imagine that if an insert operation fails we want to do an update. At present I have to write:

```
sql * Insert(TABLE)(C0, "a")(C1, 1)(C3, 2)
if(duplicate())
    sql * Update(TABLE)(C0, "a")(C1, 1)(C3, 2)
```

The thing is I have to write fields names and its values twice. I would like to be able to write it like this:

```
Fields flds;
flds(C0, "a")(C1, 1)(C3, 2);

sql * Insert(TABLE).Fields(flds)
if(duplicate())
    sql * Update(TABLE).Fields(flds)
```

If that was possible it would be easier to build dynamic queries with sqlexp. Second case (similar to one in my app):

```
void InsertPerson(Sql &sql, bool flag)
{
    SqlInsert q = Insert(TABLE)
    if(flag)
    {
        q(ID, 1)
        q(STATUS, "A")
    }
    q(NAME, "Daniel")
    q(AGE, 27)
    .... << more fields

    sql * q;
}

void UpdatePerson(Sql &sql, ...)
{
    SqlUpdate q = Update(TABLE)
```

```

q(NAME, "Daniel")
q(AGE, 27)
.....
    sql * q.Where(ID == id);
}

```

With Fields class I could separate common fields and write:

```

void InsertPerson(Sql &sql, Fields &flds, bool flag)
{
    SqllInsert q = Insert(TABLE)
    if(flag)
    {
        q(ID, 1)
        q(STATUS, "A")
    }
    q.Fields(flds) //or in short form - q(flds)

    sql * q;
}

void UpdatePerson(Sql &sql, Fields &flds...)
{
    SqlUpdate q = Update(TABLE)
    q.Fields(flds)

    sql * q.Where(ID == id);
}

```

Now it is impossible and I have to do something like this:

```

template<typename T>
void Fields(T &q, DataCommon &dc)
{
    q(NAME, dc.name);
    q(AGE, dc.age);
}

int InsertPerson(Sql &sql, DataCommon &dc, void (*AddFields)(SqllInsert &, DataCommon &, ...))
{
    SqllInsert q = Update(TABLE)
    .....
    AddFields(q, dc);
    sql * q;
}

```

```
}

int UpdatePerson(Sql &sql, DataCommon &dc, void (*AddFields)(SqlUpdate &, DataCommon &),
...)
{
    SqlUpdate q = Update(TABLE)
    ....
    AddFields(q, dc);
    sql * q.Where(ID == id);
}
```

and finally...

```
InsertPerson(sql, dc, Fields<SqlInsert>, ...)
UpdatePerson(sql, dc, Fields<SqlUpdate>, ...)
```

and it all because both SqlInsert and SqlUpdate class have separate interfaces for adding fields to insert/update.

Can be in future similar functionality added?

---

---

Subject: Re: Fields

Posted by [aroman](#) on Wed, 26 Jul 2006 07:54:59 GMT

[View Forum Message](#) <> [Reply to Message](#)

---

I didn't actually read all the way through your post, I noticed this:

```
sql * Insert(TABLE)(C0, "a")(C1, 1)(C3, 2)
if(duplicate())
    sql * Update(TABLE)(C0, "a")(C1, 1)(C3, 2)
```

In sqlite, at least, you can use "REPLACE" to insert or update. According to the sqlite documentation, it's also in mysql:

[http://www.sqlite.org/lang\\_replace.html](http://www.sqlite.org/lang_replace.html)

Perhaps that should be added to the sql interface.

=)  
- Augusto

---

**Subject: Re: Fields**

Posted by [unodgs](#) on Wed, 26 Jul 2006 08:38:32 GMT

[View Forum Message](#) <> [Reply to Message](#)

---

aroman wrote on Wed, 26 July 2006 03:54I didn't actually read all the way through your post, I noticed this:

```
sql * Insert(TABLE)(C0, "a")(C1, 1)(C3, 2)
if(duplicate())
    sql * Update(TABLE)(C0, "a")(C1, 1)(C3, 2)
```

In sqlite, at least, you can use "REPLACE" to insert or update. According to the sqlite documentation, it's also in mysql:

[http://www.sqlite.org/lang\\_replace.html](http://www.sqlite.org/lang_replace.html)

Perhaps that should be added to the sql interface.

=)  
- Augusto

It is not only about sqlite3 MS SQL Server (which I use in my project doesn't have such a possibility (or I missed sth..))

But for example in MySql there is Insert into... on duplicate key update or sth similar.

---

---

**Subject: Re: Fields**

Posted by [mirek](#) on Wed, 26 Jul 2006 08:53:28 GMT

[View Forum Message](#) <> [Reply to Message](#)

---

Well, in majority of cases SqlCtrls provide exactly this (but for Ctrl instead of values).

But I agree this is a good idea. Puttin' to ToDo

---