
Subject: FormatE() with 0.0

Posted by [koldo](#) **on** Tue, 01 Aug 2023 06:35:52 GMT

[View Forum Message](#) <> [Reply to Message](#)

Hi to all

When using FormatE() with a 0, the function seems to avoid considering some formatting flags, like FD_CAP_E and FD_MINIMAL_EXP.

An example:

```
Cout() << FormatE(0.0, 2, FD_CAP_E | FD_EXP | FD_MINIMAL_EXP); // 0.00e+00
Cout() << FormatE(1234, 2, FD_CAP_E | FD_EXP | FD_MINIMAL_EXP); // 1.23E3
```

In CvFlt.cpp, line 292, FormatE() function does this (the comments are added):

```
char *FormatE(char *t, double x, int precision, dword flags)
```

```
{
```

```
...
```

```
if(!x) { // Value is zero
```

```
*t++ = '0';
```

```
if(precision) {
```

```
do_point(t, flags);
```

```
tCat(t, '0', precision);
```

```
}
```

```
tCat(t, "e+00", 4); // The "e+00" is forced
```

```
}
```

```
...
```

Subject: Re: FormatE() with 0.0

Posted by [mirek](#) **on** Wed, 02 Aug 2023 09:44:06 GMT

[View Forum Message](#) <> [Reply to Message](#)

Thanks, will be fixed tomorrow.

Subject: Re: FormatE() with 0.0

Posted by [koldo](#) **on** Thu, 03 Aug 2023 09:19:36 GMT

[View Forum Message](#) <> [Reply to Message](#)

Thank you!
