

---

Subject: Adding GetCount/NumBytes to Buffer?  
Posted by [luoganda](#) on Sun, 04 May 2025 12:49:15 GMT  
[View Forum Message](#) <> [Reply to Message](#)

---

Since Buffer always has an info of NumItems allocated  
and that NumItems(allocated) info is always needed by the app,  
could be something like this added to Buffer?

```
Buffer buff;  
...allocating it..  
buff.GetCount() //<=sinceIt'sATemplate
```

```
and maybe  
buff.NumBytes() //<=sinceIt'sNeededSometimes
```

---

---

Subject: Re: Adding GetCount/NumBytes to Buffer?  
Posted by [mirek](#) on Wed, 07 May 2025 13:13:04 GMT  
[View Forum Message](#) <> [Reply to Message](#)

---

luoganda wrote on Sun, 04 May 2025 14:49 Since Buffer always has an info of NumItems allocated

Actually, it does not :)

If you need GetCount, use Vector...

Mirek

---

---

Subject: Re: Adding GetCount/NumBytes to Buffer?  
Posted by [luoganda](#) on Tue, 13 May 2025 11:23:30 GMT  
[View Forum Message](#) <> [Reply to Message](#)

---

Updated:  
Checked size of Vector<int>  
and it's not that big compared to Buffer - i thought it's bigger, that's why proposal.  
Down message is now there for info(eg also hint for UnifiedSizeOf in c/c++).  
GetCount could still be added though(1stMessage).

First message version:

Quote: Since Buffer always has an info of NumItems allocated  
i mostly meant that it has because it knows where it allocated it(so it can query size on that)  
and/or also

when specifying either Buffer(size\_t size) or Alloc(size\_t size).

With that i mean - Buffer size can not be done with one of this two functions, so because it has an unified alloc protocol - info is there and could be easily used for this, since Buffer is smaller compared to Vector and more appropriate in some situations.

If Buffer is used elsewhere in func or down the code - it would be more appropriate to have that NumBytes() to not make a messy code to pass extra numBytes to func or something else.

So, two solutions are here for adding GetCount:

- 1) without adding additional int num to Buffer and querying size dynamically(nonTrivial-butStillOk)
- 2) adding int num to Buffer and just set it whenever Buffer New is called

~~~~~

The second version of "Buffer always has an info of NumItems/NumBytes..."  
i meant that it has an underlying info about it.

But then i reserched a little and found out that it has and it doesn't.

This should be there in c/c++(as an option since it could bloat compiler work - not end compiled code),  
and would probably not be so hard to implement.

```
int anInt;  
void *ptr=malloc(...)
```

```
//now, somewhere else in the code,  
//how to check if it was allocated on a stack or on a heap?  
//because when allocated on the stack one could simply do sizeof(anInt)  
//and when on heap - one of heap size functions(in case of upp something else)  
//i guess this could be a kind of Rtti info.
```

I meant if one had that info, NumBytes would be already there.  
For now though - this is not so straightforward.

```
func(void*ptr){  
    //unified sizeof  
    bool stackBased=IsStackBased(ptr);  
    bool heapBased=!stackBased;  
    uint32 sz=UnifiedSizeOf(ptr);  
    memset(ptr,0,sz);  
}
```

I am not sure how this works,  
when one allocates on the stack/heap - it probabaly has different segments of address space,  
so it could be also known by that.

---

---

Subject: Re: Adding GetCount/NumBytes to Buffer?  
Posted by [mirek](#) on Tue, 13 May 2025 12:04:52 GMT  
[View Forum Message](#) <> [Reply to Message](#)

---

FYI: U++ allocator does have means to return the size of allocated block, unfortunately that can be bigger than the size requested by MemoryAlloc, so GetCount implemented as GetMemoryBlockSize(ptr) / sizeof(T) would often return bigger than correct number. So that realistically leaves storing size as second member variable (+8 bytes), which so far was not worth it.

---