

---

Subject: Where can I store 32 bit data

Posted by [unknown user](#) on Wed, 23 Aug 2006 02:56:34 GMT

[View Forum Message](#) <> [Reply to Message](#)

---

It looks teectrl Item doesn't have a var to store 32 bit data like Window's HTREEITEM'S LPARAM.

---

---

Subject: Re: Where can I store 32 bit data

Posted by [zsolt](#) on Wed, 23 Aug 2006 06:23:03 GMT

[View Forum Message](#) <> [Reply to Message](#)

---

I'm using it to store 32 bit integers, but you can store anything in Value. See this page:

[http://upp.sourceforge.net/srcdoc\\$Core\\$UserValue\\$en-us.html](http://upp.sourceforge.net/srcdoc$Core$UserValue$en-us.html)

---

---

Subject: Re: Where can I store 32 bit data

Posted by [unknown user](#) on Wed, 23 Aug 2006 07:05:28 GMT

[View Forum Message](#) <> [Reply to Message](#)

---

zsolt wrote on Wed, 23 August 2006 02:23 I'm using it to store 32 bit integers, but you can store anything in Value. See this page:

[http://upp.sourceforge.net/srcdoc\\$Core\\$UserValue\\$en-us.html](http://upp.sourceforge.net/srcdoc$Core$UserValue$en-us.html)

it's a little hard to understand

---

---

Subject: Re: Where can I store 32 bit data

Posted by [fudadmin](#) on Wed, 23 Aug 2006 08:44:06 GMT

[View Forum Message](#) <> [Reply to Message](#)

---

hongdong wrote on Wed, 23 August 2006 08:05 zsolt wrote on Wed, 23 August 2006 02:23 I'm using it to store 32 bit integers, but you can store anything in Value. See this page:

[http://upp.sourceforge.net/srcdoc\\$Core\\$UserValue\\$en-us.html](http://upp.sourceforge.net/srcdoc$Core$UserValue$en-us.html)

it's a little hard to understand

Please, post your minimal code sample.

---

---

Subject: Re: Where can I store 32 bit data

Posted by [unknown user](#) on Wed, 23 Aug 2006 09:38:44 GMT

[View Forum Message](#) <> [Reply to Message](#)

---

fudadmin wrote on Wed, 23 August 2006 04:44 hongdong wrote on Wed, 23 August 2006

08:05 zsolt wrote on Wed, 23 August 2006 02:23 I'm using it to store 32 bit integers, but you can store anything in Value. See this page:

[http://upp.sourceforge.net/srcdoc\\$Core\\$UserValue\\$en-us.html](http://upp.sourceforge.net/srcdoc$Core$UserValue$en-us.html)

it's a little hard to understand

---

Please, post your minimal code sample.

sorry,not ready yet,I used LPARA to store database record id in my MFC code,so I would to do the same thing in U++,but I found U++ TreeCtrl doesn't have such kind of variable.  
btw,after I played with U++ a day,I really like it now,I create a simple GUI,build with MingW,optimized for size,upx the exe file,finally the size is 537kb.attach is the screenshot

if I didn't try,I never know U++ is so good!!!

## File Attachments

1) [Netpath.PNG](#), downloaded 2394 times

---

---

Subject: Re: Where can I store 32 bit data  
Posted by [mirek](#) on Wed, 23 Aug 2006 10:06:31 GMT  
[View Forum Message](#) <> [Reply to Message](#)

---

Instead of LPARAM, in U++ you can associate TWO Values with each tree item.

First one is just stored (key). You can retrieve it later (e.g. for active item).

Second one is displayed in TreeCtrl. You can even define HOW it is displayed using the Display class.

You can directly store virtually any concrete type to the Value and you can make your own types "Value-compatible". Some of U++ Value-compatible types are String, int, double, int64, bool, Image, Color, Font, Drawing, Date, Time....

Mirek

---

---

Subject: Re: Where can I store 32 bit data  
Posted by [mirek](#) on Wed, 23 Aug 2006 10:08:24 GMT  
[View Forum Message](#) <> [Reply to Message](#)

---

P.S.: Looking at the image you posted

- looks like U++ is able to support chinese in the end

- you are using 605 version ("stable"). There are many improvements in current "dev" version, maybe you could try it in parallel.

Mirek

---

Subject: Re: Where can I store 32 bit data

Posted by [unknown user](#) on Wed, 23 Aug 2006 14:57:08 GMT

[View Forum Message](#) <> [Reply to Message](#)

---

luzr wrote on Wed, 23 August 2006 06:06 Instead of LPARAM, in U++ you can associate TWO Values with each tree item.

First one is just stored (key). You can retrieve it later (e.g. for active item).

Second one is displayed in TreeCtrl. You can even define HOW it is displayed using the Display class.

You can directly store virtually any concrete type to the Value and you can make your own types "Value-compatible". Some of U++ Value-compatible types are String, int, double, int64, bool, Image, Color, Font, Drawing, Date, Time....

Mirek

thanks for your explanation,I will try when ready.

---