
Subject: Examples for newby: dynamic widget and ownership

Posted by [thierry](#) on Sun, 10 Sep 2006 15:42:40 GMT

[View Forum Message](#) <> [Reply to Message](#)

Hello,

thanks for the tutorial and examples. They help a lot getting motivation to learn another GUI toolkit. However the tutorial isn't progressive: this is not the same example growing, thus showing the progressively development of an appli, and implied refactoring or U++ programming style.

however, I'd like to have a more complex example to better understand the recommended practice with UPP.

Let's describe its specification and rationale (for steps):

it would be a very simple drawing application: adding and moving two shapes (like a box and a circle) on a grid frame.

I see it as a tutorial to progressively learn U++.

- 1st step:

Paint a circle and a rectangle in topwindow.

(paint)

- 2nd step:

making a circle frame and rectangle frame, distribute them in a topwindow

(frame)

- 3rd step making a shape control with derived circle control and rectangle, with click on them changing colors, and entering on them making border change color

(callbacks, selecting)

- 4th step:

make a grid control with popup menu "create circle", "create box"

which prompts created circle/rectangle at [popup coordinate]

(menu)

- 5th step:

dynamically add a circle and rectangle control into window control on popup action from step 4.

(dynamically added control, refresh, and ownership...)

- 6th step:

add popup menu on shape control for modifying the filling color, border thickness

(layout, color control)

- 9th add tool bar: mode draw circle or draw rectangle

(switch, toolbar, and icons .iml for draw mode, enable/disable on popup menu)

- 7th step: add status bar (counting shape number)

- 8th step: add global menu (reset of grid, exit)
- 9th step: drag and drop of shapes
- 10th : add load and store of grid state (serialize, fileselector)
- 11th: add multiple documents, new grids in new tabs from main menu

I know this is easier specifying than implementing...

But

- I'm more in state of using it than developping it now
- I can use U++ only in spare time
 - + thus forum consultation is rare, tutorial helps more
 - + learning material is key, rather than support on irregular work
 - + don't need much comments on upp code

Do you think this can be a good progressive learning or a to big effort to do, and not the right order to start with an application ?

Subject: Re: Examples for newby: dynamic widget and ownership

Posted by [mirek](#) on Sun, 10 Sep 2006 16:51:12 GMT

[View Forum Message](#) <> [Reply to Message](#)

Well, that was the original idea. You can see what remained in examples/Scribble1 - 3.

Later I decided to rather employ smaller examples each demonstrating single aspect of U++ programming. I think the main reason is that this way, I can list complete sources for each step.

Mirek
