

---

Subject: Help: custom build

Posted by [mobilehunter](#) on Mon, 06 Nov 2006 05:48:16 GMT

[View Forum Message](#) <> [Reply to Message](#)

---

Hi,

I just try Ultimate++ last week, i want to create a GUI for my console app.

One of my files is an .asm file, which i compile using nasm under custom build at VisualStudio IDE, and the IDE will link the object with the rest of normal cpp object automatically.

How to do the same thing with Ultimate++?

Thanks,

Reza

---

---

---

Subject: Re: Help: custom build

Posted by [fallingdutch](#) on Mon, 06 Nov 2006 06:14:48 GMT

[View Forum Message](#) <> [Reply to Message](#)

---

Hello Reza,

as far as I know (never used it) you can do this with custom Build steps (Press F1 for Help and go to "TheIDE help"->"Configuring Packages and Assemblies"->"Custom Build Steps"

right click in the upper part and choose "Append Row", give it a name and tell it the extension (.asm, i guess).

In the next part enter the command you want to be run (have a look at the screenshot in the Help) at last tell TheIDE which files will be created by that build step.

I don't know wether you have to add something to your package configuration so TheIDE will use your output.

Good luck,

Bas

---

---

Subject: Re: Help: custom build

Posted by [mobilehunter](#) on Mon, 06 Nov 2006 07:29:22 GMT

[View Forum Message](#) <> [Reply to Message](#)

---

Thanks for the reply,

I just try with hardcoded value for directory input,output,filename etc. the invoked nasm from TheIDE++ can compile the .asm file.

Below is the command from VS IDE:

```
nasasm -f win32 -DPREFIX -I $(InputDir) \ -o "$(IntDir)\$(InputName)".obj "$(InputPath)"
```

Translated to plain english below:

```
nasasm -f win32 -DPREFIX -I c:\Work\MyProject\asm\ \ -o "Debug\myasmfile".obj
```

```
"c:\Work\MyProject\asm\myasmfile.asm"
```

How to achieve the same thing with TheIDE++?

---

---

**Subject: Re: Help: custom build**

Posted by [mirek](#) on Mon, 06 Nov 2006 08:44:44 GMT

[View Forum Message](#) <> [Reply to Message](#)

---

fallingdutch wrote on Mon, 06 November 2006 01:14

I don't know whether you have to add something to your package configuration so Thelde will use your output.

You have to list output files - those of them with the right extension (.cpp/.c/.lib/.obj) are processed into executable.

Mirek

---

---

**Subject: Re: Help: custom build**

Posted by [mirek](#) on Mon, 06 Nov 2006 08:49:48 GMT

[View Forum Message](#) <> [Reply to Message](#)

---

mobilehunter wrote on Mon, 06 November 2006 02:29nasasm -f win32 -DPREFIX -I \$(InputDir) \ -o  
"\$(IntDir)\\$(InputName)".obj "\$(InputPath)"

It is quite similar for custom build steps - you put above into "Commands" pane (of course, \$(InputDir) etc variables are different, there are buttons in dialog that list all options).

You have to put "\$(IntDir)\\$(InputName)".obj equivalent - which actually is

"\$(OUTDIR)/\$(FILE).obj"

into output files section.

Mirek

P.S.: We should perhaps consider adding direct .asm support to U++ builders - the only question is how to do that reasonable compiler and platform independent...

Does nasm support mingw? Does it work in Linux?

---

---

Subject: Re: Help: custom build

Posted by [mobilehunter](#) on Mon, 06 Nov 2006 10:01:30 GMT

[View Forum Message](#) <> [Reply to Message](#)

---

Hi thanks Mirek,

I didn't see the button.

Now i can use some variables for TheIDE++.

I use "\$(OUTDIR)/\$(TITLE).obj" instead.

I haven't try nasm with linux. But i guess it works.

---

---

Subject: Re: Help: custom build

Posted by [koldo](#) on Wed, 06 Feb 2013 13:52:35 GMT

[View Forum Message](#) <> [Reply to Message](#)

---

Hello all

Sorry for recycling this old post.

I have tried to compile an asm file without success. I include you the custom build steps.

Are they ok?

---

File Attachments

1) [div.jpg](#), downloaded 689 times

---

---

Subject: Re: Help: custom build

Posted by [mirek](#) on Wed, 06 Feb 2013 13:57:53 GMT

[View Forum Message](#) <> [Reply to Message](#)

---

Why do not you activate verbose mode?

Mirek

---